

The LabMart®

Issue C 2012

Serving Science Since 1850

\$3.50



800-684-1234

Special Offer when you register
on line at www.labmart.com

Alconox Detergents	24
Bags	10
Balances	11-17, 70
Baths	35
Beakers	3, 60
Benchtop Covers	23
Biotechnology	68
Bottles	3, 9, 53-57
Brushes	22
Buffers, pH	51
Burners	38
Carts	22
Calculators	39
Centrifuges & Accessories	18-21
Cleaning	22-24, 33
Corning Glassware Sale	3-7
Cryoware	25-26
Cylinders	4, 55
Desiccator	27
Dishes, Glass / Petri	7, 69
Dispensers	44, 54
Disposal, Safety	8
Electrophoresis	27
Electrodes, pH	52
Filtration / Paper	28-30
Flasks	5-7, 69
Food Prep / Handling	59, 70-71
Funnels	60
Gloves	31-34
Hot Plates	62
Ice Bucket and Pans	25
Incubators	35-36
Kimwipes and Holder	23
Lab Accessories	24, 37-39, 70-71
Lab Glass	3-9
Lab Jacks	39
Labeling	37
Liquid Handling	40-46
Magnetic Stirrers	62-63
Microscope Accessories	47
Organizers	25, 27, 47, 56
Ovens	35
Parafilm/ Coverings	38, 68
pH	48-52
Pipetting	40-46
Pitchers	53, 60
Plasticware	53-57
Plate Sealing Films	68
Refractometers	58
Refrigerators	39
Sampling	15-17, 57, 59, 69-71
Scales	11, 13-15, 70
Specimen Cups	56-57
Spoons / Spatulas	57, 59, 70-71
Stainless Steel	60, 70
Stirring	61-64
Stirring Bars	61
Storage	27, 47, 55-56
Syringe Filters	28, 30
Syringe	41, 45
Tape	37
Thermometry	65-66
Timers	67
Tissue Culture	68-69
Trays	27, 55, 60
Tubes, Microcentrifuge	18-20
Vials	8, 25
Vortexing	63-64
Wash Bottles	54
Weigh Dishes	16-17

www.labmart.com

Welcome To About Us

The LabMart®
Serving Science Since 1850



For more than 160 years, The LabMart® has offered **NEW** and **INNOVATIVE** products at affordable prices! We look forward to supplying you with all your lab needs in the future & thank you for your past patronage.

Contact Us

Call: 800-684-1234 **Fax:** 908-561-3002
Online: www.labmart.com **E-mail:** sales@labmart.com
Mail: J&H Berge/The LabMart®
 4111 South Clinton Avenue PO Box 310
 South Plainfield, NJ 07080

This Edition

This edition offers our best products at the best prices. **WE WENT GREEN** and cut back on resources to reduce our carbon footprint. We still have a full line catalog, just contact us and will be happy to send it to you. And of course, our online catalog (www.labmart.com) lists every product and chemical we offer. If you don't see it or can't find it, call us. We can cross-reference any competitors' product number or description and beat their price.

New and Free Stuff



We have packed this catalog with the latest and best products produced by leading manufacturers.
 Pg: 8, 12, 18, 19, 20, 26, 27, 36, 46, 49, 53, 63, 64

Look for this Icon. Contact us and we will send you free samples!
 Specially Tagged Items Pg: 20, 23, 24, 32, 42, 69

Premium Rewards



Check out the back cover. If you purchase a certain amount, you can choose a free gift! Cool stuff to pick from.

Premium Rewards are valid only on products purchased from The LabMart® Catalog or Website (www.labmart.com) and cannot be combined with other discounts or offers including but not limited to: negotiated pricing, items on contracts, clearance, custom quotes and sale items. Premium Rewards are subject to availability and may differ from photos and descriptions shown. The LabMart® reserves the right to substitute an item of equal value.

Private Brand



Look for our LabMart® Brand products!
 Pg: 16, 17, 20, 30, 35, 40, 42, 45, 50, 51, 52, 58

Fine Print

Prices: • F.O.B. unless otherwise indicated, So. Plainfield, N.J., title passing at such point. • Prices subject to change without notice and apply to orders shipped to any point in US or possessions.

Blanket Orders: Available; saves you time and money.

Payment: Open account or Visa®, MasterCard®, American Express® Card, or Discover® accepted.

Domestic Terms: Net 30 days after proper credit has been established; otherwise, net cash with order or credit card.

Design Changes: Due to mfg. improvements in products, images and description may slightly differ.

Satisfaction Guaranteed: on items for their intended use. Credit or replacement will be made for any defective material.

Shipments: Domestic transportation unless otherwise instructed. All charges, (freight, insurance, fees, forwarding costs) collected at destination, or prepaid by us & added to invoice.

Packing: Included in the shipping costs for domestic shipments, unless otherwise indicated. Chemicals may require additional package charge to conform with DOT regulations.

Damaged Shipment: Notify us ASAP. Keep original pack material. Obtain carrier inspection report.

Returned Goods: Contact us for a return goods authorization number (RGA#). All returns must be made within 30 days of date of purchase and may be subject to a restocking charge.

Note: As a distributor, J&H Berge, Inc. warrants that representations made for the products in this catalog accurately reflect the mfg's representation to J&H Berge, Inc. J&H Berge expressly disclaims all other warranties, whether expressed, implied, or statutory, including the warranty FITNESS FOR USE and MERCHANTABILITY. In no event will J&H Berge, Inc. be liable for consequential damages arising out of the products described herein. © Copyright J&H Berge, Inc. 2012.



Discounted Corning Glass With iPad 2 Give Away

Corning Glass at a deep discount, only from The LabMart™

Free iPad 2

Spend
\$3000
on
Corning
Glass



Beakers - Griffin, Graduated Spot

All Beakers

- Spouts for easy transfers
- Graduation lines and large marking area are in durable white enamel
- Sizes 250 - 4000ml have double graduate metric scale graduations
- PYREX®

Series 1000

- Uniform wall thickness
- Offers balance between thermal shock resistance and mechanical strength
- No graduations on 10ml

Series 1003

- Heavy Duty to offer the best mechanical strength under harsh conditions, such as mechanized washing operations

LabMart Cat. No.	Capacity (ml)	List Price Per Piece	YOU PAY 45% LESS	List Price Per Pack	YOU PAY 40% LESS	List Price Per Case	YOU PAY 30% LESS
---------------------	------------------	-------------------------	---------------------	------------------------	---------------------	------------------------	---------------------

Series 1000 - Low Form

CSP1000-10	10	\$10.88	\$5.99	\$74.63	\$44.78/12	\$199.01	\$139.31/48
CSP1000-20	20	9.42	5.18	64.60	38.76/12	172.26	120.58/48
CSP1000-30	30	9.32	5.13	63.94	38.36/12	170.51	119.36/48
CSP1000-50	50	9.32	5.13	63.94	38.36/12	170.51	119.36/48
CSP1000-100	100	9.87	5.43	67.58	40.59/12	180.41	126.29/48
CSP1000-150	150	8.95	4.92	61.36	36.82/12	163.63	114.54/48
CSP1000-250	250	9.45	5.20	64.80	38.88/12	172.81	120.97/48
CSP1000-400	400	11.11	6.11	76.16	45.70/12	203.10	142.17/48
CSP1000-600	600	14.10	7.75	48.34	29.00/ 6	193.35	135.35/36
CSP1000-800	800	19.48	10.71	66.78	40.07/ 6	178.08	124.66/24
CSP1000-1L	1000	26.57	14.61	91.10	54.66/ 6	242.94	170.06/24
CSP1000-1XL	1500	32.21	17.71	73.61	44.17/ 4	196.30	137.41/16
CSP1000-2L	2000	52.70	28.98	120.45	72.27/ 4	160.60	112.42/ 8
CSP1000-3L	3000			51.78	31.07/ 1	207.10	144.97/ 6
CSP1000-4L	4000			95.44	57.26/ 1	381.75	267.23/ 6

Series 1003 - Heavy Duty

CSP1003-150	150	\$17.82	\$9.80	\$122.21	\$73.33/12	\$325.90	\$228.13/48
CSP1003-250	250	17.60	9.68	120.68	72.41/12	321.81	225.27/48
CSP1003-400	400	22.95	12.62	157.34	94.40/12	419.57	293.70/48
CSP1003-600	600	26.73	14.70	91.65	54.99/ 6	366.61	256.63/36
CSP1003-1L	1000	51.01	28.06	174.91	104.94/ 6	466.42	326.49/24
CSP1003-2L	2000	104.29	57.36	288.37	143.02/ 4	317.83	222.48/ 8
CSP1003-4L	4000			116.38	69.83/ 1	310.35	217.25/ 4



Low Form, Double Scale



Heavy Duty

Media Bottles

Series 1395

- Heavy duty to store, mix or sample
- Includes PP plug seal screw cap for drip free pouring ring
- Permanent white graduations and marking area for easy identification
- Use with bottle top filters
- PYREX®

LabMart Cat. No.	Capacity (ml)	Grad. Range (ml)	List Price Per Piece	YOUR PRICE	List Price Per Case	YOUR PRICE
---------------------	------------------	---------------------	-------------------------	---------------	------------------------	---------------

Series 1395 - Media Bottles

M100973	25	10 - 25	\$14.01	\$13.40	\$93.42	\$88.75/10
M100974	50	20 - 50	13.91	13.21	92.76	88.12/10
M130000	100	40 - 80	14.31	13.60	95.42	90.65/10
M130010	250	50 - 200	19.91	15.11	106.04	100.74/10
M130020	500	100 - 400	19.00	18.06	126.70	120.37/10
M130030	1000	100 - 900	23.33	22.11	155.40	147.76/10
M130040	2000	400 - 1800	61.46	58.39	409.74	389.25/10
M130050	5000	500 - 4500			134.88	128.14/ 1
M130060	10000	2000 - 9000			207.50	197.13/ 1



Discounted Corning Glass With iPad 2 Give Away

Corning Glass at a deep discount, only from The LabMart™

Free iPad 2

Spend
\$3000
on
Corning
Glass



Cylinders - Single Metric Scale

All Cylinders

- Calibrated "to contain"
- Graduations in durable white enamel
- PYREX®

buy us because

We are discounted 30 and 40 percent

•Series 3042 - Lifetime™ Red

- Enamel markings clearly stand out against the red color-band
- Funnel top on 10ml size
- Bumper guards supplied with 100 to 2000ml sizes
- 100ml only: ASTM E-133 and E-1272, used in ASTM tests D-86, and D-216



Lifetime™ Red



Basic

LabMart Cat. No.	Capacity (ml)	ASTM Tol. ± (ml)	List Price Per Piece	YOU PAY 40% LESS	List Price Per Case	YOU PAY 30% LESS
Series 3042 - Lifetime™ Red						
CSP3042-10	10	0.2	\$32.63	\$19.58	\$522.12	\$365.48/24
CSP3042-100	100	1.0	49.17	29.50	393.36	275.35/12
CSP3042-500	500	4.0	90.18	54.11	480.96	336.67/ 8
CSP3042-1L	1000	6.0			92.55	64.79/ 1
CSP3042-2L	2000	12.0			140.01	98.43/ 1
Series 3022 - Basic						
CSP3022-10	10	0.2	\$22.21	\$13.32	\$355.33	\$248.73/24
CSP3022-25	25	0.3	31.43	18.86	377.16	264.01/18
CSP3022-50	50	0.5	32.49	19.49	389.87	272.91/18
CSP3022-100	100	1.0	38.76	23.25	310.06	217.04/12
CSP3022-250	250	2.0	53.58	32.15	428.65	300.06/12
CSP3022-500	500	4.0	74.94	44.96	399.67	279.77/ 8
CSP3022-1L	1000	6.0			75.17	52.62/ 1
CSP3022-2L	2000	12.0			123.96	86.77/ 1

•Series 3024 - Pour Spout

- Pour spout for easy transfer
- Good for many uses



Pour Spout



Stopper

LabMart Cat. No.	Capacity (ml)	ASTM Tol. ± (ml)	List Price Per Piece	YOU PAY 40% LESS	List Price Per Case	YOU PAY 30% LESS
Series 2982 - Pyrex Stopper						
CSP2982-10	10	0.2	\$35.90	\$21.54	\$574.45	\$402.12/24
CSP2982-25	25	0.3	43.64	26.19	523.70	366.59/18
CSP2982-50	50	0.5	54.57	32.74	436.52	305.56/12
CSP2982-100	100	1.0	63.13	37.88	336.67	235.67/ 8
CSP2982-250	250	2.0	84.89	50.63	450.06	315.04/ 8
CSP2982-500	500	4.0	128.58	77.15	514.33	360.03/ 6
CSP2982-1L	1000	6.0			117.53	82.27/ 1
CSP2982-2L	2000	12.0			174.91	122.44/ 1
Series 3024 - Pour Spout						
CSP3024-5	5	0.1	\$33.51	\$20.11	\$268.09	\$187.66/12
CSP3024-10	10	0.2	22.13	13.28	354.12	247.88/24
CSP3024-25	25	0.3	31.26	18.75	375.09	262.56/18
CSP3024-50	50	0.5	32.49	19.49	389.87	272.91/18
CSP3024-100	100	1.0	38.76	23.25	310.06	217.04/12
CSP3024-250	250	2.0	53.58	32.15	428.65	300.06/12
CSP3024-500	500	4.0	74.94	44.96	399.67	279.77/ 8
CSP3024-1L	1000	6.0			75.67	52.97/ 1
CSP3024-2L	2000	12.0			123.23	86.26/ 1
CSP3024-4L	4000	29.0			396.34	277.44/ 1

Discounted Corning Glass With iPad 2 Give Away

Corning Glass at a deep discount, only from The LabMart™

Flasks - Marking Spot

Filtrating, Tubulation

Series 5360 - Micro

- Ideal for microchemical use

Series 5340 - Heavy Wall

- Design for maximum mechanical strength
- Accepts rubber stoppers, Graduated

All Flasks

- Heavy duty rim
- Durable top tooling accepts rubber stoppers
- Durable, white enamel graduation lines, (except 5360)
- PYREX®

Free iPad 2

Spend \$3000 on Corning Glass



LabMart Cat. No.	Cap. (ml)	Tubl. O.D.	Stopper No.	OD x Hgt (mm)	List Per Pk	YOUR PRICE	List Per Case	YOUR PRICE
------------------	-----------	------------	-------------	---------------	-------------	------------	---------------	------------

Series 5360 - Pyrex® Micro Filtering Flasks w/ Tubulation

M109588	25	8	3	40 x 75	\$195.9	\$186.20/6	\$391.99	\$372.39/18
M109589	50	8	4	51 x 85	197.76	187.86/6	395.51	375.74/18
M109590	125	10	5	70 x 110	206.44	196.12/6	410.88	392.24/18

Series 5340 - Pyrex® Filtering Flasks w/ Tubulation

M105010	250		6	84 x 146	\$162.00	\$153.90/6	\$324.00	\$307.80/18
M105011	500		8	106 x 184	212.51	201.88/6	425.02	403.77/18
M105012	1000		8	137 x 238	428.25	406.84/6	571.00	547.45/12
M105013	2000		9	168 x 292	141.76	134.68/1	1,134.11	1,077.40/12
M105014	4000		12	198 x 356	202.19	192.08/1	\$08.75	768.31/ 6



Micro



Heavy Wall

Erlenmeyer, Graduated

Series 4980 - Narrow Mouth

- Excellent for everyday use

Series 5100 - Wide Mouth

- Excellent for use as a titration flask

Series 4985 - With Screw Cap

- Ideal for culturing, mixing and storing media
- Impact resistant caps have cemented-in inert white rubber liners which are resistant to sterilization



Narrow Mouth



Wide Mouth



w/ Screw Cap

LabMart Cat. No.	Capacity (ml)	Grad. Int. (ml)	List Price Per Piece	YOU PAY 40% LESS	List Price Per Pack	YOU PAY 40% LESS	List Price Per Case	YOU PAY 30% LESS
------------------	---------------	-----------------	----------------------	------------------	---------------------	------------------	---------------------	------------------

Series 4980 - Narrow Mouth

CSP4980-10	10	5					\$94.88	\$66.38/12
CSP4980-25	25	5	\$12.79	\$7.03	\$87.71	\$52.63/12	233.89	163.72/48
CSP4980-50	50	10	12.50	6.88	85.74	51.44/12	228.04	160.05/48
CSP4980-125	125	25	12.01	6.61	82.38	49.43/12	219.69	153.78/48
CSP4980-250	250	25	11.49	6.32	78.77	47.26/12	210.05	147.04/48
CSP4980-300	300	25	13.92	7.66	95.45	57.27/12	254.53	178.17/48
CSP4980-500	500	50	14.54	7.89	49.16	29.49/ 6	196.62	137.63/36
CSP4980-1L	1000	50	23.31	12.82	79.91	47.94/ 6	213.08	149.16/24
CSP4980-2L	2000	200			31.36	18.81/ 1	167.23	117.06/ 8
CSP4980-4L	4000	500			99.39	59.64/ 1	265.05	185.54/ 4
CSP4980-6L	6000	500			182.77	109.66/ 1	487.39	341.17/ 4

Series 5100 - Wide Mouth

CSP5100-125	125	25	\$15.12	\$8.31	\$108.65	\$62.19/12	\$276.41	\$193.49/48
CSP5100-250	250	25	13.66	7.51	98.68	56.21/12	249.82	174.87/48
CSP5100-500	500	50	17.20	9.46	58.97	35.38/ 6	235.86	165.10/36
CSP5100-1L	1000	50	29.02	15.96	99.50	59.70/ 6	265.33	185.73/24
CSP5100-2L	2000	100			33.21	19.93/ 1	177.12	123.98/ 8

Series 4985 - With Screw Cap

M109567	50	10			\$371.33	\$352.76/12	\$495.11	\$470.36/24
M109568	125	25			366.80	348.41/12	489.06	464.61/24
M109569	250	25			198.00	188.11/ 6	528.02	501.62/24
M109570	500	50			200.68	190.64/ 6	535.13	508.38/24
M109571	1000	50			270.91	257.36/ 6	661.21	343.15/12

Discounted Corning Glass With iPad 2 Give Away

Corning Glass at a deep discount, only from The LabMart™

Free iPad 2

Spend
\$3000
on
Corning
Glass



Flasks - Volumetric, Class A

•Series 5635 - Microchemical

- Wide mouth for easy filling and mixing
- Heavy duty for microchemical work
- Easy to read graduation line
- Interchangeable standard taper ground glass stoppers included
- PYREX™

LabMart Cat. No.	Capacity (ml)	Tolerance (±ml)	Height x OD (mm)	List Price Per Case	YOUR PRICE
---------------------	------------------	--------------------	---------------------	------------------------	---------------

Series 5635 - Pyrex® Class A Wide Mouth Heavy Duty Volumetric Flasks

M109604	10	0.02	135 x 48	\$173.75	\$165.06/ 6
M109562	25	0.03	100 x 40	173.75	165.06/ 6
M109563	50	0.05	130 x 51	181.04	171.99/ 6
M109564	100	0.08	160 x 66	271.15	257.59/ 6
M109565	200	0.10	170 x 72	306.88	291.54/ 6
M109566	250	0.12	180 x 87	424.46	325.34/ 6




•Series 5660 - Lifetime Red™

- Capacity mark is a fine line etched through a narrow red band into clear glass giving high legibility, accuracy & permanence
- Standard taper glass stopper included
- Calibrated "to contain"
- PYREX™

LabMart Cat. No.	Capacity (ml)	Tolerance (±ml)	Height x OD (mm)	List Price Per Pack	YOUR PRICE	List Price Per Case	YOUR PRICE
---------------------	------------------	--------------------	---------------------	------------------------	---------------	------------------------	---------------

Series 5660 - Pyrex® Class A Lifetime Red™ Volumetric Flasks

M109572	25	0.03	122 x 40	\$264.71	\$251.47/6	\$352.94	\$335.29/12
M109573	50	0.05	152 x 51	282.14	268.03/6	376.18	357.37/12
M109574	100	0.08	182 x 60	301.04	285.99/6	401.89	381.32/12
M109575	200	0.10	214 x 74	347.76	330.37/6	463.68	440.50/12
M109576	250	0.12	253 x 78	373.43	356.65/6	500.56	475.53/12
M109577	500	0.20	289 x 100	465.76	442.47/6	621.01	589.96/12
M109578	1000	0.30	344 x 125	94.03	89.33/1	376.11	357.31/ 6
M109579	2000	0.50	309 x 158	137.62	130.13/1	366.97	348.62/ 4



•Series 5642 - PE Stopper

- Machine-blown bodies sealed to heavy-beaded, heavy-tubing necks
- Stopper (included) has a closed bottom & is of linear HDPE to conform to standard taper stopper dimensions
- Easy read graduation line
- Size 2ml is test tube shape
- PYREX™

LabMart Cat. No.	Capacity (ml)	Tolerance (±ml)	Height x OD (mm)	List Price Per Pack	YOUR PRICE	List Price Per Case	YOUR PRICE
---------------------	------------------	--------------------	---------------------	------------------------	---------------	------------------------	---------------

Series 5642 - Pyrex® Class A Volumetric Flasks with PE Stopper

M109612	5	0.02	91 x 26			\$27.25	\$25.88/ 1
M109613	10	0.02	99 x 28			279.16	265.20/12
M109614	25	0.03	121 x 40	\$228.50	\$217.07/6	304.66	289.43/12
M109615	50	0.05	151 x 51	246.03	233.73/6	328.04	311.64/12
M109616	100	0.08	181 x 60	255.15	242.39/6	340.20	323.19/12
M109617	200	0.10	214 x 74	297.85	282.96/6	397.13	377.27/12
M109618	250	0.12	252 x 78	310.43	300.61/6	421.91	400.82/12
M109619	500	0.20	287 x 100	406.64	386.31/6	542.18	515.07/12
M109620	1000	0.30	342 x 125	82.71	78.57/1	330.85	314.31/ 6
M109621	2000	0.50	388 x 158	104.54	99.31/1	278.71	264.82/ 4

Discounted Corning Glass With iPad 2 Give Away

Flasks - Volumetric, Class A

All Flasks

- Increased strength due to machine-blown bodies which are sealed to heavy-tubing necks
- Sharp, permanent graduation lines are easy to read block letters
- PYREX®

Free iPad 2

Spend \$3000 on Corning Glass



Series 5640 - Glass Stopper

- Sizes 1 & 2ml are test tube shaped flasks with standard taper stopper
- Sizes 1 to 2000ml include hollow stopper
- Sizes 3000 to 6000ml include solid pennyhead stopper

Series 5580 - Snap Cap

- Snap caps are LDPE polyethylene, blue in color
- Sizes 1 & 2 ml are test tube shaped - no cap supplied
- Sizes 10 to 2000ml are supplied with snap caps



Glass Stopper



Snap Cap


LabMart Cat. No.	Cap. (ml)	Tol. ± (ml)	List Price Per Piece	YOU PAY 45% LESS	List Price Per Pack	YOU PAY 40% LESS	List Price Per Case	YOU PAY 30% LESS
Series 5640 - Glass Stopper								
CSP5640-1	1	0.01			\$40.51	\$24.31/1	\$324.09	\$226.86/12
CSP5640-2	2	0.015			43.23	25.94/1	345.81	242.07/12
CSP5640-5	5	0.02			33.77	20.26/1	270.18	189.13/12
CSP5640-10	10	0.02			40.42	24.25/1	323.33	226.33/12
CSP5640-25	25	0.03	\$77.21	\$42.46	264.71	158.82/6	352.94	247.06/12
CSP5640-50	50	0.05	82.29	45.26	282.14	169.28/6	376.18	263.33/12
CSP5640-100	100	0.08	87.80	48.29	301.04	180.63/6	401.39	280.97/12
CSP5640-200	200	0.10	101.43	55.79	347.76	208.66/6	463.68	324.58/12
CSP5640-250	250	0.12	109.33	60.13	374.85	224.91/6	499.80	349.86/12
CSP5640-500	500	0.20	155.85	74.72	465.76	279.45/6	621.01	434.71/12
CSP5640-1L	1000	0.30			94.03	56.42/1	376.11	263.28/ 6
CSP5640-2L	2000	0.50			118.83	71.30/1	316.87	221.81/ 4
CSP5640-3L	3000	1.00					316.74	221.72/ 1
CSP5640-4L	4000	1.00					358.16	250.71/ 1
CSP5640-5L	5000	1.50					408.35	285.85/ 1
CSP5640-6L	6000	2.00					478.21	334.75/ 1
Series 5580 - Snap Cap								
CSP5580-1	1	0.01	\$31.25	\$17.19	\$107.13	\$64.28/6	\$142.84	\$99.99/12
CSP5580-2	2	0.015	35.82	19.70	122.80	73.68/6	163.75	114.61/12
CSP5580-10	10	0.02			29.04	17.43/1	232.34	162.64/12
CSP5580-25	25	0.03	54.20	29.81	185.82	111.49/6	247.76	173.43/12
CSP5580-50	50	0.05	55.69	30.63	190.94	114.56/6	254.58	178.21/12
CSP5580-100	100	0.08	60.71	33.39	208.13	124.88/6	277.51	194.26/12
CSP5580-200	200	0.10	72.84	40.06	249.74	149.84/6	332.98	233.09/12
CSP5580-250	250	0.12	78.38	43.11	268.73	161.24/6	358.31	250.82/12
CSP5580-500	500	0.20	95.27	52.40	326.63	195.98/6	435.51	304.86/12
CSP5580-1L	1000	0.30			65.94	39.57/1	263.77	184.64/ 6
CSP5580-2L	2000	0.50			104.44	62.66/1	278.50	194.95/ 4

Crystallizing Dish

LabMart Cat. No.	Capacity (ml/oz)	Dia x Hgt. (mm)	List Price Per Pack	YOUR PRICE	List Price Per Case	YOUR PRICE
Series 3140 - Pyrex® Crystallizing Dishes						
M104831	180 / 6	70 x 50	\$120.33	\$114.32/6	\$320.89	\$304.85/24
M104832	180 / 6	80 x 40	117.77	111.88/6	314.07	298.37/24
M104833	270 / 9	90 x 50	128.57	122.14/6	257.13	244.27/18
M104834	325 / 11	100 x 50	157.88	149.99/6	315.77	299.98/18
M104835	740 / 25	125 x 65	197.84	187.95/4	395.68	375.90/12
M104836	1200 / 30	150 x 75	262.70	249.56/4	350.26	332.75/ 8
M104837	1770 / 60	170 x 90	158.71	150.77/2	423.21	402.05/ 8
M104838	2500 / 85	190 x 100	187.65	178.26/2	475.29	356.53/ 6

Series 3140

- Rims are reinforced and fire polished to reduce chipping
- Ideal for storage & crystallization
- Withstands repeated sterilization
- PYREX®



Fax: 908-561-3002

The LabMart™

Vials, Scintillation, LabMart®



- High UV Transmission
- Low potassium borosilicate, Type I glass
- Tight fitting caps (attached) are polypropylene pulp, foil lined
- Caps may be written-on for sample identification
- Background counts are consistent and low
- Loads efficiently into counting machines w/o jamming or breaking
- Fit all liquid scintillation equipment
- Clean packed in 5 trays of 100



Cat. No.	Cap. (ml)	Dim. w/ Cap	Price/Cs
M1547	20	28 x 61 mm	\$204.00/500

Spring-Open Cover for Disposable Box



- Protects user and improves the safety of waste disposal
- Lid prevents user contact with the content of bag items
- Springs-open by pressing the release tab - no batteries
- Use with **M434100** or any disposal carton with a 12 x 12" opening
- Holds bag in place on the rack
- Labeling surface of 4 x 4"
- Autoclavable Scienceware®

M407587 Spring-Open Cover **\$30.01**

Broken Glass Disposable Box



- Safely collects broken glass
- Single use, fill and dispose
- Corrugated cardboard box protects you from cuts
- Cut-out flap for safe & easy insertion of broken glass
- 2mm thick PE bag included
- Script in four languages
- Scienceware®

Cat. No.	Description	Size (in.)	Waste Cap.	Price/Pk
M434100	Floor Model	12 x 12 x 27	40 lbs.	\$88.17/6
M407587	Spring-Open Cover for Above			30.01/1
M434101	Benchtop Model	8 x 8 x 10	12 lbs.	63.19/6

Check our new website out:
www.labmart.com

Media Storage Bottle, Hybex™



*buy me because
My temperature resistance
is far superior to that of lab
glass or soda lime glass.*

- Borosilicate 3.3 Hybex™ glass
- Low coefficient thermal expansion (3.3)
- Withstand temp. from -70 to 500°C
- Ideal for storage of reagents, culture media, biological fluids & variety of aqueous and non-aqueous solutions
- Permanent enamel graduation marks
- Large area for marking/identification
- Autoclavable, breakage resistant
- Sold with blue (PP) cap and O-ring
- Five cap colors available, except 50ml

Cat. No.	Capacity (ml)	Cap	Price/Pk
M111259	50	(GL32) Blue	\$78.95/10
M111260*	100	(GL45) Blue	78.95/10
M111261*	250	(GL45) Blue	87.95/10
M111262*	500	(GL45) Blue	104.95/10
M111263*	1000	(GL45) Blue	124.95/10
M111264*	2000	(GL45) Blue	144.95/10
M111265*	Starter Pack (GL45): 2 x 100ml & 1000ml, 3 x 250ml & 500ml		99.95/10
M111266*	Replacement Cap, Standard Blue (GL45)		24.95/10
M111267	High Temperature Cap (RED-PBT Plastic / up to 180°C) (GL45)		99.95/10
M111268	Replacement Sealing Ring (GL45)		9.95/10
M111269	Replacement Cap, Standard Blue (GL32)		24.95/10
M111270	Replacement Sealing Ring (GL32)		9.95/10

*For different cap color on bottle, please add : (G) for Green, (P) for Purple, (Y) for Yellow, (W) for White (AS) for Assorted Caps (2 of each color)

LabMart® Beaker Mugs



*buy me because
Custom beaker mugs available - call us today.*

- Tough and durable
- Large 400ml capacity
- Can be used for hot or cold beverages
- PYREX®

Cat. No.	Description	Price/Pk
M127160	Berge™ / The LabMart® Beaker Mugs	\$64.26/3

Want special offer? Register & subscribe online

Lab Glass

Glass Bottles with Caps

- Store or mix laboratory buffers, reagents, and chemicals
- Bottles are manufactured from Type III Soda-Lime glass that conforms to USP Type III standards
- White polypropylene screw caps are pre-attached to container, choice of 2 types
- Tamper evident strips & HAZCOM labels included

Caps

Poly-Vinyl Lining - excellent moisture barrier, suitable for a wide range of applications. Good chemical resistance against mild acids, alkalis, solvents, alcohols, oils and aqueous products. Not suitable for active hydrocarbons and bleaches.

Teflon® Faced Foamed PE Lining - ideal for analytical lab samples, high purity chemicals, strong acids & solvents. Excellent for environmental samples, pharmaceuticals and reagents.



A. Wide Mouth, Clear

- 125 - 4000 mL (4 - 130 oz)
- Largest bottle available
- Ready-to-use container

Usage: ideal for small to large volume storage, general use

B. Wide Mouth, Amber

- 30 - 1000 mL (1 - 32 oz)
- For light sensitive samples
- Easy removal of contents

Usage: ideal for storage of dry or solid powders

C. AC Round, Clear

- 30 - 500 mL (1 - 16 oz)
- Taller and narrower profile than a straight sided jar

Usage: ideal for wide range of applications

D. Boston Round, Clear

- 30 - 1000 mL (1 - 32 oz)
- Narrow mouth design

Usage: ideal for solvent, chemical and sample storage

E. Boston Round, Amber

- 30 - 1000 mL (1 - 32 oz)
- Narrow mouth design
- For light sensitive samples

Usage: ideal for solvent, chemical and sample storage

Capacity Oz. / ml	Neck Size (mm)	Dia. x Ht. (mm)	Poly-Vinyl Lined Cap Cat. No.	Price/Cs	Teflon® Lined Cap Cat. No.	Price/Cs
A. Standard Wide Mouth, Clear						
4 / 125	48	52 x 84	M103418	\$56.04/24	M103424	\$96.52/24
8 / 250	58	63 x 110	M103419	74.04/24	M103425	123.65/24
16 / 500	63	79 x 133	M103420	91.55/24	M103426	142.56/24
32 / 1000	70	94 x 180	M103421	84.14/12	M103427	124.70/12
65 / 4000	83	122 x 213	M103422	56.09/ 6	M103428	84.78/ 6
130 / 4000	89	157 x 256	M103423	60.33/ 4	M103429	75.14/ 4
B. Wide Mouth, Amber						
1 / 30	28	37 x 65	M103248	\$42.47/24	M103243	\$71.59/24
2 / 60	33	44 x 75	M103249	61.19/24	M103244	86.06/24
4 / 125	38	54 x 95	M103250	72.26/24	M103245	101.91/24
8 / 250	45	66 x 119	M103251	101.78/24	M103246	137.78/24
16 / 500	53	80 x 146	M103252	61.01/12	M103247	87.93/12
32 / 1000	53	99 x 178	M103486	81.92/12	M103487	115.58/12
C. AC Round, Clear						
1 / 30	33	34 x 68	M103466	\$100.79/48	M103471	\$139.78/48
2 / 60	38	42 x 83	M103467	108.24/48	M103472	160.27/48
4 / 125	48	51 x 102	M103468	64.82/24	M103473	105.12/24
8 / 250	58	62 x 127	M103469	81.21/24	M103474	137.04/24
16 / 500	70	76 x 145	M103470	104.65/24	M103475	189.18/24
D. Boston Round, Clear						
1 / 30	20	31 x 79	M103430	\$94.53/48	M103436	\$120.96/48
2 / 60	20	39 x 94	M103431	53.89/24	M103437	63.94/24
4 / 125	22	48 x 112	M103432	59.84/24	M103438	72.60/24
8 / 250	24	60 x 136	M103433	53.89/12	M103439	42.87/12
16 / 500	28	75 x 168	M103434	59.08/12	M103440	59.90/12
32 / 1000	33	94 x 206	M103435	82.67/12	M103441	83.11/12
E. Boston Round, Amber						
1 / 30	20	31 x 79	M103448	\$91.44/48	M103454	\$93.44/48
2 / 60	20	39 x 94	M103449	55.81/24	M103455	64.29/24
4 / 125	22	48 x 112	M103450	68.91/24	M103456	72.68/24
8 / 250	24	60 x 136	M103451	49.14/12	M103457	46.36/12
16 / 500	28	75 x 168	M103452	60.11/12	M103458	63.85/12
32 / 1000	33	94 x 206	M103453	83.14/12	M103459	85.52/12

For more special offers & promotions, visit www.labmart.com for details.

Bags

Standard Bags



- All purpose for sampling / storage of solids or liquids
- Exceptionally clear film with superior strength
- May be frozen
- Polyethylene

Cat. No.	(oz.)	Cap. (mil)	Thick. (in.)	W x L	Price/Pk	Price/Cs
Write-on Strip						
M109911	1	2.25	2 1/2 x 5	\$18.27/100	\$83.74/500	
M109912	2	2.25	3 x 5	22.50/100	103.13/500	
M109250-18	4	2.25	3 x 7 1/4	19.20/100	87.91/500	
M109255-18	18	2.5	4 1/2 x 9	27.03/100	123.89/500	
M107566	24	3.0	6 x 9	35.64/100	163.19/500	
M109913	24	4.0	6 x 9	44.80/100	205.50/500	
M109914	55	4.0	7 1/2 x 12	71.06/100	325.40/500	
Without Write-on Strip						
M109251-06	2	2.25	3 x 5	\$17.40/100	\$79.67/500	
M109255-06	4	2.25	3 x 7 1/4	29.80/100	136.76/500	
M109909	13	3.0	5 1/4 x 7 1/2	28.17/100	128.97/500	
M109250-06	18	2.5	4 1/2 x 9	42.00/100	168.00/500	
M109252-06	24	3.0	6 x 9	33.03/100	151.23/500	
M109910	24	4.0	6 x 9	42.87/100	203.64/500	
M109907	27	3.0	3 3/4 x 7	21.90/100	100.28/500	
M109908	27	3.0	5 x 12	50.12/100	296.10/500	
M109253-06	36	3.0	5 x 15	33.55/100	134.20/500	
M107567	42	3.0	6 x 15	41.77/100	151.90/500	
M107568	69	3.0	7 1/2 x 15	39.53/100	179.70/500	

Stand-Up Bags



- Works just like a beaker or bottle, but you can carry in your pocket
- Hands free - when the sample is placed inside, the special gusseted bottom flattens out, allowing the bag to stand up
- Design to easily add or remove material to the bag for testing or analysis
- Takes 80% less storage

Cat. No.	Cap. (ml/oz.)	Thick. (mil)	Price/Cs
M102339	118 / 4	2.5	\$90.75/500
M102340	532 / 18	3.0	142.53/500
M107400	710 / 24	3.0	156.86/500

Broken Glass Disposal Carton Bio-Hazard Incinerator Carton



Both Boxes

- Large graphics
- Corrugated cardboard
- Supplied bio-hazard bag
- Scienceware®

Incinerator Carton

- Burn entire carton once it is filled
- Top edge tabs keep bag in place

Broken Glass Carton

- Cut-out flap for safe & easy insertion of broken glass
- Single use: when box is full, engage safety cap & dispose of entire carton

Cat. No.	Description	Size (in)	Price/Pk
Incinerator Carton			
M434105	Floor Model	12 x 12 x 27	\$82.35/6
M434106	Benchtop Model	8 x 8 x 10	56.06/6
Broken Glass Carton			
M434100	Floor Model	12 x 12 x 27	\$88.17/6
M434101	Benchtop Model	8 x 8 x 10	63.19/6
M407587	Orange Spring-Open Cover (see pg 14)		\$30.01

Biohazard Disposal Bags



- Sterilization indicator patch darkens when steam sterilized
- Orange-red biohazard bags
- Large black biohazard symbol and precautionary procedures printed in four languages are clearly visible for added safety
- High molecular weight, high-density (HMHD) polyethylene
- Autoclavable Scienceware®

Cat. No.	Size (in.)	Thickness (mm)	Cap. (Gal.)	Price/Cs
M109310	14 x 19	.0317	2 to 4	\$113.06/200
M109312	19 x 23	.0317	6 to 9	164.55/200
M109315	25 x 35	.0317	10 to 12	296.70/200
M109316	31 x 38	.0381	20 to 30	389.22/200
M109317	38 x 48	.0381	40 to 50	300.67/100
M109103T	Twist Ties, 1 roll of 1500 ft.			68.86/ ea

Autoclavables Bags, Clavies®



- Gives maximum protection & convenience for biohazard disposal
- First fill bag with used dishes, culture plates, membrane filters, pipettes, etc., then autoclave and discard
- The 65, 200 and 240 sizes hold standard petri dishes
- Transparent polypropylene .05mm (.002") thick
- Autoclavable Scienceware®

Cat. No.	W x L (cm/in.)	Price/Pk
M109103-0810	20 x 25 (8 x 10)	\$46.14/100
M109103-0812	20 x 30 (8 x 12)	54.46/100
M109103-0815	20 x 38 (8 x 15)	66.43/100
M109103-1010	25 x 25 (10 x 10)	49.95/100
M109103-1012	25 x 30 (10 x 12)	58.97/100
M109103-1015	25 x 38 (10 x 15)	69.20/100
M109103-1224	30 x 61 (12 x 24)	75.97/100
M109103-2430	61 x 76 (24 x 30)	176.39/100
M109103-2436	61 x 91 (24 x 36)	207.09/100

Sample Bags, Zip Seal



- I have a double "zipper" lock track to keep bag sealed tight
- Excellent for storing, sealing and protecting dry or moist samples
- Transparent polyethylene; reusable
- Other sizes available, please inquire

Cat. No.	Size (in.)	Price/Pk
2mil Thickness		
M109650	3 x 5	\$46.79/1000
M109651	4 x 6	57.78/1000
M109652	5 x 8	109.35/1000
M109653	9 x 12	207.52/1000
M109654	12 x 15	354.13/1000
M109655	13 x 15	400.97/1000
2mil Thickness with White Writing Strip		
M109656	3 x 5	\$113.35/1000
M109657	4 x 6	157.24/1000
4mil Thickness		
M109658	4 x 6	\$121.69/1000
M109659	6 x 6	176.25/1000

Want special offer? Register & subscribe online

Balances

Compact Scale

buy me because

I have TEN different capacities to cover a broad range of apps.



- View in bright or dimly lit areas; 16mm LCD with amber backlight
- Counting mode with Automatic Counting Accuracy Improvement
- **Units of measure:** g, oz, lb, troy oz, ct, mom, dwt., grains, newtons and teal
- 1 Second Stabilization; % Weighing
- **Features:** Over-under, specific gravity function and Stackable
- **Options:** RS-232 or USB, underhook, breeze break, carry case or a density determination kit
- AC power or battery (not included)
- 5 YEAR WARRANTY

Cat. No.	Cap. x Res.	Pan Size	Price
M110972	120g x 0.01g	Ø4.3"	\$267.75
M110973	210g x 0.01g	Ø4.3"	299.25
M110974	310g x 0.01g	Ø4.3"	367.50
M110975	410g x 0.01g	Ø4.3"	409.50
M110976	610g x 0.01g	Ø4.3"	514.50
M110977	1500g x 0.1g	5 x 5.5"	\$273.00
M110978	2000g x 0.1g	5 x 5.5"	315.00
M110979	3000g x 0.1g	5 x 5.5"	378.00
M110980	4100g x 0.1g	5 x 5.5"	435.75
M110981	6100g x 0.1g	5 x 5.5"	467.25

Scale, Portable Navigator™



buy me because

I have touchless sensors to free up your hands.

- Ideal for a QC, inventory, warehouse, food, portioning or lab
- Superior mechanical overload protection system (bears loads up to 4 X its rated capacity) and ultra fast response time (1 sec.)

- Touchless; wave of hand controls tare, zero, display & print also avoids cross-contamination
- Two sensors can be set up independently to control up to 36 combinations of operations
- **Applications:** counting, % weighing, checkweighing, display hold and accumulation/totalization Stainless steel pan (9.45 x 9.82 inch) and a corrosion-free plastic housing has a spill-resistant design that is easy to clean
- **Units of measure:** g, kg, lb, oz, lbs.:oz, troy oz, grain, Newton Carat, Pennyweight, teal, tola
- **Includes:** internal rechargeable battery (100 hrs); AC adapter
- USB, RS232 or Ethernet Option
- **Option:** full-body in-use cover, carry case
- 2 YEAR WARRANTY



Cat. No.	Cap. x Read.	Repeat./Liner.	Price
M110965	1,600 g x 0.1 g	0.1g / ±0.2g	\$466.90
M110966	3,200 g x 0.2 g	0.2g / ±0.4g	466.90
M110967	6,400 g x 0.5 g	0.5g / ±1g	448.50
M110968	10,000 g x 0.5 g	0.5g / ±1g	466.90
M110969	16,000 g x 1 g	1g / ±2g	466.90

Portable, Scout Pro®



buy me because

My totalization software allows summation of multiple weighing results.

- Ideal for laboratory, industrial or education use
- Superior shock resistance & overload protection protects wtgh cell
- **Applications:** Parts Counting, % Weighing, Totalization and Display Hold
- **Units of measure:** g, kg, oz, lbs., lbs.:oz, oz t, dwt
- **Features:** Removable platform, high contrast LCD, security bracket, shipping lock, weigh below hook, stability indicator, over/underload indicators, low battery indicator, auto shut-off
- Sealed front panel & molded spill ring to protect from spills
- Calibration mass included on 200g, 400g and 600g models
- **Includes:** stainless steel pan; AC Adapter or batteries
- Option of either RS232 or USB connectivity
- Optional Accessories: RS232 Interface, Hard Shell, Carrying Case, Sample Scoops and Calibration Masses
- 2 YEAR WARRANTY

Cat. No.	Cap. (g)	Read. (g)	Repeat. (g)	Linear (g)	Price
Pan Size of 4.7" Diameter					
M102938	200	0.01	0.01	±0.01	\$425.50
M106589	400	0.01	0.01	±0.01	598.00
M102939	400	0.1	0.1	±0.1	234.60
Pan Size of 6.5" x 5.5" (W x D)					
M102940	600	0.1	0.1	±0.1	\$347.30
M102943	2000	0.1	0.1	±0.1	440.45
M106591	4000	0.1	0.1	±0.1	644.00
M102944	6000	1.0	1.0	±1.0	364.55

Accessories

M288402	Security Device	\$59.80
M107745	RS232 Interface	104.65
M288400	Hard Shell Carry Case	80.50
M107746	USB Interface	104.65

Portable Scale

- Ideal for laboratory, industrial, education and home use; lightweight
- **Applications:** forensic testing, quality control, formulation, soil sampling, postal weighing and dietary needs
- **Units of measure:** g, lb:oz, Newton
- Superior RF protection for use near cell phones and production areas
- **Features:** mechanical/software overload protection, low battery indicator, auto shut-off, push button calibration, large LCD
- **Includes:** large, removable stainless steel pan; AC Adapter or batteries
- ABS Compact housing, low profile



buy me because
Cost matters & dependable results are a must!



Cat. No.	Cap. (g)	Read. (g)	Platform Dia.	Price
M102299	200	0.1	145x133mm	\$131.10
M102300	2000	1	145x133mm	131.10
M102301	5000	1	145x133mm	154.10
Accessories				
M102321	Weighing Bowl, 1050 ml			\$32.20
M102317	200 g Calibration Mass for 102299			33.35
M102318	1000 g Calibration Mass for 102300			89.70
M102319	2000 g Calibration Mass for 102301			142.60

Fax: 908-561-3002

The LabMart™

Balances



Analytical and Precision Balances Explorer®

Introducing the all-new EXPLORER® *Intelligent. Intuitive. Ingeniously Practical.*



buy us because Of our ingeniously striking balance between cutting-edge technology and functional design, the Explorer® delivers accurate performance to improve lab efficiency

- **Intuitive Operation** - Large, 5.7" color touch-screen display, 4 programmable touch-free sensors, icon-driven app software - so easy to use and the most advanced in its class
- **Intelligent Calibration** - AutoCal™, automatic internal calibration system on all units
- Flexible modular display detaches from weighing base; use in limited space areas
- Ensures your results are always fast and accurate; $\Delta 1.5^{\circ}\text{C}$ temperature change, 11 hours, and external calibration
- Draftshield comes standard on any model that reads to .001g or .0001g
- Optional draft shield for on .01 or .1g models, use M111290 to order




- **Units of measure:** g, mg, kg, ct, oz, ozt, lb, dwt, gn, N, mom, msg, hkt, sgt, twt, tical, tola, baht, 3 custom
- **Features:** user friendly application-based graphical software platform, redesigned antistatic draftshield & enhanced weighing performance
- QuadraStance™ design - 4 leveling thumbwheels, up-front backlit level indicator
- Includes in-cover, weigh-below hook and integral security bracket

• 2 YEAR WARRANTY

Cat. No.	Cap.(g)	Readability (g)	Repeatability (std g)	Linearity (g)	Stabilization Time (sec)	Draft Shield	Pan Size (in. / mm)	Price
Analytical								
M111246	120	0.0001	± 0.0001	± 0.0002	≤ 2	Yes	\varnothing 3.5 in / 90	\$3,841.00
M111247	220	0.0001	± 0.0001	± 0.0002	≤ 2	Yes	\varnothing 3.5 in / 90	4,359.00
M111248	320	0.0001	± 0.0001	± 0.0002	≤ 3	Yes	\varnothing 3.5 in / 90	4,991.00
Precision								
M111249	220	0.001	± 0.001	± 0.002	≤ 1.5	Yes	\varnothing 5.1 in / 130	\$3,036.40
M111250	420	0.001	± 0.001	± 0.002	≤ 1.5	Yes	\varnothing 5.1 in / 130	3,301.00
M111251	620	0.001	± 0.001	± 0.002	≤ 1.5	Yes	\varnothing 5.1 in / 130	3,611.00
M111252	1100	0.001	± 0.001	± 0.002	≤ 1.5	Yes	\varnothing 5.1 in / 130	4,359.00
M111253	2200	0.01	± 0.01	± 0.02	≤ 1	No	7.5 x 7.9 / 190 x 200	3,036.00
M111254	4200	0.01	± 0.01	± 0.02	≤ 1	No	7.5 x 7.9 / 190 x 200	3,301.00
M111255	6200	0.01	± 0.01	± 0.02	≤ 1	No	7.5 x 7.9 / 190 x 200	3,611.00
M111256	10200	0.01	± 0.01	± 0.02	≤ 1	No	7.5 x 7.9 / 190 x 200	4,359.00
M111257	6200	0.1	± 0.1	± 0.1	≤ 1	No	7.5 x 7.9 / 190 x 200	3,094.00
M111258	10200	0.1	± 0.1	± 0.1	≤ 1	No	7.5 x 7.9 / 190 x 200	3,324.00

Analytical and Precision Balances Pioneer™



- Up-front level indicator ensures accuracy
- Draftshield is designed with easy-to-clean and removable glass doors (select models; 0.1mg and 1mg)
- Constructed of Metal base, ABS top housing, SS pan with replaceable in-user cover
- **Selectable environmental settings:** Adjustable for harsh or sensitive environments. Three filter modes and adjustable zero tracking adjust balance sensitivity to environmental disturbances, or application requirements
- **Application modes:** weighing, parts counting and % weighing and 15 international weighing units which includes one custom unit
- **Units of measure:** mg, g, oz, lb, ct, Pennyweight, ozt, Grain, Newton, Hong Kong Tael, Singapore Tael, Taiwan Tael, Momme, Tical, Baht, Mesghal, Tola, Custo
- **Features:** removable SS weighing platform, high contrast LCD display with backlight, fixed integral weigh below hook, front levelling bubble, menu and calibration locks
- Built-in RS232 interface; anti-theft security bracket
- **Optional Accessories:** anti-theft device, auxiliary display, in-use cover, scoops
- 2 YEAR WARRANTY



buy me because
I offer uncomplicated, high performance for all your basic weighing needs at a great price.

Cat. No.	Cap.(g)	Readability	Repeatability (mg)	Linearity (mg)	Platform Dia. (in)	Unit Dim. (in)	Draftshield	Price	15% Off
Analytical									
M110729	65	0.1mg	0.1	0.2	3.54	7.7 x 11.3 x 12.6	Yes	\$1,900.00	\$1,615.00
M110730	110	0.1mg	0.1	0.2	3.54	7.7 x 11.3 x 12.6	Yes	2,183.50	1,855.98
M110731	210	0.1mg	0.1	0.3	3.54	7.7 x 11.3 x 12.6	Yes	2,760.00	2,346.00
Precision									
M110732	150	0.001g	1	2	4.72	7.7 x 11.3 x 12.6	Yes	\$1,306.40	\$1,110.44
M110733	310	0.001g	1	2	4.72	7.7 x 11.3 x 12.6	Yes	1,444.40	1,227.74
M110734	510	0.01g	10	20	7.1	7.7 x 3.6 x 12.6	No	1,110.90	944.27
M110735	1500	0.01g	10	20	7.1	7.7 x 3.6 x 12.6	No	1,306.40	1,110.44
M110736	3100	0.01g	10	20	7.1	7.7 x 3.6 x 12.6	No	1,478.90	1,257.07
M110737	4100	0.1g	100	100	7.1	7.7 x 3.6 x 12.6	No	961.40	817.19

Want special offer? Register & subscribe online

Balances

Analytical & Precision Balance, Adventurer™ Pro

buy us because

We are the industry's most versatile compact balance, I count, sum, hold then deliver traceable results.



- Easy access, frameless draftshield; removable doors help avoid contamination
- SmarText™ Software guides users through applications & setup; with 2-line LCD
- QuadraStance™ footprint for stability on any surface & prevent rocking/tipping
- Up front level indicator to ensure balance is level prior to each use
- **Applications:** animal/dynamic weighing, parts counting with auto sample recalibration, % weighing, checkweighing, totalization, display hold
- **Units of measure:** milligram, g, kilogram, oz, lb, carat, pennyweight, ounce troy, grain, Newton, mesghal, tola, custom.

Milligram unit available on 0.1mg to 1mg models.

Kilogram and Pound units available on 0.01g to 0.1g models.



- **Features:** large stainless steel weigh platform, mechanical & software over/underload protection, security bracket, weigh below hook and protective in-use cover
- **Software Features:** stability indicator, a low battery indicator, user selectable span calibration points, auto tare, user selectable communications settings, selectable data print options, definable project & user ID's, a software reset menu and a software lockout
- **Optional InCal™** (internal calibration system) units allow calibration without use of external weights which will ensure accuracy
- Included RS232, factory installed USB (or a second RS232 option) allows connection to multiple peripherals with full GLP/GMP data output for traceability and compliance requirements
- **Selectable Environmental Settings:** For Sensitive - 3 filter modes & adjustable zero tracking for slow filling applications.
For Harsh - set to compensate for vibrations / other disturbances
- Battery or AC Power with auto shut off • CE, FCC, CULUS, CCSAUS, NRTL • 2 YEAR WARRANTY

* Battery operated ** Supplied with draftshield

With InCal™		Without InCal™		Cap. (g)	Read. (g)	Repeatability (Std. Dev.) (g)	Linearity (± g)	Pan Size (in)
Cat. No.	Price	Cat. No.	Price					
		M107519	\$1,068.35.. **	51	0.001	0.001	0.002	3.9 dia.
M102272	\$1,049.95	M107520	931.50..	210	0.01	0.01	0.02	4.7 dia.
M109809	1,890.60..	M101767	1,523.75..	210	0.001	0.001	0.002	4.7 dia.
M109810	2,080.35..	M101768	1,713.50..	310	0.001	0.001	0.002	4.7 dia.
---	---	M107521	1,038.45..	410	0.01	0.01	0.02	5.8 dia.
M102273	1,156.90	---	---	410	0.01	0.01	0.02	6.6 dia.
---	---	M107522	1,179.90..	810	0.01	0.01	0.02	5.8 x 6.3
M109811	1,298.35	---	---	810	0.01	0.01	0.02	6.6 x 7.1
---	---	M107523	931.50..	2100	0.1	0.01	0.2	5.8 x 6.3
M102274	1,049.95	---	---	2100	0.1	0.01	0.2	6.6 x 7.1
M109812	1,890.60	M101770	1,523.75	2100	0.01	0.01	0.02	6.6 x 7.1
M109813	2,038.95	M101771	1,719.25	3100	0.01	0.01	0.02	6.6 x 7.1
---	---	M107524	1,038.45..	4100	0.1	0.1	0.2	5.8 x 6.3
M102276	1,138.50	---	---	4100	0.1	0.1	0.2	6.6 x 7.1
---	---	M107525	1,179.90..	8100	0.1	0.1	0.2	5.8 x 6.3
M102277	1,262.70	---	---	---	---	---	---	6.6 x 7.1

WaterProof / Dust Proof

buy me because

I am the worlds first IP-65 rated 1mg resolution balance !

- Ideal for use in environments where other balances are inoperable
- Compact SHS (Super Hybrid Sensor)
- **Applications:** use in extreme, wet or harsh environments
- **Units of measure:** g, oz, lb, lb-oz, ozt, ct, mom, dwt, GN, tl, tol, mes, pcs, percent, MLT
- **Functions:** SCF-Statistical Calculation, Comparator, Digital Calibration, Response Indicator
- 1 Second Stabilization
- Quick USB Interface available
- Sealed pan support
- LAN-Ethernet Interface available with WINCT-Plus Software
- Breeze break, rechargeable battery; waterproof cable; and more
- 5 YEAR WARRANTY

*Supplied with 3.4 inch Breeze Break



Cat. No.	Cap. x Res.	Pan Size	Price
M110792*	122g x 0.001g	130	\$1,310.00
M110793*	220g x 0.001g	130	1,360.00
M110794*	320g x 0.001g	130	1,465.00
M110994	1220g x 0.01g	150	\$1,310.00
M110795	2200g x 0.01g	150	1,425.00
M110796	3200g x 0.01g	150	1,465.00

Fax: 908-561-3002

The LabMart™

Balances



Compact Scale



buy me because You can color code/categorize scale with the included color bars; red green orange.

- Durable, economical, low profile, lightweight simple to use
- Units of measure: g, oz, Troy oz, lb, lb-oz, N, tael, and tola
- **Features:** Large 5.1" x 5.2 pan, large 13.5mm digital display, security slot for an anti-theft device, auto off
- So portable; allows you to scale as it sits in the case – no need to remove
- **Includes:** stackable carry case (has a pen holder); battery (450hr)
- **Optional Accessories:** AC adapter, weigh pan
- 2 YEAR WARRANTY

Cat. No.	Cap. x Res.	Price
M110948*	310g x 0.1g	\$131.25
M110949	510g x 0.1g	152.25
M110950	3100g x 1g	131.25
M110951	5100g x 1g	152.25
Accessories		
M110952	SS Weigh Pan	\$26.25
M110953	AC Adapter	42.11

* lb-oz not available

Top Loader, Precision



with optional draft shield

buy me because Of my fast Super Hybrid Sensor (SHS) which gives you stabilization in just one second.

- Ideal for use in narrow spaces due to small footprint
- **Units of measure:** g, oz, lb, lb-oz, ozt, ct, mom, dwt, GN, tl, tol, mes, pcs, % and MLT
- **Functions:** SCF-Statistical, SHS Comparator, Digital Calibration, Response Indicator
- Standard RS-232C Interface
- 193 x 262.5 x 85.5 (WxDxH mm) / 2.5kg
- **Options:** Quick USB Interface, Ethernet Interface with WINCT-Plus Software, break breaks, animal weighing pan and rechargeable battery
- 5 YEAR WARRANTY

Cat. No.	Cap. x Res.	Pan Size	Price
M110786*	122g x 0.001g	130	\$971.25
M110787*	220g x 0.001g	130	1,013.25
M110788*	320g x 0.001g	130	1,044.75
* Supplied with 3.4 inch Breeze Break			
M110789	1220g x 0.01g	150	\$971.25
M110790	2200g x 0.01g	150	1,013.25
M110791	3200g x 0.01g	150	1,044.75

Multi-Purpose Scale

- Ideal for personal dietary portion control, home kitchens, general office use, jewelry or art studios
- Digital, large LCD, blue backlight
- **Compact pan size:** 140x140mm
- **Units of measure:** g/lb/oz/ct (carats/jewelry), Tael, DWT (Pennyweight)
- **Features:** All Stainless Steel body and removable platter, counting feature (secondary), Tare Function, auto off
- Adapter (incl.) or batteries (not incl.)
- 90 DAY WARRANTY



buy me because Of my compact size and compact price.

Cat. No.	Description	Price
M110955	Cap.: 3 kg / 6.6 lb / 105 oz / 15,000 ct Grad.: 0.1 g / 0.0002 lb / 0.005 oz / 0.5 ct	\$51.45

Commercial/Industrial

- Ideal for industrial and commercial food service; kitchens, salad bars, portion control, testing warehouse & production areas, QC & hydroponics
- Electronic, large LCD, easy to navigate
- Indicators: low battery, scale at zero, reading is stable
- Units of measure: g, kg, oz, lbs., lbs.:oz
- **Features:** All Stainless Steel body and removable platter, counting feature (secondary), Zero/Tare key, selectable auto backlight, auto off
- Adapter (incl.) or batteries (not incl.)
- 1 YEAR WARRANTY



buy me because You can't beat my price for the variety of weighing I do.

Cat. No.	Cap. (g)	Grad. (g)	Platform Dia.	Price
M110954	5000	1	170x180mm4	\$208.95

Top Loader

buy me because many features - great price.

- Fail-safe, resets to original weight upon interruption
- Internal Calibration
- **Units of measure:** (g, oz, lb, lb-oz, ozt, ct, mom, dwt, GN, tl, tol, mes, pcs, % and MLT); underhook
- 1 Second Stabilization; VFD display
- Compact SHS (Super Hybrid Sensor) with internal shock absorber
- **Functions:** Comparator, SCF-Statistical Calculation and Animal Weighing
- GLP/GMP/GCP/ISO compliant
- Standard RS-232C Interface
- LAN-Ethernet Interface with WINCT-Plus Software available
- Optional rechargeable Ni-MH battery, breeze break, Quick USB Interface available; plus other accessories available
- 5 YEAR WARRANTY



Shown with optional breeze break

Cat. No.	Cap. x Res.	Price
M110995	122g x 0.001g	\$1,391.25
M110996	220g x 0.001g	1,433.25
M110997	320g x 0.001g	1,464.75
M110998	1220g x 0.01g	\$1,391.25
M110999	2200g x 0.01g	1,433.25
M111011	3200g x 0.01g	1,464.75

Want special offer? Register & subscribe online

Balances

Moisture Analyzer


- Moisture % by gravimetric method
- Timed or auto shut-off modes
- Process Temperatures to 200C
- Resolution from 0.1% to 0.001%
- All pans sizes are 85mm
- Bi-directional RS232C
- Conforms to GLP, GMP, ISO
- 5 YEAR WARRANTY

• M109817 / M107723

- Fast & uniform heating with straight halogen lamp (life 5000 hours) and SRA (Secondary Radiation Assist) filter technology
- High repeatability; With SHS (Super Hybrid Sensor) featured as the weight sensor, ultra accurate moisture content determination is based on high precision weighing of even a small sample
- **M109817** measures a high moisture content, at 0.001% resolution, suitable for low moisture content samples as well as Karl Fischer method, requires no training and produces no harmful waste
- WinCT-Moisture software for real-time graph displaying
- Sodium Tartrate Dihydrate for accuracy checking calibrator (optional)
- Memory function for test parameters and results, (20 sets)
- **Five choices of measurement programs;** Standard, Automatic, Quick, Timer, and Manual
- Selectable Heating Modes of standard, quick, step and ramp
- Clear and easy-to-see, large VFD display; design eliminates burns

• M107722

- Heating process can be checked through translucent window
- Self Defect Check function
- Temperature control function
- Quick Reference Card on bottom of unit
- **Memory func.;** parameters & results, (10 sets)
- WinCT software
- **Includes:** sample pans, pan Handles, tweezers, spoon, test sample, WinCT, glass fiber sheet, display cover, dust cover, manual, fuse




M107723



M107722

Cat. No.	Cap. x Res.	Moisture Content Display	Price
M107722	51g x 0.002g	0.05% / 0.1% / 1%	\$2,822.53
M107723	51g x 0.001g	0.01% / 0.1%	3,446.12
M109817	71g x 0.0001g	0.001% / 0.01% / 0.1%	5,708.46

Moisture Determination Pans



- Inexpensive disposable aluminum foil
- Smooth sides; ideal for milk testing
- Ideal for routine weighing, moisture testing, wastewater, dairy, chemical and pharmaceutical applications

Cat. No.	Dia. x Depth (in.)	Compatible With	Price/Cs
M103895	4 x 5/16	Mettler, Sartorius, Denver	\$178.43/ 500
M103896	4 3/4 x 3/16	Ohaus	239.00/1000
M103897	5 x 3/8	Ohaus	199.00/1000

For more special offers & promotions, visit:

www.labmart.com

Fax: 908-561-3002

The LabMart™

The LabMart's Private Brand...

General Purpose Weighing Dishes

Aluminum



buy me because I am oil free.

- Ideal for sampling, weighing, dispensing, storage, environmental clean-up, food processing, evaporating, or general lab use
- Contaminate and oil-free
- All pans have a curled lip
- Dishes are stackable
- Light-gauge aluminum

Cat. No.	I.D. (mm)	O.D. X D	Wgt.	Cap. ml	Price/Cs
M111136	44	51mm x 1 1/2 in	0.6gr	20	\$152.75/1000
M111135	63	71mm x 1 1/2 in	1.6gr	70	226.10/1200
M111138	62	70mm x 1 13/16 in	1.8gr	75	166.25/1000
M111139	110	127mm x 1 1/8 in	3.8gr	200	21.00/ 50

Micro Weighing Dishes

Aluminum



buy me because My min-size has big uses.

- Ideal for microbalances, organic micro elementary and thermal analysis, and pharmaceutical use
- Compatible with analyzers & micro balances
- Packaged in easy-to-use plastic containers for storage & dispensing

Cat. No.	Cap. (ml)	L x W x H (mm)	Price/Cs
M109831	0.04	6.5 x 3.5 x 2.5	\$90.38/250
M109832	0.11	10 x 4 x 4.5	101.40/250
M109833	0.12	12 x 4 x 2.7	115.35/250
M109834	0.12	12 x 2 x 4.5	125.85/250
M109835	1.12	25 x 7 x 7	42.00/ 50
Cat. No.	Cap. (ml)	Dia. x H (mm)	Price/Cs
M109836	0.35	13 x 3.5	\$115.35/250
M109837	0.035	6 x 2.5	48.90/100

mini Beakers

Polystyrene



- Withstand indirect heat to 200F
- The 5, 10, 20 & 50 ml sizes are excellent for use with atomic absorption, flame photometers and blood cell counters
- Excellent chemical resistance to dilute or weak acids, aqueous solutions, alcohols and bases
- Four-way pour spouts

Cat. No.	Cap. (ml)	Top x Bot. O.D. (in.)	H (in.)	Price/Cs
M125010	10	1 7/16 x 7/8	1	\$72.21/1000
M125020	20	1 3/4 x 1 1/8	1 1/4	67.19/ 500
M125050	50	2 3/8 x 1 3/8	2	95.09/ 500

Smooth Walled Dishes

Aluminum



buy me because I will not leave material behind.

- Smooth-sided, flat bottom, multi-purpose "utility" dish
- Oil-free and non-coated, no tab, ideal for storage, dispensing, general purpose sampling and testing
- Dish contour facilitates stacking and dispensing.

Cat. No.	Dia. x D	Wgt.	Cap.	Price/Pk	Price/Cs
M111137	73mm x 11/16"	2.5gr	80ml	\$29.05/100	\$269.75/1000
M111144	103mm x 3/4"	7.0gr	150ml	45.94/100	439.34/1000

Round Dishes with Tabs

Aluminum, Crinkled



buy me because Of my heavier gauge aluminum.

- Multi-use evaporating dish, weighing dish, parts container, dust cover and more
- Clean, no oil residue, no vinyl coating to create contamination problems for the user
- Strong crimped sides for rigidity and are angled for easy separation
- Large tab for sample numbers
- Flat bottom to improve sample handling
- Sturdy gauge for heavy duty use

Cat. No.	Dia. x D	Wgt.	Cap.	Price/Pk	Price/Cs
M108242	28mm x 3/8"	.3gr	8ml	Bulk	\$128.10/ 500
M217243	43mm x 1/2"	1gr	20ml	\$15.68/100	145.60/1000
M217257	57mm x 5/8"	1.3gr	60ml	18.76/100	174.20/1000
M217270	70mm x 5/8"	2.0gr	80ml	26.18/100	243.10/1000

Specimen Containers

Polypropylene



- Durable, translucent, unbreakable
- Resist acids, bases, most organic solvents and common lab reagents
- Dual graduations in oz. and ml., internally molded, easy to read, in increments of 20 ml. and (1) oz.
- Flexible packaging, "bulk", sleeved, non-sterile for general and industrial use
- Bulk - Non-Sterile, with out lid


Cat. No.	Cap. (oz.)	Top x Bot. O.D. x H (in.)	Price/Cs
M136004	4 1/2	2 5/8 x 2 x 2 3/16	\$68.90/500
M136008	8	2 5/8 x 2 x 4 1/16	99.10/500
M136000		Lids, PE	47.70/500

Square Weighing Dishes

Polystyrene (Anti-Static)



buy me because
My white translucent makeup
is great for traditional uses.




buy me because
My blue color is great for
sample contrast.

- Disposable, general purpose sample holders
- Anti-static material reduces foreign particles contamination
- Rubberized polystyrene withstands temperatures to 180 F
- Hundreds of uses; with balances, in microwaves, moisture analyzers
- Biologically inert; resistant to dilute acids, aqueous solutions, alcohols, bases
- Flexes for easy pouring
- Flat bottom resists tipping
- Contoured sides permit no-slip handling
- Blue contrasts for white powders and solids, increases sample visibility/recovery, improves measuring accuracy

Cat. No.	Size	Top ID x D"	Color	Price/Cs
M129110	Small	1 ⁵ / ₈ x 5 ⁵ / ₁₆	White	\$50.70/500
M129111	Medium	3 ¹ / ₂ x 1	White	87.15/500
M129112	Large	5 ¹ / ₂ x 7 ⁷ / ₈	White	175.00/500
M129116B	Small	1 ⁵ / ₈ x 5 ⁵ / ₁₆	Blue	52.98/500
M129117B	Medium	3 ¹ / ₂ x 1	Blue	91.98/500
M129118B	Large	5 ¹ / ₂ x 7 ⁷ / ₈	Blue	175.18/500

Pour-Boat Weigh Dishes

Polystyrene (Anti-Static)



buy me because You will love my 'pour spout'.

- Facilitates pouring and dispensing
- No need to flex dish to dispense liquids or solids
- 20-30% thicker material for strength, stability, handling ease and safety
- Flat bottom; smooth, uniform
- Withstand 200 F
- Disposable, and inexpensive

Cat. No.	Cap.	W x L x D (in.)	Price/Cs	8+ Cs
M129114	Small, 20ml	1 ³ / ₄ x 2 ¹ / ₄ x 5 ⁵ / ₁₆	\$41.50/250	\$37.35
M129115	Med., 140ml	3 ¹ / ₂ x 5 ³ / ₈ x 1	71.75/250	64.57
M129116	Large, 270ml	4 ³ / ₄ x 7 ¹ / ₂ x 1	107.95/250	95.25

Weighing Vessels

Polystyrene (Anti-Static)



- Excellent for weighing static-affected materials
- Translucent polystyrene flexes easily for weighing, dispensing, or pouring liquids or solids
- Unique design for non-slip handling / pouring and flat bottom resist tipping
- Biologically inert; resistant to most dilute acids, aqueous solutions, and alcohol bases
- Three convenient sizes for any sampling or weighing application
- Disposable



buy me because
I am great for liquid samples.


Cat. No.	Cap.	L x W x D (in.)	Price/Pk	Price/Cs
M111145	Small, 20ml	2 ¹ / ₈ x 1 ¹ / ₂ x 1 ¹ / ₂	\$52.00/500	\$384.00/4000
M111146	Med., 120ml	5 ¹ / ₄ x 3 ¹ / ₄ x 1		83.20/ 500
M111147	Large, 240ml	7 x 4 ¹ / ₄ x 1		171.02/500

Hexagon Weighing Dishes

Polystyrene (Anti-Static)



- Flexes easily for weighing, dispensing, or pouring liquids or solids
- Unique hexagonal design for non-slip handling and pouring
- Biologically inert; resistant to most dilute acids, aqueous solutions, and alcohol bases
- Flat bottoms resist tipping
- Hundreds of sampling and weighing applications
- Translucent, disposable



buy me because
Of my unique design.

Cat. No.	Cap.	O.D. x Dia. (in.)	Price/Pk	Price/Cs
M111140	Small, 20ml	1 ³ / ₄ x 3 ³ / ₈	\$44.60/500	\$332.64/4000
M111141	Med., 50ml	3 x 3 ³ / ₄		58.36/ 500
M111142	Large, 200ml	4 ³ / ₄ x 7 ⁷ / ₈		109.56/ 500
M111143	XLarge, 350ml	5 ¹ / ₂ x 1 ¹ / ₄		136.86/ 500

The LabMart
Brand

Great Price
Great Quality
Ready to Ship

labmart.com 800-684-1234

Centrifuges



Mini Centrifuge, My Fuge™ Mini



- Eight Position Microtube rotor 8 x 1.5/2.0ml (comes installed)
- Rotor for 0.2ml PCR tubes & strips (included) is stored in a convenient compartment on bottom of unit
- Ideal for quick spin; Near silent operation
- Starts and stops in seconds with open/close of lid
- **Includes:** both rotors and adapters for 0.5ml & 0.2ml
- 1 YR WARRANTY

buy me because

I fit in the palm of your hand so color it with your fav color.

Speed: Fixed 6000 rpm / 2000 xg

Cap.: 8 x 1.5/2.0ml tubes 16 x 0.2ml PCR tubes 2 x 0.2ml PCR strips

Dim.: 4.5 x 5.9 x 4.5 in., 1.1 lbs.

Cat. No.	Lid Color	Price
M110941	Blue	\$272.48
M110942	Clear	272.48
M110943	Neon Green	272.48
M110944	Purple	272.48
M110945	Red	272.48
M111116	Replacement Adapters for 0.5 ml	54.26/8
M111117	Replacement Adapters for 0.2 ml	54.26/8

Mini Centrifuge, My Fuge™ 12



- Unlike traditional mini centrifuges, unit eliminates need to change rotors when switching between microtubes and PCR strips
- Runs (12) microtubes and (4) PCR strips simultaneously with the COMBI-Rotor™ (included)
- 5.5 Inches wide; near silent operation
- Starts/stops with open/close of lid
- Perfect for quick spin downs
- Quickly ramps up to 5500 rpm
- 1 YEAR WARRANTY

buy me because

No rotor changing with twice the capacity; I am flexible

Speed: Fixed 5500 rpm / 2000 xg

Cap.: 12 x 1.5/2.0ml tubes 32 x 0.2ml PCR tubes 4 x 0.2ml PCR strips

Dim.: 5.5 x 7.9 x 4.4 in., 2.1 lbs.

Cat. No.	Description	Price
M110938	MyFuge ¹²	\$349.00
M110939	Replacement Adapters for 0.5 ml	26.25/6
M110940	Replacement Adapters for 0.2 ml	26.25/6

Personal Mini-Centrifuge



buy me because

- A broad application range
- Powerful centrifugal force of 15100 g
- High speed, 12-Place Rotor is fully autoclavable and is made of high strength aluminum alloy
- Unique cooling design, minimizes rotor heating
- Over-speed detection; whisper quiet operation
- Brushless motor drive, maintenance free
- Pulse operation for quick spins
- Large LCD, auto door lock
- 2 YEAR WARRANTY



Speed: 15000 rpm (200-15000rpm), 100rpm increments
Max. RCF: 15100 x g, 100 rpm x g increments
Run Time: 30 secs to 99 mins Timer or Continuous
Dim.: Compact, 9.8W x 9.6L x 5.5H inches, 13.2 lbs.

Cat. No.	Description	Price
M111319	Centrifuge, 2ml / 12-Place Rotor	\$850.00
Rotor Kit: includes Bio-Cover, Fixing Clips & O-Ring, 15000RPM		
M111320	12 Place Rotor Kit, 2ml x 12	\$275.00
Rotor Adapters Use with		
M111325	0.2ml Rotor Adapter M111320	\$60.00/24
M111326	0.5ml Rotor Adapter M111320	60.00/24

Microcentrifuge, Refrigerated Prism™



- Design of the 24 place rotor allows easy access to the top of sample tubes & is easy to remove and clean
- Solid aluminum rotor support tubes via individual slots and will contain sample if the tube fails
- Rotor (sold separately) accepts 1.5/2.0ml tubes, smaller tubes need adapters
- StripSpin adapter (optional) snaps on the top of the rotor for spinning 0.2ml tubes and PCR strips
- Load imbalance identification system with auto shut-off

buy me because

I'm a chilling machine with a powerful motor, small footprint & cooling capacity to spare.

- "Quick-COOL" function; 4°C in 8 minutes
- User friendly, large LCD control panel provides intuitive control over all operating parameters
- Set and view speed in both rpm or rcf
- Brushless motor; maintenance free with quiet operation
- Autoclavable
- 2 YEAR WARRANTY

Speed Range: 13500 rpm (accelerates to max in 16 secs.)

Maximum RCF: 17135 x g

Temperature Range: -10 to 40°C

Timer: 0.5 to 99 min. or continuous & momentary

Cooling Time: 8 min. (Room Temperature to 4°C)

Dim. (WxDxH): 10.9 x 17.75 x 9.75 in. / 44 lbs

Cat. No.	Description	Price
M110738	Microcentrifuge with 24 Place Rotor	\$5,144.85
Adapters		
M107414	StripSpin for 0.2 ml Tubes and 8 Position PCR Strips	\$101.65/1
M158169	Individual for 0.2 ml Thermo Cycling Tubes	54.26/1
M158167	Individual for 0.5 ml Tubes	54.26/1

Microcentrifuge, Spectrafuge™ 24D



- Precise microprocessor control
- "MultiFlo" airflow pattern keeps samples cool
- Powerful, maintenance-free brushless motor, quiet operation
- Simple knob adjustment maintains precise control; digital display
- Solid aluminum rotor (24 x 1.5/2.0ml included) is easy to remove for cleaning and autoclaving
- Optional StripSpin™ adapter for PCR strips or 16 individual 0.2µl tubes

buy me because

I am available in different colors for your personal needs.

Speed: 500 to 13300 rpm / 16300 x g
Timer: 1 to 30 mins. or continuous "Quick" button for momentary operation
Dim.: 9.25W x 11.5D x 8.5H" / 18 lbs.

Cat. No.	Description	Price
M107409	Grey	\$2,068.50
M107410	Blue	2,068.50
M107411	Teal	2,068.50
M107412	Purple	2,068.50
M107413	Red	2,068.50
M107414	StripSpin™ Adapter for 0.2 ml Strip Tubes	101.65

Want special offer? Register & subscribe online

Centrifuges

Universal Lab Centrifuge



buy me because

Versatility... I accept 11 different rotor types.

- Ideal for routine clinical or research applications
- Spins everything from microplates and tubes in 0.2 to 100 ml sizes
- Includes a digital display, microprocessor control, a brushless motor and automatic brakes
- Lid lock system shuts down the centrifuge if the lid is opened or not closed properly
- Features an imbalance indicator with safety cutoff and automatic over speed prevention
- 1 YEAR WARRANTY

Speed Range: 250 to 13500 rpm
Maximum RCF: 17130 x g
Temperature Range: -10° to 40°C
Timer: 1 to 60 minutes or continuous "Quick" Button for momentary operation
Dims. (WxDxH): M158180: 14 x 18.1 x 13 in. / 88 lbs
M105746: 16.5 x 26.4 x 13.2 in. / 167.2 lbs.

Cat. No.	Description	Price
M158180	Universal Centrifuge w/o Rotor	\$3,213.10
M105746	Universal Refrigerated Centrifuge w/o Rotor	6,694.54

Angle Rotors

M158181-00	24 x 15 ml w/ Shields	\$1,374.80
M158181-01	6 x 50 ml	1,023.88
M105849	12 x 15 ml	930.35
M105851	44 x 1.5 / 2.0 ml	930.35
M105853	24 x 1.5 / 2.0 ml & 24 x 0.5 ml	930.35
M105861	24 x 1.5 / 2.0 ml	906.95

Swing Out Rotors

M158181-04	4 x 100 ml w/ Buckets & Covers	\$1,807.95
M105862	4 x 50 ml	877.85
M105863	8 x 15 ml	877.85

Inserts for M105862 & M158181-01

M100708	Adapters for 15 ml Tubes	\$104.00/4
M100709	Adapters for 7 ml (13 x 100 mm) Tubes	104.00/4

Inserts for M105863, M105849 & M158181-00

M100713	Adapters for 10 ml (16 x 100 mm) Tubes not for 158181-00)	\$64.65/4
M100714	Adapters for 5 ml, 7 ml & 10 ml Tubes	64.65/4
M107867	Adapters for 1.5 ml Tubes for 15 ml Rotor	117.20/4

Inserts for M158181-04

M158181-05	1 x 100 ml Inserts	\$169.45
M158181-06	1 x 15 ml Conical Inserts	169.45
M158181-08	1 x 50 ml Conical Tube Inserts	169.45
M158181-09	4 x 10 ml Inserts	169.45
M158181-11	1 x 7 ml Conical Tube Inserts	169.45
M158181-12	1 x 5 ml Tube Inserts	169.45

High Speed Micro Centrifuge

buy me because My high speed at a low price.

- Maintains 4°C at maximum speed to protect precious samples
- Brushless motor drive is maintenance free and whisper quiet
- Bio-containment rotors are safe and autoclavable; 24 place rotor
- Special double cooling air design, minimizes rotor heating
- Pulse operation for quick spins
- Large LCD display; auto door lock
- Over-speed detection
- 2 YEAR WARRANTY

Speed: 15000 rpm (300-15000rpm), 10rpm increments
Max. RCF: 21380xg, 10xg increments
Run Time: 30 secs to 99 mins Timer or Continuous
Dim.: 11.0W x 14.3L x 10.4H inches, 27 lbs.



Cat. No.	Description	Price
M111324	Micro Centrifuge, 2ml / 24-Place Rotor	\$1,825.00
Rotor Kit: includes Bio-Cover, Fixing Clips & O-Ring, 15000RPM		
M111321	24 Place Rotor Kit, 2ml x 24	\$275.00
M111322	36 Place Rotor Kit, 0.5ml x 36	275.00
M111323	4 x 8 Tube PCR Strip Rotor Kit	587.50
	Rotor Adapters	Use with
M111325	0.2ml Rotor Adapter	M111324 \$60.00/24
M111326	0.5ml Rotor Adapter	M111324 60.00/24
M111327	0.2ml Rotor Adapter	M111322 90.00/36

Screw Cap Microtubes

- Provides strongest seal possible
- Forms visible positive seal for protection from leaks or contamination
- Frosted writing area for labeling
- Easily opened with one hand
- Pierceable cap
- Suitable for vapor-phase and liquid nitrogen storage, boiling and autoclaving
- Natural color
- Colored screw caps available



Cat. No.	Description	Price/Cs
1.5ml, Non-Free Standing, Non-Graduated		
M173102-1	Tube Only	\$57.53/500
M173102-2	Tube and Cap with O-Ring	151.86/500
M173102-3	Sterilized Tube & Cap with O-Ring	236.94/500
1.5ml, Free Standing, Non-Graduated		
M173109-1	Tube Only	\$57.53/500
M173109-2	Tube and Cap with O-Ring	153.51/500
M173109-3	Sterilized Tube & Cap with O-Ring	242.99/500
2.0ml, Non-Free Standing, Non-Graduated		
M173104-0	Tube Only	\$57.53/500
M173104-1	Tube & Cap with O-Ring	151.86/500
M173104-2	Sterilized Tube & Cap with O-Ring	236.94/500
2.0ml, Free Standing, Graduated		
M173103-1	Tube Only	\$63.97/500
M173103-2	Tube & Cap with O-Ring	151.86/500
M173103-3	Sterilized Tube & Cap with O-Ring	236.94/500
Screw Caps - Fits All Size Microcentrifuge Tubes		
M173108-0	Screw Caps	\$57.53/500
M173108-1	Screw Caps with Fitted O-rings	102.36/500

Fax: 908-561-3002

The LabMart™

Centrifuges



Corning® Element™ Centrifuge Tubes



- Ideal for hand-mixing, storage, aliquotting and other basic laboratory applications
- Polypropylene construction
- Non-pyrogenic
- Flat, light-green colored caps
- Bulk or styrofoam racked
- Sterile and non-sterile options
- Economical Price



Cat. No.	Vol. (mL)	Sterile	Max. RCF	Packaging	Price/Cs
M111271	15	Yes	8,000	Rack	\$146.13/ 500
M111272	15	Yes	8,000	Bulk	128.59/ 500
M111273	15	No	8,000	Bulk	257.18/1250
M111274	50	Yes	10,000	Rack	163.66/ 500
M111275	50	Yes	10,000	Bulk	151.97/ 500
M111276	50	No	10,000	Bulk	145.89/ 600

Flat Top Microtubes, G-Tubes™



- No special locking cap devices needed
- Spin to over 30,000 x g w/out cap locks
- Safe sample deposit
- Highest impact tube strength with smoothest interior surface
- Flat, textured writing patch on top
- 1.5 and 2.0 ml tubes have an additional side writing patch & grad.
- Autoclavable; withstands temperatures from -80 to 121°C
- Certified to be RNase/DNase free
- Audible "snap" indicates secure closure

buy me because
I am virtually transparent and have superior toughness.



Color	Cap. 0.6 ml	Price Pk/500	Cap. 1.5 ml	Price Pk/500	Cap. 2.0 ml	Price Pk/500
Natural	M102410	\$26.25	M102437	\$26.25	M102419	\$27.00
Red	M102411	26.25	M102402	26.25	M102420	27.00
Yellow	M102412	26.25	M102403	26.25	M102421	27.00
Blue	M102413	26.25	M102404	26.25	M102422	27.00
Green	M102414	26.25	M102405	26.25	M102423	27.00
Orange	M102415	26.25	M102406	26.25	M102424	27.00
Lavender	M102416	26.25	M102407	26.25	M102425	27.00
Amber	M102417	26.25	M102408	26.25	M102426	27.00
Rainbow	M102418	29.00	M102409	29.00	M102427	32.00

1.5 ml Microcentrifuge Tubes




- Attached caps are tight fitting to withstand centrifugation
- Polypropylene
- Ungraduated
- Autoclavable



Cat. No.	Description	Price/Cs	50+Cs
CL2360	Natural	\$31.50/1000	\$27.00/1000

Sterile Centrifuge Tubes



buy me because

I am ideal for culture work and general lab use.

- Black printed graduations
- Large white marking spot
- Sterile and certified non-pyrogenic
- Plug seal caps or flat top rim seal caps
- Sold 500 per case; bulk pack sleeves or subpacked in styrofoam racks

Cat. No.	Material	Max. RCF	Qty/Pk	Price/Cs
15 ml Conical Bottom, Plug Seal Cap				
M105784	PET	3600	25/Sleeve	\$246.05/500
M170251	PET	3600	50/Rack	257.07/500
M170253	PP	8400	50/Rack	257.49/500
M105785	PP	8400	25/Sleeve	246.05/500
15 ml Conical Bottom, Flat Top Cap				
M105786	PP	8400	50/Rack	\$245.58/500
M105787	PP	8400	25/Sleeve	236.96/500
50 ml Conical Bottom, Plug Seal Cap				
M170262	PP	9400	25/Rack	\$345.42/500
M105788	PP	9400	25/Sleeve	334.78/500
50 ml Conical Bottom, Flat Top Cap				
M170269	PP	9400	25/Rack	\$339.60/500
M170264	PP	9400	25/Sleeve	322.38/500
50 ml Self Standing, Plug Seal Cap				
M107956	PP	3000	25/Rack	\$365.73/500
50 ml Self Standing, Flat Top Cap				
M107957	PP	300	25/Rack	\$352.67/500

LabMart® Centrifuge Tubes



- Polypropylene construction w/ red HDPE caps
- White graduation marks and writing area
- Autoclavable without screwcap
- Sterile tubes are RNase/DNase free, non-pyrogenic and non-cytotoxic

Temp. Range: Tube: -196°C to + 121°C

Cap: -50°C to + 100°C

Spin Rate: 10,000 rpm (12,320 x g)

Cat. No.	Size	Price/Cs
M111353	15 ml	\$208.45/500
M111354	50 ml	314.03/500

Conical Centrifuge Tubes, EZ Flip™



- Integrated leakproof cap prevents cross contamination and lost closures
- Clarified polypropylene combines chemical resistance and high speed tolerance
- White writing area and flat caps for sample identification
- Printed graduations
- Compatible with centrifuge rotors
- Patented hinged-cap system; Sterile
- USP Class VI, Non-pyrogenic, Non-cytotoxic and RNase/DNase Free
- Patented hinged-cap system; Sterile

Cat. No.	Cap. Size (ml)	Max. RCF	Packed	Price/Cs
M109796	15	8500	Bulk	\$218.36/500
M109797	15	8500	Rack	233.81/500
M109798	50	9500	Bulk	243.08/500
M109799	50	9500	Rack	278.10/500


Want special offer? Register & subscribe online

Centrifuges

Smooth Rack

buy me because
I hold many sizes of tubes in one rack to save bench space.

- Tubes will not slip into an adjacent spots like the old 3-tier design rack
- Holds 72 tubes upright in a wide range of sizes from 10 - 17 mm dia.
- Autoclavable polypropylene
- Made in USA, Patent pending



Cat. No.	Color	Dimensions	Price
M110946	Blue	9.5L x 5W x 2.6H in.	\$41.88
M110947	White	9.5L x 5W x 2.6H in.	41.88

Microtube Rack, 96 Well Flipper™

- Molded alpha-numeric matrix for easy tube location
- All four sides have a writing area
- Writing area on all four sides
- Holds 96, 0.5, 1.5 or 2.0 ml microtubes
- Reversible rack: 8 x 12 matrix



Cat. No.	Description	Price/Pk	Price/Cs
Without Lid			
M438106	Natural	\$59.57/5	\$108.31/10
M438107	Assorted Colors	74.36/5	140.90/10
M438110	Lids only, Clear PP	55.62/5	96.24/10
With Lid			
M438108	Natural	\$80.00/5	\$151.58/10
M438109	Assorted Colors	90.87/5	172.65/10

Tube Racks

- Holds centrifuge tubes upright
- Made of epoxy coated steel wire
- Extremely sturdy
- Autoclavable
- Scienceware® Poxygrid®



Cat. No.	Tube Cap. (ml)	Places	L x W x H (in.)	Price
M436413	50	8	5 ⁷ / ₈ x 3 x 3 ¹ / ₂	\$49.09
M436413-00	50	16	6 x 6 x 3 ¹ / ₂	52.53
M436413-01	50	36	9 x 9 x 3 ¹ / ₂	76.45
M106238	15	15	3 x 5 x 3	53.96
M436414	250	6	6 ³ / ₁₆ x 6 ⁵ / ₁₆ x 4	28.54

Cube Racks

- Interlocking cubes slide together, allows you to work with different tubes and connect multiple cubes together
- Accommodates (4) 50mL tubes, (10) 15mL conical tubes, (12) 12 x 75 or 12 x 100 tubes, or (16) 1.5 to 2.0mL microcentrifuge
- Interlock on all sides
- PP, Autoclavable



buy me because
I can organize all sizes of tubes.

Cat. No.	Color	Price/Pk	Price/Cs
M110049	Assorted Color	\$48.04/5	\$461.16/60

Storage Boxes

- Telescoping lid adjusts to varying tube heights
- Holds 50 microtubes or vials
- Translucent to view samples and labels without removing the lid
- Durable polypropylene
- Autoclavable
- Dims. 144L x 75W x 35-55H mm



buy me because
I won't degrade or hold moisture like cardboard.

Cat. No.	Holds Tube Size	Color	Price/Pk
M463903	1.5 ml	Natural	\$47.50/6
M463904	0.5 ml	Natural	42.60/6

Color Coded Storage Boxes



buy me because

I will not degrade when exposed to moisture and ultra-cold temperatures as low as -80°C.

- Sturdy unbreakable PPE; autoclavable
- Frosted area to mark samples
- Hinged lid allows visibility of tube caps, labels or markings
- Stackable; small enough to conserve freezer space
- 100 Vial capacity; microtube or cryogenic
- Max. tube length of 49mm
- Available in assortment pack (contains 1 of each color)
- Dimensions: 2³/₈ x 5¹/₂ x 5¹/₂ in.

Cat. No.	Color	Price/Pk
M463907	Translucent	\$52.87/6
M463907-BL	Blue	54.60/6
M463907-GR	Green	54.60/6
M463907-OR	Orange	54.60/6
M463907-P	Pink	54.60/6
M463907-Y	Yellow	54.60/6
M463907-A	Assorted Colors	45.05/5

Tube Ice Rack

- Ideal for cooling 28- 15 or 50 ml centrifuge tubes in a chilled bath
- Tubes rest on bottom for maximum stability & exposure to the bath
- Use as a centrifuge tube ice rack or chemical containment tray
- Heavy duty chemically resistant all-PP rack & tray; autoclavable
- Stackable with identical covered trays
- Optional PP lid sold below
- Scienceware®
- Dims. 12³/₄ L x 7⁷/₈ W x 5⁷/₈ H in



buy me because
I have a spill containment tray with a double use.

Cat. No.	Description	Price
M109392	Ice Rack	\$58.98
M109393	Lid for Above	17.29

Fax: 908-561-3002

The LabMart™

Carts/Cleaning



Lab Carts

buy us because Trays can be inverted for flat work surface



M152623



M152620

- Finger tip control in confined areas; tubular push handle
- 2 rigid and 2 swivel 5 in. rubber casters
- Heavy duty steel trays with three, 3 1/2 in. deep flanges
- Safety folded edges, all steel construction
- 1000 lbs capacity, 32 in. high; gray in color

Cat. No.	Description	Tray Size (in.)	Price
M152620	2 Tray Cart	16 x 30	\$259.35
M152622	2 Tray Cart	24 x 36	\$329.70
M152623	3 Tray Cart	16 x 30	\$295.26
M152625	3 Tray Cart	24 x 36	\$398.50

Utility Carts

buy us because you can choose between the angle or "U" frame



M101174



M101175

- Sturdy Stainless steel with convenient push handle on wheels
- Creates instant space and organizes your equipment

- **M107619** Cart Dim. (WxLxH) : 16 1/4 x 27 1/2 x 32 1/8 in. ; Shelf Dim. : 15 1/2 x 24 in.
- **M101174** Cart Dim. (WxLxH) : 19 x 31 x 33 3/8 in. ; Shelf Dim. : 18 x 27 in.
- **M101175** Cart Dim. (WxLxH) : 22 3/8 x 38 5/8 x 37 1/8 in. ; Shelf Dim. : 21 x 33 in.; "U" Frame

Cat. No.	# of Shelves	Capacity	Price
M107619	3	200 lbs.	\$357.45
M101174	3	400 lbs.	\$529.98
M101175	2	650 lbs.	\$1,162.39

Heavy Duty Lab Cart



- Tough Duramold® construction, beige in color, won't dent, chip or flake
- Seamless construction for easy cleaning; rustproof
- Comes with 2 shelves for plenty of storage space with specially constructed casters for quiet maneuverability
- No sharp edges to nick or scrape walls and furniture

Cat. No.	Dimensions (in.)	Price
M152150	16 x 30 x 32 1/4	\$578.34
M152152	24 x 36 x 32 1/4	\$656.77

Brushes

buy us because

Durable bristles and quality construction for all types of cleaning.

Beaker



Cat. No.	Beaker Brush	Lgth x Dia. (in)	Price/Pk
M215670	16 in. Long	6 x 2 7/8	\$61.46/1
M215671	12 in. Long	4 x 2 1/2	\$59.10/1

Cylinder



Cat. No.	Cylinder Brush	Bristle Lgth x Dia. (in)	Price/Pk
M215677	20 in. Long	6 x 2 3/8	\$51.07/4

Flask



M215675

Cat. No.	Flask Brush	Bristle Lgth x Dia. (in)	Price/Pk
M215676	16 in. Long, Black	4 1/2 x 1 3/4	\$34.22/3
M215673	12 in. Long, 250 ml	3 1/2 x 1 3/8	\$33.07/3
M215674	14 in. Long, 500 ml	4 x 1 1/2	\$32.58/3
M215683	12 in. Long, Swivel Joint	4 1/4 x 1 1/2	\$38.47/3
M215684	16 in. Long, Swivel Joint	4 1/4 x 1 3/4	\$40.74/3

Pipet



Cat. No.	Pipet Brush	Lgth x Dia. (in)	Price/Pk
M215678	19 in. Long	Body: 2 3/8 x 3/8 Nose: 4 x 1/8	\$53.31/12

Test Tube



Cat. No.	Test Tube Brush	Bristle Lgth x Dia. (in)	Price/Pk
M215681	8 in. Long, Small	3 x 1/2	\$22.61/3

Large Variety Brush Kit



- 16 Piece kit consists of the most popular brushes for cleaning
- Kit includes: one each
Cylinder/Bottle Buret/Pipet
Beaker/Jar/Cylinder
25ml Buret/Pipet
15ml Centrifuge Tube
250ml Flask Brush
- Kit includes: two each
Micro-Tube Narrow Tube
11 - 14mm Test Tube
15 - 20mm Test Tube
21 - 36mm Test Tube

buy me because
This kit cleans everything.

Cat. No.	Description	Price
M345044	Variety Brush Kit	\$122.32

Foam Glassware Brushes



- Foam bristles will not chip, scratch or break glassware
- Foam will not absorb water & become soggy or limp
- Durable enough to be reused - yet economical enough to be disposable
- **M105492** adjusts to fit any size test tube
- **M102941** & **M102942** can be used in large beakers and cylinders
- **M102504** is ideal for washing odd shaped glassware because it bends to fit any container shape

Cat. No.	Type	Length (in)	Price/ea	6+
M105492	Test Tube	8.5	\$16.80	\$13.65
M102941	Glassware	9	16.80	13.65
M102942	Glassware	18	18.64	16.01
M102504	Bendable	15	13.65	11.55
M106560	Variety Pack (1 each of above)		57.17	

Want special offer? Register & subscribe online

Cleaning

Touch-Free Soap Dispenser





buy me because I reduce contact with germs that linger on a dispenser.

- Delivers precise amount of soaps, detergents, lotions or anti-bacterial gels
- Creates germ free environment; no contamination
- Two preset dispensing amounts
- Built-in Infrared AI Smart-Chip
- 100% handsfree operation
- Easy soap landing, no mess access, no clogs or drips
- Table-top or wall-mount with docking holder included

Capacity: 500 ml / 16 oz.
Sensor Range: 3 in.
Finish: Mirror Stainless Steel
Power: 4AA batteries (not included); 10,000+ dispensing cycles
Dims. (DxWxH): 5.5 x 3.5 x 8.25 in. / 1 lb.

Cat. No.	Description	Price
M111013	Touch-Free Sensor Soap Dispenser	\$102.00

Surface Soakers, Versi-Dry®



- Top layer is durable, cloth-like and won't fall apart when wet
- Backing is waterproof, chemical-resistant polyethylene that draws wetness away from the surface; skid-resistant
- Thirsty Cells™ quickly absorb spills and cushion breakable labware
- Usages: bench top protection, shelf, cabinet, hood or tray liner, floor soaker/mat, wiping up spills, shipping liner for hazardous materials, clinical / surgical applications, animal cage liners
- Ideal for use with radiologicals, acids or dyes
- Nalgene®

Cat. No.	Description	Size	Price/Cs
Super Absorbency (Absorbs 1050 ml/sq. meter)			
M103008	Mat	18 x 20 in.	\$484.55/350
M103009	Mat	18 x 40 in.	484.55/175
M103010	Table Mat	20 x 43 in.	663.06/150
M103011	Rolls	20 in. x 250 ft.	243.69/ 1
M103012	Rolls	20 in. x 100 ft.	504.23/ 4
M106357	Floor Mat	18 x 40 in.	381.71/ 50
M106358	Floor Mat	40 in. x 200 ft.	364.43/ 1
Standard Absorbency (Absorbs 750 ml/sq. meter)			
M103013	Mat	18 x 20 in.	\$392.45/350
M103014	Dispenser Rolls	20 in. x 100 ft.	408.41/ 4
M103015	Dispenser Rolls	20 in. x 300 ft.	226.69/ 1
M103016	Rolls	20 in. x 150 ft.	226.69/ 2
M192715	Rolls	20 in. x 300 ft.	403.79/ 2
Standard Absorbency (Absorbs 750 ml/sq. meter)			
M106356	Roll	20 in. x 300 ft.	\$314.53/ 2

Kimwipes™ & Holder



• Kimwipes™

- Fine crepe surface is super absorbent, strong & non-abrasive
- Lintguard polysield reduces lint, protects personnel from contamination
- Kimwipes™ come in pop-up dispenser boxes
- M192720 (small) are 4 1/2 x 8 1/2 inches; 280 sheets per box
- M192730 (large) are 15 x 17 inches; 140 sheets per box

• Kimwipes™ Holder

- Holders provide easy access to Kimwipes™
- Mounts to walls or cabinets in seconds
- Add suffix to specify: Neon Red (-NR), Neon Blue (-NB), or Neon Green (-NG)

Cat. No.	Kimwipes™	Price	Price
Kimwipes™			
M192720	Small (1 Case = 60 Boxes)	\$5.96/Bx 255.42/Cs	\$4.68/30-59 Bx 238.38/ 5-10 Cs
M192730	Large (1 Case = 15 Boxes)	\$18.61/Bx 195.42/Cs	\$16.29/12-15 Bx 148.50/ 5-10 Cs

Cat. No.	Color	Holder	Holds	Price/Ea	6+
Kimwipes™ Holder					
M192710L	Clear	Large	M192730	\$43.13	\$38.98
M107627	Neon	Small	M192720	23.65	21.60
M107628	Neon	Large	M192730	48.67	44.24

Benchtop Covers

buy me because
I will keep ur surfaces clean.



- Absorbent benchtop covers available in several sizes
- Economical alternative to other absorbent covers

Cat. No.	Size (in.)	Price/Cs
M105794	17 x 24	\$111.11/300
M105797	23 x 24	97.35/200
M105799	23 x 36	109.46/150

Liquid Cleaner, Micro 90®

- Unique cleaner with complexing and sequestering agents, a solubilizer, anionic and nonionic surface agents
- Use as chromic acid substitute
- Contains no phosphates
- Mixes instantly with water is safe and biodegradable
- Removes difficult residues
- Extremely low toxicity. Rinses 100% clean. pH of 9.7



Cat. No.	Size	Price/Ea	Price/Cs
M214650	1 Quart	\$26.00	\$249.60/12
M214652	1 Gallon	75.94	270.00/ 4
M214653	5 Gallons	261.00	

Fax: 908-561-3002

The LabMart™

Cleaning

The LabMart®
Serving Science Since 1850



All Alconox® Products Are:

- Free Rinsing - No Interfering Residues
- USDA Authorized
- Biodegradable
- EPA Referenced
- Corrosion Inhibited

FREE SAMPLES!



Alcojet® Low Foaming Powdered Detergent

- **Use:** Nonionic, low foaming cleaner for use in labware washers, parts washers, power-spray systems, manual/ultrasonic cleaning
- **Recommended For:** Corrosion inhibited formula for glassware, metals, plastic, ceramic, porcelain, rubber & fiberglass
- Dilute 1:200, pH 12; sold 4 lbs. per box

Cat. No.	Price/Ea	Price/Cs
M215694-01	\$34.58/Bx	\$256.92/9

Alconox® Powdered Precision Cleaner

- **Use:** Anionic for manual/ultrasonic cleaning
- **Recommended For:** Cleaning contaminants from glassware, metals, plastic, ceramic, porcelain, rubber and fiberglass
- Excellent replacement for corrosive acids & hazardous solvents
- Concentrated, dilute 1:100, pH 9.5; sold 4 lbs. per box

Cat. No.	Price/Ea	Price/Cs
M215694	\$35.90/Bx	\$266.75/9

Alcotabs® Critical Cleaning Detergent Tablets

- **Use:** Effervescent detergent tablet
- **Recommended For:** Maximum cleaning in syphon pipette washers to clean pipettes and tubes
- Slow release bubble action
- pH 6.5; sold 100 tablets per bottle

Cat. No.	Price/Ea	Price/Cs
M100898	\$26.81/Btl	\$132.84/6

Luminox® Low Foaming Neutral Cleaner

- **Use:** Safe-handling detergent used for non-corrosive cleaning without chelation or alkalinity waste treatment problems
- **Recommended For:** Aluminum & soft metal, medical devices, pharmaceutical equipment & alkaline sensitive labware
- Detergent for use in manual, ultrasonic & machine cleaning
- Dilute 3:100, pH 7.0

Cat. No.	Price/Ea	Price/Cs
M100899	\$71.03/Gal	\$249.48/4

Dust-Off® XL



- Environmentally safe
- Non-ozone damaging Difluoroethane
- Triple filtered for highest purity available
- Cleans delicate electronic equipment

Cat. No.	Description	Price
M224105	Dust-Off® XL, 10 oz. can	\$45.78

Citranox® Liquid Acid Cleaner & Detergent

- **Use:** Cleaner and metal brightener, phosphate free
- **Recommended For:** High performance removal of metal oxides, scale, salts & inorganic residues in manual & ultrasonic cleaning
- Corrosion inhibitive; ideal for trace metal analysis
- Concentrated, dilute 2:100, pH 2.5

Cat. No.	Price/Ea	Price/Cs
M215690	\$59.51/Gal	\$196.56/4

Det-O-Jet® Low Foaming Liquid Detergent

- **Use:** Highly emulsifying & penetrating
- **Recommended For:** Heavy-duty alkaline for use in labware & parts washers, power-spray systems & ultrasonic cleaning systems
- Protects interior working parts of washers
- Dilute 1:100, pH 13

Cat. No.	Price/Ea	Price/Cs
M102397	\$16.00/Qt	\$160.00/12

Liqui-Nox® Critical Cleaning Liquid Detergent

- **Use:** Anionic detergent for manual & ultrasonic cleaning
- **Recommended For:** A neutral detergent for long instrument life; manual and immersion cleaning of vessels and equipment
- Extremely mild and completely soluble in hard and soft water
- Phosphate-free to eliminate phosphate interference
- Concentrated Liquid, dilute 1:100, pH 8.5


Cat. No.	Price/Ea	Price/Cs
M215695	\$21.50/ Qt	\$197.64/12
M215695-1	69.00/Gal	227.88/ 4

Citra-Jet® Low Foaming Acid Cleaner

- **Use:** Low foaming, phosphate-free cleaner & metal brightener
- **Recommended For:** High performance removal of metal oxides, scale, salts and inorganic residues
- Corrosion inhibited and free rinsing
- Concentrated liquid, dilute 2:100, pH 2.5

Cat. No.	Price/Ea	Price/Cs
M107963	\$58.21/Gal	\$192.24/4

Scrub Pads



- Tougher than a regular sponge yet safe for glass, formica, tile, plastic and most lab surfaces
- Polyurethane and polyester construction for months of hard use without absorbing odors
- Non-allergenic

Cat. No.	Description	Price
M190500	Scrubs	\$42.76/12

Want special offer? Register & subscribe online

Cryoware

HDPE Dewar Flasks

buy me because

I have a polyethylene coated bail-type steel handle for added safety and ease of use

- Withstands temperatures from -196° to +100°C
- Large opening for easy access
- Built in spout for easy pouring
- Finger grip on bottom for secure handling
- Metal tabs keep lid securely in place
- For short-term storage of dry ice and liquid nitrogen
- Double wall molded of HDPE filled with CFC free foamed urethane insulation
- NALGENE®



Cat. No.	Liter	Price/Pk	Price/Cs
M241700	1	\$324.31/1	\$853.44/4
M241701	2	342.18/1	450.24/2
M241702	4	372.83/1	490.56/2
M241703	9		455.84/1

Ice Buckets and Ice Pans



- Ideal for use with ice, dry ice, dry ice-alcohol slurry and liquid nitrogen
- Resistant to temps from -196°C (-321°F) to 93°C (200°F)
- Molded of expanded polyvinyl chloride (PVC); unbreakable, lightweight and leakproof
- Chemically resistant to highly acidic and basic solutions, salts, alcohol, chloroform, phenol, etc.
- Six colors: Black, Red, Green and Blue

Ice Pan Dim:		Mini	Midi	Maxi
Outer	Top:	6 x 6 in.	13 x 9 in.	16 x 13 in.
	Bottom:	4 x 4 in.	11 x 7 in.	14 x 10 in.
	Depth:	3 in.	5 in.	5 in.
Wall:		1/2 in.	3/4 in.	3/4 in.
Capacity:		1L	5.7L	9L

Color	2.5 Liter Cap.		4 Liter Cap.	
	Cat. No.	Price	Cat. No.	Price
Round Ice Buckets				
Black	M104531	\$125.45	M297380	\$149.15
Green	M104532	125.45	M297382	149.15
Red	M104534	125.45	M297381	149.15
Blue	M104535	125.45	M297383	149.15

Color	Mini	Price	Midi	Price	Maxi	Price
Rectangular Ice Buckets						
Black	M364210	\$88.16	M364205	\$149.15	M364200	\$179.65
Red	M364211	88.16	M364206	149.15	M364201	179.65
Green	M364212	88.16	M364207	149.15	M364202	179.65
Blue	M364213	88.16	M364208	149.15	M364203	179.65

Fax: 908-561-3002

Cryogenic Vials and Holders



All Vials

- Self-standing with external threads for aseptic technique
- Conical bottom allows for full retrieval of sample
- PP with HDPE closure
- Vial base interlocks with vial holder

Sterile Vials Only

- Radiation-sterilized and non-cytotoxic, non-pyrogenic
- White marking area with "fill line" and graduations printed on vial
- Packed with closures attached
- NALGENE®

Non-Sterile Vials Only

- Not autoclavable

Cat. No.	Size (ml)	O.D. x Hgt (mm)	Packed	Price/Cs
Sterile				
M210307-12	1.2	13.5 x 38.1	25/Bag	\$309.12/ 500
M210307-20	2.0	13.5 x 48.3	25/Bag	309.12/ 500
M210307-50	5.0	13.5 x 92	10/Bag	250.88/ 500
M210301-00	1.2	13.5 x 38.1	Bulk	540.96/1000
M210301-01	2.0	13.5 x 48.3	Bulk	540.96/1000
Non-Sterile, Ungraduated				
M210300-01	1.2	13.5 x 38.1	Bulk	\$454.72/1000
M210300-02	2.0	13.5 x 48.3	Bulk	454.72/1000

Cryogenic Boxes



- Stores Nalgene Cryogenic vials or most other 1.2, 2.0, 5.0ml vials
- Vented for rapid freeze-down
- Temp. range of: -196° to 121°C
- Boxes and lids have numerical grid system
- Can be marked for sample identification
- Polycarbonate
- NALGENE®

Cat. No.	Grid	L x W x H (in.)	Price/Pk	Price/Cs
5 x 5 Array for 1.2 & 2.0 ml Vials				
M210309-05	White	3 x 3 x 2	\$90.79/8	\$358.40/48
9 x 9 Array for 1.2 & 2.0 ml Vials				
M210309-05	White	5 1/4 x 5 1/4 x 2	\$90.79/4	\$358.40/24
M106439	Red	5 1/4 x 5 1/4 x 2	71.22/4	281.12/24
M106440	Yellow	5 1/4 x 5 1/4 x 2	71.22/4	281.12/24
M106441	Green	5 1/4 x 5 1/4 x 2	71.22/4	281.12/24
M106442	Blue	5 1/4 x 5 1/4 x 2	71.22/4	281.12/24
M106443	Gray	5 1/4 x 5 1/4 x 2	71.22/4	281.12/24
M106444	Asst.	5 1/4 x 5 1/4 x 2		281.12/24
9 x 9 Array for 5.0 ml Vials				
M210309-10	White	5 1/2 x 5 1/4 x 3 3/4	\$93.35/4	\$368.48/24

The LabMart™

25

Cryo-Rack with Drawers



- Built-in drawers allowing access to boxes at the back of the freezer
- Corrosion resistant stainless steel
- Easily remove sample without taking the entire rack from freezer
- Racks available for 5.25 x 5.25 in. square boxes in 2 or 3 high styles

Cat. No.	Cap.	L x W x H (in.)	Price
Holds 2 In Boxes			
M106248	9	16 $\frac{1}{2}$ x 5 $\frac{1}{2}$ x 7 $\frac{1}{8}$	\$161.05
M106249	12	22 x 5 $\frac{1}{2}$ x 7 $\frac{1}{8}$	214.99
M106250	12	16 $\frac{1}{2}$ x 5 $\frac{1}{2}$ x 9 $\frac{7}{16}$	214.99
M106251	16	22 x 5 $\frac{1}{2}$ x 9 $\frac{7}{16}$	286.68
M106252	15	16 $\frac{1}{2}$ x 5 $\frac{1}{2}$ x 11 $\frac{13}{16}$	271.30
M106253	20	22 x 5 $\frac{1}{2}$ x 11 $\frac{13}{16}$	358.05
Holds 3 In Boxes			
M106254	6	16 $\frac{1}{2}$ x 5 $\frac{1}{2}$ x 6 $\frac{3}{4}$	\$110.25
M106255	8	22 x 5 $\frac{1}{2}$ x 6 $\frac{3}{4}$	146.77
M106256	9	16 $\frac{1}{2}$ x 5 $\frac{1}{2}$ x 10 $\frac{1}{4}$	165.02
M106257	12	22 x 5 $\frac{1}{2}$ x 10 $\frac{1}{4}$	220.27

Freezer Storage Boxes, 100 Place



buy me because Tubes fit "A-1" position for a true 10-place rack.

- 100-place, compact, safe storage for 0.5, 1.5 & 2.0ml tubes & cryo vials
- Compact storage, keep organized on bench, in freezer, or transport
- Alphanumeric indexing
- Use at -80 to 121°C, (-112 to +249°F)

- Stackable, 'no slide' feature
- Black for light sensitive samples
- Hinged translucent lid for easy access and viewing
- Colored box to organize & categorize
- Boxes: 15.4 x 14.3 x 5.6cm (6 x 5.7 x 2.2"H)
- Autoclavable polypropylene

Note: Assorted option includes: Natural, Blue, Green, Orange and Purple (Black box not included)

Cat. No.	Color	Price/Pk
M111341	Natural	\$42.75/5
M111342	Blue	42.75/5
M111343	Green	42.75/5
M111344	Orange	42.75/5
M111345	Purple	42.75/5
M111346	Assorted, 1 Each Color	42.75/5
M111347	Black	42.75/5

Upright Freezer Racks



- Holds each box securely and separately
- Can hold 2 in. high boxes
- Allows for easy retrieval of boxes
- Corrosion resistant stainless steel
- Available in several sizes

Cat. No.	Array	Dims. L x W x H (in.)	Price
M107696	3 x 3	16 $\frac{5}{16}$ x 5 $\frac{1}{2}$ x 6 $\frac{1}{2}$	\$110.25
M107697	3 x 4	16 $\frac{5}{16}$ x 5 $\frac{1}{2}$ x 8 $\frac{3}{4}$	146.74
M107698	4 x 3	21 $\frac{5}{8}$ x 5 $\frac{1}{2}$ x 6 $\frac{1}{2}$	146.74
M107699	4 x 4	21 $\frac{5}{8}$ x 5 $\frac{1}{2}$ x 8 $\frac{3}{4}$	196.51
M107700	3 x 5	16 $\frac{5}{16}$ x 5 $\frac{1}{2}$ x 11	175.00
M107701	3 x 6	16 $\frac{5}{16}$ x 5 $\frac{1}{2}$ x 13 $\frac{1}{8}$	224.38
M107702	4 x 5	21 $\frac{5}{8}$ x 5 $\frac{1}{2}$ x 11	253.31
M107703	4 x 6	21 $\frac{5}{8}$ x 5 $\frac{1}{2}$ x 13 $\frac{1}{8}$	304.37

Cardboard Cryoboxes and Dividers



- Paper wrapped cardboard cryo boxes and dividers
- Dividers available to create 64, 81, or 100 cells
- Boxes are available in 50 or 75 mm tall sizes
- Boxes and dividers are sold separately
- Can be stored in liquid nitrogen or mechanical freezers
- Ideal for identification and sorting purposes
- Small footprint 133 x 133 mm
- Available in blue, red, yellow or assorted pack (four each of blue, red and yellow)



Cat. No.	Description	Price/Pk
White Cardboard Boxes		
M106242	50 mm Tall	\$42.50/12
M106243	75 mm Tall	42.50/12
Colored Cardboard Boxes		
M111337	Assorted, 50 mm	\$43.50/12
M111338	Blue, 50 mm	43.50/12
M111339	Red, 50 mm	43.50/12
M111340	Yellow, 50 mm	43.50/12
Cardboard Dividers		
M106244	64 Cell	\$36.65/12
M106245	81 Cell	38.57/12
M106246	100 Cell	38.57/12

Vacuum Desiccators

- Holds a vacuum of 740mm (29 in.) Hg for 24 hours; shatterproof
- PP constructed lower section with excellent chemical resistance
- Transparent, light amber tint polycarbonate cover
- Non-corrosive, removable pan holds drying agents; requires no grease
- Neoprene "O" ring on the bottom section for an excellent seal with the upper section



buy me because
There is no danger of implosion, even under full vacuum.

Vacuum retention valve is operated by slowly turning the plug to allow entrance of air w/o damage to crucibles. Lid, with retention valve, may be used with standard glass desiccators

Cat. No.	Flange O.D. (in.)	Inside Dia. (in.)	Overall Hgt. (in.)	Price
M101158	6 ³ / ₄	5 ⁷ / ₈	7 ¹ / ₂	\$80.39
M101159	9 ¹ / ₄	7 ³ / ₄	9 ¹ / ₂	107.94
M101160	11 ¹ / ₄	9 ³ / ₄	11 ¹ / ₂	149.85

Desiccator Plates, Semi-Expanded Polypropylene

Cat. No.	Use w/ Desiccator	Size (mm.)	Price
M101161	M101158	141	\$38.40
M101162	M101159	190	41.54
M101163	M101160	239	48.36

Desiccants, Drierite™

- All-purpose drying agent for air, industrial gasses, refrigerants, organic liquids or mixed solvents
- Maintains dry atmosphere in storage spaces, vaults, packages, etc.
- Protection of hygroscopic materials or materials subject to mildew, corrosion, rust or other deterioration
- Made from naturally occurring gypsum



Mesh	lb./Pkg.	Regular	Price	Indicating	Price
4	1	M214700	\$31.25	M214605-001	\$50.14
4	5	M214701	138.68	M214605-005	223.39
8	1	M106678	57.08	M214605-1	132.94
8	5	M106679	193.88	M214605-5	323.12
10-20	1	M214704	31.25	M107415	112.44
10-20	5	M214705	144.18	M107416	212.63

Drying and Retaining Trays

- Ideal for drying and staining
- Great for paper or gel electrophoresis or paper chromatography
- All trays are slightly oval in shape except M100843
- Autoclavable PYREX® glass



Note: Do not place over direct heat, for oven use only. Dimensions are internal and do not include handles.

Cat. No.	L x W x D (mm)	Approx. Cap. (L)	Price/Cs
M100842	272 x 180 x 50	1.75	\$59.13/4
M100843	201 x 201 x 55	2	57.45/4
M100845	349 x 249 x 60	3.5	90.27/4

Agarose LE

- High purity and reduced background
- Green Choice - free from organic solvents
- Enhanced resolution and clarity
- Use for analyses of proteins and nucleic acids of various sizes (150 bp to 6 kbp)
- Low EEO promotes increased electrophoretic mobility for improved resolution & shorter run times
- Applications: variety of molecular biology as well as multi-purpose use
- High hysteresis, improved thermal stability




NEW!

Moisture:	≤ 7%
EEO (electroendosmosis):	≤ 0.13 -mr
Sulfate:	≤ 0.2%
Gelling Temp. (at 1.5%):	36° ± 1.5°C
Melting Temp. (at 1.5%):	88° ± 1.5°C
Gel Strength (at 1.0%) / (at 1.5%):	1200g/cm ² / 2500g/cm ²
DNase / RNase, Protease, Endonuclease:	None Detected

Cat. No.	Agarose LE	Price
M111113	25g	\$37.80
M111114	100g	104.00
M111115	500g	369.00

Staining Boxes

- Ideal to stain, fix, destain and handle electrophoresis gels and membranes
- Resists temp. from -70 to +70°C
- Good chemical resistance to acids, bases and organic solvents
- LDPE plug provides leakproof seal and allows easy liquid drainage
- 2 sizes that hold 500 - 750ml of liquid
- Handles for secure transportation
- Stackable to save space



Cat. No.	Interior L x W x H (cm)	Price/Ea	Price/Cs
M461020	12.5 x 12.5 x 5	\$41.53	\$73.83/2
M461021	22.5 x 22.5 x 5	54.11	96.19/2

Desiccator Cabinets, Secador®

- Co-polyester material assures blockage of 99% of UV light
- Door-mounted dial hygrometer for convenient tracking of RH
- Patented, airtight seal design provides moisture / dust-free storage of items or chemicals sensitive to dampness; sturdy latch
- Has loops to secure contents with tamper evident seal or padlock
- Resistant to staining, grazing and chemical attack
- Stackable; space-saving, small footprint

Amber Tinted

- Excellent protection for expensive light sensitive materials, reduces visible light penetration by more than 50%
- Clear polystyrene shelves plastic; perforated holes for air circulation
- The Auto-Desiccators Units feature a patented electronic dehumidification system that quickly regenerates desiccant, reduces relative humidity to 25%, and circulates dry air routinely to assure safe, dry storage even when the cabinet door is opened frequently



Amber Tinted

Cat. No.	Unit	No. of Shelves	Internal Size	Price
M110802	1.0	1	8.4 x 13.4 x 16.3	\$251.91
M110803	2.0	2	12.4 x 13.4 x 16.3	469.46
M110804	2.0 Auto	2	12.4 x 13.4 x 16.3	1,769.48
M110805	3.0	3	16.4 x 13.4 x 16.3	588.91
M110806	3.0 Auto	3	16.4 x 13.4 x 16.3	866.57

For other Desiccators Cabinets go to www.labmart.com

Filter Paper Circles, Whatman®



Cat. No.	Grade Number	Particle Retention	Dia. (cm)	Price/Pk
Qualitative				
M106689	1	11 µm	5.5	\$11.76/100
M106690	1	11 µm	7	11.76/100
M101938	1	11 µm	9	14.79/100
M101939	1	11 µm	11	17.62/100
M101940	1	11 µm	12.5	17.62/100
M101941	1	11 µm	15	26.43/100
M101942	1	11 µm	18.5	36.81/100
M106691	4	20-25 µm	5.5	13.23/100
M106692	4	20-25 µm	7	13.23/100
M106693	4	20-25 µm	9	16.22/100
M106596	4	20-25 µm	11	20.59/100
M101943	4	20-25 µm	12.5	26.43/100
M101944	4	20-25 µm	15	33.82/100
M106694	4	20-25 µm	18.5	50.04/100
Glass Microfiber				
M106695	934-AH	1.5 µm	2.1	\$30.83/100
M106696	934-AH	1.5 µm	2.4	33.82/100
M106597	934-AH	1.5 µm	4.25	48.59/100
M106697	934-AH	1.5 µm	4.7	60.27/100
M101950	934-AH	1.5 µm	5.5	63.24/100
M101951	934-AH	1.5 µm	7	79.44/100
M101952	934-AH	1.5 µm	9	132.44/100
M101953	934-AH	1.5 µm	11	149.19/100
M101954	934-AH	1.5 µm	12.5	181.90/100
M106698	934-AH	1.5 µm	15	237.32/100

- **Qualitative Filters:** Used for qualitative analytical techniques to determine and identify materials. **Grade 1** has a medium retention for soil analysis and seed testing procedures, food industry testing, air pollution monitoring and gas retention. **Grade 4** has a high flow rate with good retention of larger particles and gelatinous precipitates such as ferric hydroxide and aluminum hydroxide.
- **Glass Microfiber:** Filters have fast flow rates, high loading capacity and high retention of fine particles. Produced from the highest grades of borosilicate glass and binderfree. Filters will withstand temperatures up to 550°C and can be used in gravimetric analysis where ignitions are involved or in the filtration of hot gases. **934-AH** for water and air pollution monitoring, cell harvesting, liquid scintillation counting.
- **Ashless Quantitative:** Produced under carefully controlled conditions which ensure low ash levels of 0.01%. Ideal for the widest range of critical analytical filtration operations. **Grade 40's** applications include gravimetric analysis, filtration of solutions prior to atomic absorption spectrophotometry and monitoring air pollution. **Grade 41** is for analytical procedures involving large particles for gelatinous precipitates such as iron or aluminum hydroxides. **Grade 42's** typical analytical precipitates include barium sulfate, metastannic acid and finely precipitated calcium carbonate.

Cat. No.	Grade Number	Particle Retention	Dia. (cm)	Price/Pk
Ashless Quantitative				
M106699	40	8 µm	5.5	\$32.41/100
M106700	40	8 µm	7	33.82/100
M106598	40	8 µm	9	47.03/100
M101945	40	8 µm	11	55.84/100
M101946	40	8 µm	12.5	63.24/100
M106701	40	8 µm	15	83.83/100
M106702	41	20-25 µm	5.5	26.43/100
M106703	41	20-25 µm	7	33.82/100
M101947	41	20-25 µm	9	44.19/100
M106704	41	20-25 µm	11	53.01/100
M101948	41	20-25 µm	12.5	61.82/100
M101949	41	20-25 µm	15	83.83/100
M106705	42	2.5 µm	5.5	29.42/100
M106706	42	2.5 µm	7	35.24/100
M106707	42	2.5 µm	9	47.03/100
M106708	42	2.5 µm	11	57.40/100
M106709	42	2.5 µm	12.5	66.21/100
M106710	42	2.5 µm	15	83.83/100

Surfactant-Free Sterile Syringe Filters, Nalgene®



- Modified acrylic housing
- Syringe filters have surfactant-free cellulose acetate (SFCA) or cellulose acetate (CA) membrane, the membrane of choice for sterilization
- Low protein binding
- Good chemical resistance to alcohols and various hydrocarbons
- Comes in 0.2 and 0.45 µm pore sizes
- Certified sterile, non-cytotoxic and non-pyrogenic
- Non-autoclavable

Cat. No.	Material	Dia. (mm)	Pore Size(µm)	Price/Pk
Non-Sterile				
M238605-00	SFCA	25	0.2	\$249.69/ 50
M238605-01	SFCA	25	0.45	249.69/ 50
M238605-02	CA	25	0.8	249.69/ 50
Sterile				
M238600-20	SFCA	25	0.2	\$172.48/ 50
M238600-01	SFCA	25	0.45	172.48/ 50
M238600-80	CA	25	0.8	172.48/ 50
M238600-40	SFCA	25	0.2	421.12/125
M238600-60	SFCA	25	0.45	421.12/125

For questions or more product info, check us out at
www.labmart.com

Want special offer? Register & subscribe online

Filtration

Table Top Buchner Funnel



- **With Porous Filter Plates** 1 Piece design with a fixed or a removable porous filter plate supported by a multiple ring grid. Filter plates are made of high density polyethylene $\frac{1}{4}$ in. h (6.4mm) thick. A non-porous ring at the periphery of the plate seals filter paper when used. Vacuum connector accepts $\frac{1}{2}$ in. ID tube. Available in 2 porosities, coarse (90-130 microns) and medium (45-90 microns). Special sizes & features made to order. Use below 125°F.
- **With Perforated Filter Plates Section** Fixed or removable perforated filter plate. The plate is made of $\frac{3}{16}$ in. (4.8mm) thick high density polyethylene and has $\frac{3}{16}$ in. perforations on $\frac{7}{16}$ in. (11 mm) centers. The fixed version is for coarse filtration or use with a cloth or paper filter. A removable filter plate is also available. Use below 125°F. 24 and 36 Sizes come crated.
- **Filter Paper Disks** Fit table top Buchner funnels are E-D 615 type for fast filtering. Rough crepe surface with a thickness of 0.25mm, weight 70 g/sq. meter, flow rate 235 ml/min., retention of 24 microns and wet strength of 40 cm.

Cat. No.	Description	Inside Dia. x Overall Hgt. x Rim to Plate (in.)	Price
Porous Fixed			
M253604-00	Coarse	10.25 x 7 x 5	\$329.87
M253604-01	Coarse	18 x 11.5 x 9	818.66
M253604-02	Coarse	24 x 13 x 10.25	1,701.85
M253604-03	Coarse	36 x 14.75 x 12	2,675.44
M253604-11	Medium	10.25 x 7 x 5	334.49
M253604-12	Medium	18 x 11.5 x 9	818.66
M253604-13	Medium	24 x 13 x 10.25	1,701.85
M253604-14	Medium	36 x 14.75 x 12	2,675.44
Porous Removable			
M253604-15	Coarse	10.25 x 7 x 5	\$334.49
M253604-16	Coarse	18 x 11.5 x 9	818.66
M253604-17	Coarse	24 x 13 x 10.25	1,701.85
M253604-18	Coarse	36 x 14.75 x 12	2,675.44
M253604-19	Medium	10.25 x 7 x 5	334.49
M253604-20	Medium	18 x 11.5 x 9	818.66
M253604-21	Medium	24 x 13 x 10.25	1,701.85
M253604-22	Medium	36 x 14.75 x 12	2,675.44
Perforated			
M253604-07	Fixed	10.25 x 7 x 5	\$334.49
M253604-08	Fixed	18 x 11.5 x 9	705.63
M253604-09	Fixed	24 x 13 x 10.25	1,123.28
M253604-10	Fixed	36 x 14.75 x 12	2,000.77
M253604-23	Removable	10.25 x 7 x 5	334.49
M253604-24	Removable	18 x 11.5 x 9	705.63
M253604-25	Removable	24 x 13 x 10.25	1,123.28
M253604-26	Removable	36 x 14.75 x 12	2,000.77
Filter Papers			
M140400-18	18 in. Diameter		\$224.43/100
M140400-24	24 in. Diameter		285.58/100
M140400-36	36 in. Diameter		1,135.47/100

Complete Vacuum Filter Units, Nalgene®

- Certified sterile by radiation; non-pyrogenic and non-cytotoxic
- Side arm features vent plug and quick disconnect tubing adapter
- Graduated polystyrene filter body and receiver
- $1\frac{1}{2}$ turn leak proof screw closure for receiver allows for convenient storage



Polystyrene With Cellulose Nitrate Membrane: Provides the fastest flow rates for filtration of water and aqueous solutions. Continually reliable for general filtering of buffers and solutions. Filter collars are color-coded green.

Cat. No.	Vol. (ml)	Pore Size (μm)	Mem. Dia. (mm)	Price/Cs
M230125-0020	150	0.2	50	\$109.98/12
M230125-0045	150	0.45	50	109.98/12
M230125-0080	150	0.8	50	109.98/12
M230126-0020	250	0.2	50	136.80/12
M230126-0045	250	0.45	50	118.72/12
M230126-0080	250	0.8	50	118.72/12
M230450-0020	500	0.2	50	199.36/12
M230450-0045	500	0.45	75	199.36/12
M230450-0080	500	0.8	75	199.36/12
M230127-0020	1000	0.2	75	269.92/12
M230127-0045	1000	0.45	75	269.92/12
M230127-0080	1000	0.8	75	269.92/12

Polystyrene With Nylon Membrane: For special applications. No wetting agents and extremely low levels of extractables. Excellent alcohol resistance. Filter collars are color-coded red.

Cat. No.	Vol. (ml)	Pore Size (μm)	Mem. Dia. (mm)	Price/Cs
M230150-0020	150	0.2	50	\$128.80/12
M230150-0045	150	0.45	50	128.80/12
M230153-0020	250	0.2	50	147.84/12
M230153-0045	250	0.45	50	147.84/12
M230151-4020	500	0.2	75	229.60/12
M230151-4045	500	0.45	75	229.60/12
M230154-0020	1000	0.2	75	281.12/12
M230154-0045	1000	0.45	75	281.12/12

Polystyrene With Surfactant-Free Cellulose Acetate Membrane: Low protein-binding, ideal for filtration of tissue culture media or any proteinaceous solution. Much cleaner than standard cellulose acetate. Filter collars are color-coded yellow.

Cat. No.	Vol. (ml)	Pore Size (μm)	Mem. Dia. (mm)	Price/Cs
M230155-0020	150	0.2	50	\$109.98/12
M230155-0045	150	0.45	50	109.98/12
M230157-0020	250	0.2	50	118.72/12
M230157-0045	250	0.45	50	118.72/12
M230156-4020	500	0.2	75	199.36/12
M230156-4045	500	0.45	75	199.36/12
M230158-0020	1000	0.2	75	269.92/12
M230158-0045	1000	0.45	75	269.92/12

Disposable Receivers, Polystyrene: Transparent, graduated. Supplied with a polyethylene leak proof closure and is radiation sterilized.

Cat. No.	Volume (ml)	Price/Cs
M230455-0150	150	\$91.73/24
M230455-0250	250	103.15/24
M230455-0500	500	66.42/12
M230455-1000	1000	101.14/12

Fax: 908-561-3002

The LabMart™

Filtration



Complete Vacuum Filter Systems Corning®



- Color-coded by membrane type for easy identification
- Angled hose connector simplifies vacuum line attachment
- Receiver bottles have easy grip sides
- Sterile and certified non-pyrogenic
- Prefilters sold separately

CA: Cellulose Acetate; **NY:** Nylon; **PES:** Polyethersulfone;
CN: Cellulose Nitrate

Cat. No.	Membrane Material	Pore Size	Funnel/Receiver Cap. (ml)	Price
60 mm Membrane Diameter				
M110308	CA	0.45	115 / 115	163.12/24
50 mm Membrane Diameter				
M110309	CA	0.22	150 / 150	\$87.94/12
M110310	CA	0.45	150 / 150	87.94/12
M110311	PES	0.22	150 / 150	85.39/12
50 mm Membrane Diameter				
M231070	CA	0.22	250 / 250	\$95.42/12
M231072	CA	0.45	250 / 250	95.42/12
M231071	NY	0.2	250 / 250	99.92/12
M110312	CN	0.2	250 / 250	92.42/12
M104907	PES	0.22	250 / 250	96.50/12
70 mm Membrane Diameter				
M231075	CA	0.22	500 / 500	\$162.50/12
M231076	CA	0.45	500 / 500	162.50/12
M231077	NY	0.2	500 / 500	171.45/12
M110317	CN	0.2	500 / 500	161.02/12
M104908	PES	0.22	500 / 500	157.18/12
90 mm Membrane Diameter				
M104910	CA	0.22	1000 / 1000	\$240.03/12
M110313	CA	0.22	500 / 500	215.37/12
M104909	CA	0.45	1000 / 1000	240.03/12
M110314	CA	0.45	500 / 500	215.37/12
M110315	NY	0.2	1000 / 1000	251.99/12
M110316	CN	0.2	1000 / 1000	237.05/12
M104911	PES	0.22	1000 / 1000	233.56/12

HPLC Dissolution Syringe Filters, LabMart®



- All syringe filters are constructed of a polypropylene housing with Luer locks on the inlet and outlet
- Designed to provide critical and consistent results with uninterrupted performance
- Confirmed physical specifications for retention, burst pressure and flow rate
- Certified HPLC performance for interference free data results and clarity test for max efficiency at stated pore size
- Lot controlled with retention sample program for full documentation
- Designed for results, engineered for performance
- Unequaled reproducibility, filter to filter, lot to lot
- Certified HPLC performance
- Cost effective, quality alternative for improved analysis
- The 17 mm filter housings are white and the 4 mm and 30 mm are transparent
- Packaged 25 per jar with 4 jars per case
- Polysulfone and polypropylene syringe filters also available, please inquire

Cat. No.	Dia. (mm)	Pore Size (µm)	Price/Cs
Nylon Filters			
M103093	4	0.45	\$130.00/100
M103094	4	0.2	130.00/100
M103095	17	0.45	153.94/100
M103096	17	0.2	153.96/100
M103097	30	0.45	200.79/100
M103098	30	0.2	200.77/100
M103099	30	1.5	200.77/100
M103100	30	5.0	200.77/100
Glass Microfiber Filter			
M103112	30	0.7	\$181.42/100
M103113	30	1.2	181.45/100
M103114	30	2.7	181.45/100
PTFE Filter			
M103103	4	0.45	\$130.00/100
M103104	4	0.2	129.97/100
M103105	17	0.45	171.42/100
M103106	17	0.2	171.44/100
M103107	30	0.45	204.19/100
M103108	30	0.2	204.22/100
M103109	30	1.2	204.22/100
Cellulose Acetate Filter			
M103128	4	0.45	\$154.19/100
M103129	4	0.2	154.19/100
M103130	17	0.45	172.06/100
M103131	17	0.2	172.06/100
M103132	30	0.45	209.28/100
M103133	30	0.2	209.28/100

Want special offer? Register & subscribe online

Gloves

Nitrile

- 100% Latex free for people who are sensitive to latex
- No MBTs, Thiurams used in manufacturing
- No Carbamates detectable using HPLC test

Nitrile, Latex & Vinyl Gloves, High Five®

- 1.5 or 2.0 AQL pinhole rating, ISO 9002 Certification
- Passes viral penetration test (ASTM F1671)
- 510K Approved for medical use; 100% tested for pinholes/defects
- Non-sterile, ambidextrous with beaded cuff for easing donning

HIGH FIVE

Nitrile Gloves - Powder-Free

Aloe Coated

buy me becauseContains a soothing layer of aloe to protect your hands.

Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
6.0 mil (finger)
Color: Green
Packaging: 100/pack; 10 packs / case

Cat. No.	Size	Price/Pk	Price/Cs
M102945	S	\$40.73	\$380.10
M102946	M	40.73	380.10
M102947	L	40.73	380.10
M102948	XL	40.73	380.10




Premium

buy me becauseI'm soft and stretchy with exceptional durability. I have superior puncture and chemical resistance.

Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
5.9 mil (finger)
Color: Light Blue
Packaging: 100/pack; 10 packs / case

Cat. No.	Size	Price/Pk	Price/Cs
M109188	XS	\$26.33	\$245.70
M109090	S	26.33	245.70
M109091	M	26.33	245.70
M109092	L	26.33	245.70
M109093	XL	26.33	245.70



Cobalt Blue

buy me becauseSoft and stretchy with exceptional durability. Ideal for jobs requiring tactile sensitivity, puncture-resistant.

Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
5.5 mil (finger)
Color: Cobalt Blue
Packaging: 100/pack; 10 packs / case

Cat. No.	Size	Price/Pk	Price/Cs
M106360	S	\$27.68	\$258.30
M106361	M	27.68	258.30
M106362	L	27.68	258.30
M106363	XL	27.68	258.30



Black

buy me becauseIdeal for work areas where jobs get messy.

Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
5.9 mil (finger)
Color: Black
Packaging: 100/pack; 10 packs / case

Cat. No.	Size	Price/Pk	Price/Cs
M110475	S	\$29.70	\$277.20
M110476	M	29.70	277.20
M110477	L	29.70	277.20
M110478	XL	29.70	277.20



Long Cuff

buy me becauseI am longer & thicker for added protection.

Finish: Textured
Powder: Powder Free
Length: 12 inches
Thickness: 6.0 mil (palm),
7.0 mil (finger)
Color: Teal
Packaging: 50/pack; 10 packs / case

Cat. No.	Size	Price/Pk	Price/Cs
M105479	S	\$30.60	\$285.60
M105480	M	30.60	285.60
M105481	L	30.60	285.60
M105482	XL	30.60	285.60



White or Blue

Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
5.5 mil (finger)
Color: White or Blue
Packaging: 100/pack; 10 packs / case

Cat. No.	Color	Size	Price/Pk	Price/Cs
M100801	White	S	\$40.05	\$373.80
M100802	White	M	40.05	373.80
M100803	White	L	40.05	373.80
M100804	White	XL	40.05	373.80
M103506	Blue	S	39.60	369.60
M103507	Blue	M	39.60	369.60
M103508	Blue	L	39.60	369.60
M103509	Blue	XL	39.60	369.60





Gloves

Nitrile Gloves - Powder-Free Continued

HIGH FIVE

Aloe Coated



Finish: Textured Fingers
Powder: Powder Free
Length: 9.5 inches
Thickness: 3.0 mil (palm),
3.1 mil (finger)
Color: Blue-Green
Packaging: 100/box; 10 boxes / case

buy me becauseExtra soft, Medical Grade with exceptional fit and feel.

Cat. No.	Size	Price/Pk	Price/Cs
M110683	S	\$34.28	\$321.00
M110684	M	34.28	321.00
M110685	L	34.28	321.00
M110686	XL	34.28	321.00

Nitrile Gloves - Powdered

HIGH FIVE

Food Handling, Non-Medical



Finish: Textured
Powder: Lightly Powdered
Length: 9.5 inches
Thickness: 5.5 mil (palm),
5.9 mil (finger)
Color: Blue
Packaging: 100/pack; 10 packs / case

buy me becauseIndustrial grade & approved for food handling.

Cat. No.	Size	Price/Pk	Price/Cs
M100805	S	\$38.70	\$361.20
M100806	M	38.70	361.20
M100807	L	38.70	361.20
M100808	XL	38.70	361.20

Vinyl Gloves

HIGH FIVE

Clear, Powder-Free



Finish: Smooth
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.0 mil (palm),
5.5 mil (finger)
Color: Clear
Packaging: 100/pack; 10 packs / case

buy me because I can stretch and conform also come with double layer construction.

Cat. No.	Size	Price/Pk	Price/Cs
M481000-S	S	\$24.00	\$213.20
M481000-M	M	24.00	213.20
M481000-L	L	24.00	213.20
M481000-XL	XL	24.00	213.20

Clear, Powdered



Finish: Smooth
Powder: Lightly Powdered
Length: 9.5 inches
Thickness: 5.0 mil (palm),
5.5 mil (finger)
Color: Clear
Packaging: 100/pack; 10 packs / case

buy me because I am powdered for easy donning and comes with a double layer construction.

Cat. No.	Size	Price/Pk	Price/Cs
M273020-S	S	\$22.86	\$193.36
M273020-M	M	22.86	193.36
M273020-L	L	22.86	193.36
M273020-XL	XL	22.86	193.36

Synthetic Gloves

HIGH FIVE

Latex-Free, Applause®



Finish: Smooth
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
6.0 mil (finger)
Color: Opaque/Tzn
Packaging: 100/pack; 10 packs / case

buy me because Proprietary synthetic formulation with exceptional elasticity & tensile strength.

Cat. No.	Size	Price/Pk	Price/Cs
M103140	S	\$21.15	\$197.40
M103141	M	21.15	197.40
M103142	L	21.15	197.40
M103143	XL	21.15	197.40

NEOGARD Chloroprene Exam Gloves

HIGH FIVE

A Latex Alternative



Finish: Smooth
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.1 mil (palm),
6.7 mil (finger)
Color: Green
Packaging: 100/pack; 10 packs / case

buy me because I have an excellent resistance to a variety of chemical exposures. 100% synthetic glove offer a fit & feel like latex.

Cat. No.	Size	Price/Pk	Price/Cs
M110271	S	\$31.50	\$294.00
M110272	M	31.50	294.00
M110273	L	31.50	294.00
M110274	XL	31.50	294.00

Want special offer? Register & subscribe online

Gloves

HIGH FIVE

Latex Gloves - Powder-Free

Aloe Coated

buy me because Contains a soothing layer of aloe to protect your hands.

Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
6.0 mil (finger)
Color: Natural
Packaging: 100/pack; 10 packs / case

Cat. No.	Size	Price/Pk	Price/Cs
M107392	XS	\$38.48	\$359.10
M102949	S	38.48	359.10
M102950	M	38.48	359.10
M102951	L	38.48	359.10
M102952	XL	38.48	359.10



Long Cuff

buy me because Thicker, stronger and longer for added protection.

Finish: Textured
Powder: Powder Free
Length: 12 inches
Thickness: 9.5 mil (palm),
10.0 mil (finger)
Color: Natural
Packaging: 100/pack; 10 packs / case

Cat. No.	Size	Price/Pk	Price/Cs
M105719	S	\$32.40	\$302.40
M105720	M	32.40	302.40
M105721	L	32.40	302.40
M105722	XL	32.40	302.40



Micro-Textured, E-Grip

buy me because I have enhanced gripping power and excellent tactile sensitivity.

Finish: Micro-Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
6.0 mil (finger)
Color: Natural
Packaging: 100/pack; 10 packs / case

Cat. No.	Size	Price/Pk	Price/Cs
M107393	XS	\$28.50	\$256.50
M103351	S	28.50	256.50
M103352	M	28.50	256.50
M103353	L	28.50	256.50
M103354	XL	28.50	256.50



Premium

buy me because I have excellent tactility and close fit.

Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.9 mil (palm),
5.9 mil (finger)
Color: Natural
Packaging: 100/pack; 10 packs / case

Cat. No.	Size	Price/Pk	Price/Cs
M481010-S	S	\$35.33	\$314.00
M481010-M	M	35.33	314.00
M481010-L	L	35.33	314.00
M103148	XL	35.33	314.00



Acrylic Glove Dispenser


- Decreases contamination
- Improves inventory control
- Clear acrylic allows quick identification of glove type and size
- Mount on a surface with double-faced tape (included) or screws
- Easy to clean, one size fits all glove box sizes



Cat. No.	Price
M488531	\$73.40

Stainless Steel Glove Dispenser

- Decreases contamination
- Improves inventory control
- Holds one or two boxes of any size gloves
- Mount on a wall, any surface
- Easy to clean



Cat. No.	Price
M110992	\$99.00

Antimicrobial Hand Soap, SoftCIDE®

buy me because I replenish the natural oils of the skin when frequent washing is a must.

- Contains 1% PCMX, an anti-bacterial agent effective against both gram positive & negative bacteria, yeast & fungi
- Formula is extra mild for frequent washings and will Balanced pH with skin
- Convenient wall bracket available




Cat. No.	Description	Size	Price/Ea	Price/Cs
M218950	Pump Bottle	32 oz.	\$27.07	\$162.44/ 6
M218952	Wall Bracket for above		6.96	83.52/12
M218951	Refill Jug	128 oz.	73.43	267.00/ 4

Barrier Hand Cream, SoftGUARD®

buy me because I help prevent skin irritation caused by frequent washing & gloving

- Latex, nitrile, vinyl and CHG compatible
- Extra-strength antimicrobial preservative system to prevent cross-contamination
- Petroleum, mineral oil and fragrance free
- Non-greasy and immediate absorption
- pH Balanced with skin



Cat. No.	Description	Size	Price/Ea	Price/Cs
M202400	Tube	3 oz.	\$7.26	\$79.20/12
M202403	Bottle	16 oz.	23.99	128.65/ 6

Fax: 908-561-3002

The LabMart™

Gloves



Heavy Duty Playtex® Gloves



- Durable, long wearing, resistant to a wide range of chemicals and acids
- Extremely touch-sensitive and lightweight
- Skid-proof tread provides a sure grip
- Seamless with a soft absorbent lining

Cat. No.	Length (in.)	Color	Size	Price/Doz.	4+ Doz.
M273833S	11 ¹ / ₂	Orange	S	\$49.88	\$39.90
M273833M	11 ¹ / ₂	Orange	M	49.88	39.90
M273833L	11 ¹ / ₂	Orange	L	49.88	39.90
M273833EL	11 ¹ / ₂	Orange	XL	49.88	39.90
M273832S	14	Blue	S	\$49.88	\$39.90
M273832M	14	Blue	M	49.88	39.90
M273832L	14	Blue	L	49.88	39.90
M273832EL	14	Blue	XL	49.88	39.90

Powdered Latex Seconds



- Minimum order is 10 packages
- 100 Gloves per pack

Cat. No.	Size	Price/Cs
M488500-S	Small	\$249.90/1000
M488500-M	Medium	249.90/1000
M488500-L	Large	249.90/1000
M103149	Extra Large	249.90/1000

Latex, MicroFlex® *The most trusted name in gloves*



- Premium, low-modulus latex glove
 - Exceeds proposed FDA and current ASTM standards for reduced protein content
 - Comfort and reduces hand fatigue
 - Non-sterile, ambidextrous
- Comfortable and durable

Diamond Grip™

buy me because Superior wet & dry gripping.

- Thicker, longer for added protection
- Resistance to a broad range of chemical & biological hazards

Finish:	Textured
Powder:	Powder Free
Length:	9.8 inches
Thickness:	6.3 mil (palm), 9.1 mil (finger)
Packaging:	100/bx; 10 boxes per case

Cat. No.	Size	Price/Cs
M109986	XS	\$505.12/1000
M109987	S	505.12/1000
M109988	M	505.12/1000
M109989	L	505.12/1000
M109990	XL	505.12/1000

Diamond Grip™ Plus

buy me because Beaded cuff for protection at wrist.

- All the features as above, but with added protection at wrist

Finish:	Textured
Powder:	Powder Free
Length:	9.8 inches
Thickness:	6.7 mil (palm), 7.9 mil (finger)
Packaging:	100/bx; 10 boxes per case

Cat. No.	Size	Price/Cs
M109991	XS	\$435.00/1000
M109992	S	435.00/1000
M109993	M	435.00/1000
M109994	L	435.00/1000
M109995	XL	435.00/1000

High Risk, Safe Grip®

buy me because Up to 4x thicker than standard examination gloves for greater overall protection - Meets/exceeds the emergency medical glove requirements of NFPA 1999, Standard on Protective Clothing for Emergency Medical Operations, 2003 Edition.

- Extra thickness at fingertips; Extended beaded cuff protects wrist

Finish:	Textured
Powder:	Powder Free
Length:	11.8 inches
Thickness:	11.4 mil (palm), 16.5 mil (finger)
Packaging:	50/bx; 10 boxes per case

Cat. No.	Size	Price/Cs
M110002	S	\$496.10/500
M110003	M	496.10/500
M110004	L	496.10/500
M110005	XL	496.10/500

Polymer-Coated Evolution One®

buy me because Interior 5-Polymer matrix system provides superior anti-sticking properties resulting in highly effective donning in wet, damp or dry conditions.

- Extended beaded cuff protects wrist

Finish:	Fully Textured
Powder:	Powder Free
Length:	10 inches
Thickness:	6.7 mil (palm), 8.7 mil (finger)
Packaging:	100/bx; 10 boxes per case

Cat. No.	Size	Price/Cs
M109997	S	\$483.00/1000
M109998	M	483.00/1000
M109999	L	483.00/1000
M110001	XL	483.00/1000

Nitrile



- 100% Latex Free for people sensitive to latex
- Same features as Latex

Supreno® SE

buy me because Ideal for EMS, labs and healthcare professionals.

- Interior polymer coating makes the glove easy to don
- Strong, true fit and has a beaded cuff

Finish:	Textured Fingers
Powder:	Powder Free
Length:	9.6 inches
Thickness:	5.5 mil (palm), 8.9 mil (finger)
Packaging:	100/bx; 10 boxes per case

Cat. No.	Size	Price/Cs
M110012	S	\$484.83/1000
M110013	M	484.83/1000
M110014	L	484.83/1000
M110015	XL	484.83/1000

FreeForm® SE

buy me because Exclusive, patented "super-soft" formulation feels like latex.

- Micro textured for secure grip
- Extended cuff protects wrist
- Polymer-coated for quick donning
- Blue in color

Finish:	Micro Textured Fingers
Powder:	Powder Free
Length:	9.6 inches
Thickness:	5.1 mil (palm), 6.3 mil (finger)
Packaging:	100/bx; 10 boxes per case

Cat. No.	Size	Price/Cs
M110006	XS	\$471.50/1000
M110007	S	471.50/1000
M110008	M	471.50/1000
M110009	L	471.50/1000
M110010	XL	471.50/1000

Want special offer? Register & subscribe online

Incubators

LabMart® Digital Dry Baths



buy us because I provide accurate "set and walk away" digital temperature selection, eliminating the need for external thermometers and repetitive "fine tuning" of a temperature control knob.

- Digital accurate temperature with real time monitoring
- Digital timer alerts user when chosen time interval has timed out
- Blocks provide unsurpassed temperature transfer
- Baths offer a built-in user recalibration function, to guarantee long term temperature accuracy
- Single, double and four block capacity
- Assorted blocks for a wide variety of tube sizes, custom blocks available upon request
- Includes block lifter tool for removal of hot blacks
- 2 YEAR WARRANTY

Specifications:

Temp. Range:	Ambient 5° to 150°C / Single & Double
	Ambient 5° to 130°C / Four Position
Temp. Accuracy:	±0.2°C
Temp. Increments:	0.1°C
Temp. Uniformity:	±0.2°C
Timer:	1 to 999 minutes
Dims. (W x D x H) (in.):	Single Position: 7.8 x 9 x 3.2 in. Double Position: 8.7 x 10.3 x 3.2 in. Four Position: 8.7 x 14 x 3.2 in.
Block Dims. (W x D x H):	3 x 3.75 x 2 in.
Chamber:	Fast Heating, High Grade Aluminum

Cat. No.	LabMart® Digital Dry Bath	Price
M284000	Single Position	\$359.00
M284001	Double Position	449.00
M284002	Four Position	799.00

Optional Blocks

M284003	24 x 1.5 ml	\$98.00
M284004	24 x 1.5 / 2.0 ml	98.00
M284005	24 x 0.5 ml	98.00
M284006	12 x 15 ml (Block Height is 3.25 in.)	98.00
M284007	5 x 50 ml (Block Height is 3.25 in.)	98.00
M284008	20 x 10 mm (or 20 x 2.0 ml)	98.00
M284009	20 x 13 mm (or 20 x 5/7 ml)	98.00
M284010	12 x 15-16 mm (or 12 x 10 ml)	98.00
M284012	48 x 0.2 ml or 6 PCR Tube Strips	98.00
M284013	1 x 96-Well PCR Plate (2 & 4 Block Models)	210.00
M284014	1 x 96-Well PCR Plate (1 Block Model)	215.00
M284015	1 x Micro Plate (2 & 4 Block Models)	165.00
M284011	Solid Block- For Slides	98.00
	Petri Dishes or Custom Machining	

Fax: 908-561-3002

Large Capacity Incubators



- Compact, low-cost and dependable
- Designed for general purpose as well as clinical, industrial, school laboratories or physician's offices
- Has a full PID microprocessor control that maintains accurate temperature
- Settings within 1°C, even in varying ambient conditions
- Has a unique temperature tracking feature that stores maximum process temperature deviation from set point in 0.1°C units
- Cold rolled steel-ivory baked-on enamel exterior
- Interior is aluminum and fiber glass insulated with chrome plated adjustable shelf and fixed bottom shelf
- See-thru tinted acrylic door for viewing all samples
- Beakers, flasks, petri dishes and test tube trays can be processed together
- A lab thermometer is included
- Additional wire shelves with adjustable supports are available
- Each incubator is tested and approved before shipment
- °C or °F readout
- 2 YEAR WARRANTY (on heating element)

Specifications:

Stability at 35°C:	± 1/2 °C
Display Resolution:	1.0° or 0.1°
Temperature Uniformity:	Ambient to 62°C
Weight:	23 to 41 lbs.

Cat. No.	Description	Dims. (WxHxD)(in.)	Price
M279505	Analog 0.7 ft³	12 x 10 x 10	\$399.00
M279502	Analog 2.0 ft³	18 x 16 x 12	514.50
M107590	Digital 0.7 ft³	12 x 10 x 10	708.00
M107591	Digital 2.0 ft³	18 x 16 x 12	834.00

Mini Incubator

- Ideal for microbiology or hematology applications
- Excellent uniformity and temperature stability
- Chamber is corrosion resistant
- Three shelf levels
- Door with large viewing area
- Pilot light indicates heating
- 1 YEAR WARRANTY



Specifications:

Capacity:	0.375 ft³ (9.2L)
Temperature Range:	Ambient +5° to 60°C
Stability:	± 0.6°C at 37°C (N.I.S.T. Traceable Thermometer)
Uniformity:	0.65°C at 37°C
Controls:	Analog
Exterior Dims. (in.):	11.2 x 11 x 13.2
Interior Dims. (in.):	9 x 7.9 x 7.9
Weight:	18.4 lbs. / 8.3 kg
Electrical:	120V, 50 / 60 Hz, 0.6A

Cat. No.	Description	Price
M107984	Mini Incubator	\$452.82
M107985	Additional Shelf, 22 x 18 cm	30.90
M107966	Non-toxic, Teflon Coated Thermometer	26.80

The LabMart™

Incubators

NEW!

The LabMart®
Serving Science Since 1850

Incu-Shaker™ Family: Mini & 10L With Magic Clamp™

Both Models

- Integral microprocessor for constant monitoring of set program and for exceptional temperature uniformity
- Over temp. and over speed controls for long unit life, safety and the integrity of sample
- Digitally regulated uniform temperature with precisely controlled, horizontally circular (orbital) mixing
- Standard platform included, non-slip rubber coated surface
- Accepts (optional) MAGic Clamp™ platform to customize vessels being mixed
- 2 YEAR WARRANTY

Specifications:

Temp. Range:	5 to 60°C, increments of 0.1°C
Temp. Uniformity:	±0.25%
Temp. Accuracy:	±0.1%
Shaking Speed:	30 to 300 rpm, increments of 1
Shaking Orbit:	19mm
Timer:	1 min to 48 hours or continuous
Unit Dims.:	
Mini	11 x 15.7 x 10.5 in. / Wgt.: 25 lbs.
10L	20 x 26 x 19 in. / Wgt.: 120 lbs.



MAGic Clamp™ Platform (optional): A convenient, magnetic platform, allows you to instantly change & attach clamps in as little as 1 second! Mix various sized vessels at same time! Saves time & money! So easy - no tools - just place clamps with vessels on the magnetic platform! For use with Erlenmeyer flasks and test tube racks. Platform (PATENT PENDING) requires clamps for your vessels. Clamps sold separately, see below.

Mini, 11 Inch, Incu-Shaker™



*buy me because
I am designed for heavy work
loads and continuous use.*

NEW!

*buy me because
I am the most compact
shaking incubator in its
class.*

- Small footprint, just 11.5 inches wide
- 11.5 x 9.5 platform
- Accepts several platforms and variety of flasks, Petri dishes or staining trays
- Common Applications: Bacterial Suspensions, Tissue / Cell Culture, Solubility Studies, Diagnostics, Staining / Destaining, Gel Washing, General Incubation case

High Capacity, 10L Incu-Shaker™



- Capacity of 5 x 2L with a large 18 x 18 platform
- Use for high capacity applications
- Inconsistencies due to stratification are reduced to negligible levels & the selected temperature is precisely maintained within 0.25%, even in corners
- Motor isolation system for reduce noise and vibration
- Optional shelf for Petri dishes, microplates and more

Cat. No.	Mini	Price
M111212	Incu-Shaker™ with Platform 11.5 x 9.5"	2,495.00
M111213	MAGic Clamp™ Universal Platform	209.00
Dedicated Platforms with Flask Clamps		
M111214	5 x 500ml Erlenmeyer Flasks	\$259.00
M111215	8 x 250ml Erlenmeyer Flasks	259.00
M111216	12 x 125ml Erlenmeyer Flasks	259.00
M111217	For 4 Microplates (Standard or Deepwell)	465.00
M111218	Universal Spring Rack Platform For Uncommon Vessels	445.00

Cat. No.	10L	Price
M111219	Incu-Shaker™ with Platform 18 x 18"	\$4,995.00
M111220	MAGic Clamp™ Universal Platform	295.00
Dedicated Platforms with Flask Clamps		
M111221	For 6 Microplates (Standard or Deepwell)	\$599.00
M111222	Universal Spring Rack Platform For Uncommon Vessels	499.00
M111223	Extra Shelf, 14 x 5.5", max 3	112.50


**MAGic
CLAMP**

	MAGic Clamp™ Clamps	For use with	M111213 Platform	M111220 Platform	Price/ea
M111224	Flask Clamp, 50ml Erlenmeyer		Max of 20	Max of 49	\$23.00
M111225	Flask Clamp, 125ml Erlenmeyer		Max of 12	Max of 36	24.00
M111226	Flask Clamp, 250ml Erlenmeyer		Max of 8	Max of 25	26.00
M111227	Flask Clamp, 500ml Erlenmeyer		Max of 5	Max of 16	27.50
M111228	Flask Clamp, 1000ml (1L) Erlenmeyer		N/A	Max of 9	45.50
M111229	Flask Clamp, 2000ml (2L) Erlenmeyer		N/A	Max of 5	59.50
M111230	Tube Rack, 15ml, Conical Tubes, 32 x 15ml		Max of 2	Max of 8	129.00
M111231	Tube Rack, 50ml, 12 x 1.5/2.0ml, Horizontal		Max of 2	Max of 6	89.00
M111232	Tube Rack, 50ml, Conical Tubes, 15 x 50ml		Max of 2	Max of 8	129.00
M111233	Tube Rack, 4 x 15ml, Horizontal		Max of 4	Max of 8	89.00
M111234	Tube Rack, 2 x 50ml, Horizontal		Max of 4	Max of 9	89.00
M111235	Tube Rack, 4 x 500ml or 600ml Conical Bottles		Max of 1	Max of 4	149.00
M111236	Microplate Clamp		Max of 4	Max of 6	68.50
M111237	Combi-Tube Rack, 12 x 50 & 21 x 15ml Conical Tubes		Max of 1	Max of 4	129.00

Want special offer? Register & subscribe online

Lab Accessories

Labeling Tape



Shown with dispenser

- Ideal for use in waterbaths, refrigerators, deep freezers, sterilizers or incubators. Tape is oil-proof, water-proof and acid-resistant
- Transfers cleanly from one surface to another no messy residue
- Withstands temperatures ranging from -70 to +250°F
- Use on dry glass, plastic, metal, paper, rubber, etc.
- May use pen, pencil or marker
- Durable, tape won't curl up while in use, multi-purpose
- 26 Colors, 5 widths, on 500 or 2160 inch rolls
- Multi-tape dispensers, (M303095 and M303097), provide easy dispensing and keep all your tape in one location. Unique design allows for easy addition or replacement of rolls.

Colors may be assorted for quantity price.

Add the color number as a suffix to the catalog number when ordering.

1-white, 2-yellow, 3-green, 4-red, 5-orange, 6-blue, 7-pink, 8-tan, 9-salmon, 10-copper, 11-rose, 12-violet, 13-lavender, 14-gray, 15-lime, 16-aqua, 17-chartreuse, 18-gold, 19-silver, 20-magenta, 21-dark red, 22-maroon, 23-dark brown, 24-dark blue, 25-dark green, 26-black

Cat. No.	Width	6+ / Ea	24+ / Ea	72+ / Ea
Price/500 Inch Roll		(Minimum Order 6 Rolls)		
M303085A	1/2 in.	\$8.67	\$7.42	\$6.50
M303085B	3/4 in.	11.50	9.86	8.63
M303085C	1 in.	14.53	12.46	10.90
M303085D	1 1/2 in.	20.67	17.71	15.50
M303085E	2 in.	23.87	20.46	17.90
M303095	Multi-Tape Dispenser, 1 in. Core			\$81.46/ea
Price/2160 Inch (60 yd.) Roll		(Minimum Order 6 Rolls)		
M303086A	1/2 in.	\$22.20	\$19.03	\$16.65
M303086B	3/4 in.	30.67	26.29	23.00
M303086C	1 in.	39.57	33.91	29.68
M303086D	1 1/2 in.	55.73	47.77	41.80
M303086E	2 in.	64.23	55.06	48.18
M303097	Multi-Tape Dispenser, 3 in. Core			\$156.40/ea

Lab Notebooks



- Pages have either a 1/4 in. grid or horizontal lines
- Chemically resistant and waterproof polyethylene cover
- M210350 and M210351 have paper pages, 8 1/2 x 11 1/4 in.
- M347100 and M106771 have uncoated pages, 9 1/4 x 11 1/4 in
- NALGENE®

Cat. No.	Page Format	Cover Color	Price/Ea	Price/Cs
M210350	1/4 in. Grid	Green	\$45.11	\$178.08/6
M210351	Lined	Burgundy	47.95	189.28/6
M347100	1/4 in. Grid	Black	110.66	436.80/6

Marking Pens, Sharpie®

- Precise tip for crisp, accurate, permanent marking
- Pen style barrel with pocket clip
- Use on glass, metal, foil, plastics, films ceramic or rubber
- Certified AP non-toxic Quick drying and waterproof

Ultra Fine Line



Fine Line



Ultra Fine Line

Cat. No.	Color	12/Pk	Cat. No.	Color	12/Pk	
M302694	Red	\$46.42	M101270	Yellow	\$46.42	
M302695	Blue	46.42	M101271	Orange	46.42	
M302794	Black	46.42	M101272	Brown	46.42	
M302795	Green	46.42	M101273	Purple	46.42	
M302694S	3 Packs / 4-Color Set, Black, Red, Blue & Green					\$83.25

Fine Line

- Same features as above with a slightly broader point
- Can easily be removed from non-porous materials with alcohol

Cat. No.	Color	12/Pk	Cat. No.	Color	12/Pk
M302696	Black	\$50.40	M101265	Yellow	\$50.40
M302698	Blue	50.40	M101266	Orange	50.40
M302697	Red	50.40	M101267	Brown	50.40
M302699	Green	50.40	M101268	Purple	50.40

M302696S	3 Packs / 4-Color Set (Black, Red, Blue & Green)	\$46.31
M101269	2 Packs / 8-Color Set (1 of Each Listed Above)	48.00

Temperature Tape

- **Hi/Lo Temperature Tape**
- Cloth-textured to mold tightly; holds fast in +550°F dry ovens
- Withstands acids, alkalis, oils & grease
- Use in dry ice, liquid gases or deep cryogenic freezes



- **Hi Temperature Tape for Dry Ovens**
- Same features as above; the word "STERILIZED" appears in bold black letters after sterilization process



Width	Hi / Lo	250 in. Roll	Dry Oven	250 in. Roll
1/2 in.	M303010	\$35.70	M101277	\$67.80
3/4 in.	M303011	43.62	M101278	87.72
1 in.	M303012	59.42	M101279	109.26

Autoclave Tape

- Use to seal and identify materials before and after steam autoclaving process
- Shows the word "STERILIZED" after exposed to +250°F
- Crepe tape, markable



Width	Hi / Lo	250 in. Roll	Dry Oven	2160 in. Roll
1/2 in.	M303092-12	\$13.38	M303092-120	\$35.37
3/4 in.	M303092-34	16.59	M303092-340	80.10
1 in.	M303092-10	20.94	M101280	95.30

Fax: 908-561-3002

The LabMart™

37

Lab Accessories



Infrared Microsterilizer

BactiZapper™



- Instant sterilization of platinum inoculating loops, needles, glass tube/pipette mouths and various metal & borosilicate glass instruments
- Asbestos-free ceramic core element
- Heating element is safely enclosed in a perforated stainless steel guard to protect user from accidental burn
- Extremely compact and convenient
- Used in anaerobic & aerobic chambers

Max. Temp.: 815°C / 1500°F Chamber Dia. x Lght: 0.55 x 3.94 in.
Sterilization Time: 5 to 7 Seconds Dims. (WxDxH): 4 x 6 x 6.5 in.

Cat. No.		Price
M111230	BactiZapper™ Infrared MicroSterilizer	\$299.00

Universal Round File Lighter



- Ideal for safe ignition of flammable gas and more
- Shielded; spring action
- Lights gas burners with ease
- Additional replaceable spark tip sold separately

Cat. No.	Description	Price/Roll
M110912	Universal Round File Lighter	\$84.40/10
M110913	Universal Single Flint Renewal	92.40/40

Micro Torch Blazer



- Ideal for bending glass, wire soldering, welding, plastic or metal tubing, electronic, plumbing & auto repairs
- Comfortable grip and portable
- Sure grip body and precise hi-temp flame, (1300°C, 2500°F)
- Push button piezo electric starter
- Burn time is 2 hours
- Fuel sold separately

Cat. No.	Description	Price/Roll
M148700	Blazer Micro Torch	\$111.32/1
M148700F	Butane Fuel, 9 oz. Can	41.95/3

Butane Burner



- Self-contained, compact and portable
- Temp. up to 3000°F for up to 5.5 hours from a single disposal container
- Burner is 8 3/4" high and fits under a 9" tripod
- Burner produces a clean 3/8 x 3 1/2 in. flame
- Flame temperature can be reduced and flame size increased to 1/2 x 6 in. by adjusting the air regulator ring

Cat. No.	Description	Price
M148600	Burner with Fuel	\$117.21
M148600F	Replacement Fuel (5.5 net oz.)	29.09

Parafilm M™



- Moisture resistant, thermoplastic self-sealing film
- Permeable to gases and protects contents of tubes, flasks, culture tubes and petri dishes
- Adheres to glass
- Ideal for working with culture media
- Turn a beaker into a storage container
- Dispenser available for easy one handed cutting

- Small dispenser holds (1) 4 x 250 ft. roll or (2) 2 x 250 ft. rolls
- Large dispenser holds (3) 2 in. rolls or (1) 2 in. roll & (1) 4 in. roll

Cat. No.	Description	Price/Roll
M366420	2 in. x 250 ft. on 1 in. Core	\$23.04
M366426	4 in. x 125 ft. on 3 in. Core	23.36
M366428	20 in. x 50 ft.	51.98
M366429	4 in. x 250 ft.	52.60

M110592	Small Parafilm Dispenser	\$123.33
M110593	Large Parafilm Dispenser	141.21

Label-Off Label Remover



- Excellent for use with sample bottles
- Removes labels quickly and easily including the gummy residue other cleaners leave behind
- Kit contains 59ml (2 oz.) of label adhesive solvent and 20 lint free 102mm (4 in.) square wipes

Cat. No.		Price
M105343	Cleanware Label Off Label Remover	\$26.83

Polyethylene Plastic Wrap



- Plastic wrap for general purposes in your lab or in the field
- Easy to use dispenser

Cat. No.	Length	Price/Roll
M192717	12 in. x 2000 ft.	\$57.59
M192718	18 in. x 2000 ft.	79.24

Aluminum Foil



- For wrapping and sealing
- Serrated blade safely cuts sheets

Cat. No.	Thickness (in.)	Width (in.)	Roll (ft.)	Price/Roll
M366435	0.0007	12	25	\$14.75
M366436	0.0015	18	25	60.03
M366437	0.001	15	1000	566.72

Want special offer? Register & subscribe online

Lab Accessories

Desktop Calculator

- Angled display for easy viewing
- Solar-powered
- Large keyboard with contoured keys
- 1 YEAR WARRANTY




Cat. No.	Price
M150240	\$38.24

Scientific Calculator

- Extra large display, with 8 digits + 2 digit exponent
- Programmable, up to 40 steps, w/ direct formula entry and future recall
- Automatic power off
- Six levels of parenthesis
- 46 Preprogrammed functions including: statistical, hyperbolic, logarithmic, trigonometric, reciprocal, exponential, factorial, roots, square roots & cube roots
- Storage memory for conversions
- Includes: carry case, manual, battery
- 5 YEAR WARRANTY

Large Display




*buy me because
No glasses needed with my large display.*

Dim: 5 1/4 x 2 3/4 x 7/16 in. / Wgt: 2 oz.

Cat. No.	Price
M150430	\$44.25

Stainless Steel Lab Jack

- Constructed of Type 304 stainless steel
- Designed for use in corrosive environments
- Autoclavable, resistant to sanitizing agents
- *Maxi-Lift models (M109075 & M109076) have a maximum height that is approximately 30% higher than traditional lab jacks for special applications
- 2 YEAR WARRANTY



Cat. No.	Deck Size	Max Height	Max Load	Price
M106593	3.9 x 3.9 in.	4.7 in.	22 lbs.	\$227.00
M106594	6.3 x 5.1 in.	10.8 in.	44 lbs.	242.00
M109075*	6.3 x 5.1 in.	15.7 in.	44 lbs.	300.00
M106595	7.9 x 7.9 in.	10.8 in.	44 lbs.	300.00
M109076*	7.9 x 7.9 in.	15.7 in.	44 lbs.	366.00
M106739	9.4 x 9.4 in.	10.8 in.	44 lbs.	319.00
M106740	11.8 x 11.8 in.	18.5 in.	176 lbs.	1,950.00
M106741	15.7 x 15.7 in.	18.5 in.	176 lbs.	1,745.00

M106742 Ratchet Handle for Lab Jacks w/ an 11.8 x 11.8 in. or 15.7 x 15.7 in. deck to facilitate raising & lowering deck \$59.00

Jar & Bottle Opener

- Opens caps from 4" diameter down to tiny tube caps
- Strong infallible plier grips
- Built-in cap lifter/can piercer
- Grips, opens and pries, twists, pops and flips
- Chrome plate with ABS plastic handles; 9" long



Cat. No.	Price
M129490	\$26.00

Refrigerator

- Energy efficient, quiet operation with the hermetically sealed compressor
- High density thin wall polyurethane door and cabinet insulation; white
- Full range temperature control
- Freezer compartment with ice cube tray
- Magnetic door gasket
- Bottle rack on refrigerator door
- All units 110V & 60 Cycle
- May be shipped by truck
- 1 YEAR WARRANTY



- M463000 Euro-style rounded edge door and sturdy slide-out shelf.
- M463002 Offers attractive laminated top, bottle racks, door shelves and 3 sturdy slide-out shelves.

	M463000	M463002
Capacity:	1.7 Ft ³	4.5 Ft ³
HxWxD (in.):	20 3/4 x 18 3/4 x 20 3/4	32 x 20 1/4 x 21 1/2
Ship Weight:	42 lbs.	75 lbs.
Price:	\$364.00	\$427.50

Organizational Bins



M127376



M127375

- Perfect for samples, small parts, or general supplies
- Easy visibility; obtain items quickly and efficiently
- For any lab or industrial setting
- Stackable or suspend from wall mount rack or benchtop panel
- Large label slot for easy identification



M127370

Cat. No.	L x W x H (in.)	Price/Ea	Price/Cs
M127370	5 3/8 x 4 1/8 x 3	\$3.92	\$63.55/24
M127371	7 3/8 x 4 1/8 x 3	7.10	116.95/24
M127372	10 7/8 x 5 1/2 x 5	17.82	200.18/12
M127380	10 7/8 x 11 x 5	25.43	128.90/ 6
M127381	10 3/4 x 8 1/4 x 7	29.63	165.45/ 6
M127373	14 3/4 x 8 1/4 x 7	48.49	544.68/12
M127374	14 3/4 x 16 1/2 x 7	45.62	256.33/ 6
M127375	Wall Mount Rack, 36 x 19	99.48	
M127376	Benchtop Panel, 28 x 8 x 21	170.42	

Fax: 908-561-3002

The LabMart™

39

Liquid Handling



Transfer Pipets, Polyethylene



- One-step biohazard disposal
- Can be frozen in liquid nitrogen
- Low density PE; non-toxic and inert
- Ideal for use with volumetric flasks, multiple well plates, centrifuge tubes or cryogenic vials, that's a large variety
- Attached bulb to avoid cross-contamination
- Also used in procedures with beakers, dishes, flasks, slides, vials, test tubes or roller bottles



Cat. No.	Description	Cap.	Length	Draw	Sterile	Price/Pk	10+/Pk
General Purpose		(ml)	(cm)	(ml)			
M373570	Standard	7.7	15.6	3.2	No	\$42.94/500	\$37.58
M373570-S	Standard	7.7	15.6	3.2	Yes	89.57/500	75.74
M373571	Blood Bank, 6 in.	5.0	15.4	1.9	No	47.64/500	40.35
M373579	Extra Long, 9 in.	6.0	22.5	2.3	No	47.87/400	40.88
M373579-S	Extra Long 9 in.	6.0	22.5	2.3	Yes	171.82/400	154.64
Graduated		(ml)	(cm)	(ml)			
M373572	1ml, Lg. Bulb	5.8	15.5	3.4	No	\$46.42/500	\$39.32
M373572-S	1ml, Lg. Bulb (single)	5.0	15.0	3.1	Yes	134.26/500	120.83
M373572-2S	1ml, Lg. Bulb (20's)	7.5	15.0	5.0	Yes	94.49/500	85.04
M373573	3ml, Lg. Bulb	7.0	15.5	3.2	No	47.69/500	40.39
M374100	3ml, Standard	3.0	13.75	1.5	No	47.64/500	40.35
M373574	2ml, Blood Bank	4.8	15.2	1.8	No	50.06/500	42.41
Fine Tip		(ml)	(cm)	(ml)			
M373575	Standard	5.8	14.7	3.3	No	\$83.82/500	\$71.00
M373576	Extended, Sm.Bulb	1.5	10.4	1.0	No	56.70/400	48.03
Narrow Stem		(ml)	(cm)	(ml)			
M373578	Standard	4.6	15.5	3.3	No	\$42.78/500	\$36.23

Transfer Pipets, Disposable Liquepette™



*buy me because
I can be heat sealed for sample storage.*



- Low density polyethylene is a safe alternative to glass by eliminating risk of injury or infection from broken glass
- One piece, flexible, chemically inert
- Delivers controlled, reproducible drop sizes
- Ideal for all types of buffers, reagents & more
- Non sterile - bulk packed
- Sterile - individually wrapped

Cat. No.	Description	Cap.	Length	Grad.	Sterile	Price/Pk	10+/Pk
Bulb Draw of 1.5ml		(ml)	(mm)	(ml)			
M374100	Small Bulb	3.0	140	1.0	No	\$47.64/500	\$40.35
M374100-S	Small Bulb	3.0	140	1.0	Yes	108.43/400	91.85
Bulb Draw of 3.5ml		(ml)	(mm)	(ml)			
M374000	Standard 1.0ml	5.0	152	1.0	No	\$46.42/500	\$39.32
M373559H	Standard 3.0ml	7.0	152	3.0	Yes	47.69/500	40.39
M373570-S	Standard 3.0ml	7.0	152	3.0	Yes	89.58/500	87.71
Blood Bank; Draw of 3.5ml(ml)		(mm)					
M373559L	Extra Long	6.0	229	-	No	\$66.89/400	\$56.65
M373559L-S	Extra Long	6.0	229	-	Yes	146.05/400	123.71

Pipette Filler, Multi-Colored



buy me becauseI am color coded for user identification.

- 100% Natural rubber; Easy to use
- Standard 3 valve ball
- 1/4" Diameter opening
- Up to 50ml pipets
- Meets OSHA requirements

Cat. No.	Description	Price
M101508	Multi-Colored	\$25.90

For more special offers & promotions visit

www.labmart.com

Want special offer? Register & subscribe online

Liquid Handling

Serological Pipets, Disposable Glass

buy me because I am individually wrapped and sterile.

- Calibrated "to deliver" with blow-out
- Long slender taper tips are fire-polished for burr-free, even flow rates resulting in faster pipetting
- Easy-open Steri-View™ wrappers have one side paper, one side plastic
- Tear Strip wrap pipets are multi-packed in plastic bags
- Both wrappers have color-coded sizes printed directly on wrapper for easy identification by size
- Negative graduations
- Conforms to ISO Standards
- Plugged ends prevent contamination from over filling
- PYREX®, CORNING®



Cat. No.	Cap. (ml)	Negative Grad. (ml)	Grad. Interval (ml)	Price/Cs
Steri-View™ Wrapped				
M370000-00	1.0	0.2	.01	\$346.37/ 800
M370000-01	2.0	0.2	.01	364.68/ 720
M370000-02	5.0	1.0	.1	488.37/ 720
M370000	10.0	2.0	.1	447.22/ 600

Tear Strip, For Larger Volume User

M369900-05	0.5	0.2	.01	\$230.43/ 500
M369900-01	1.0	0.2	.1	401.94/ 1000
M369900-02	1.0	0.2	.01	387.07/ 1000
M369900-03	2.0	0.2	.01	368.47/ 700
M369900-04	5.0	1.0	.1	563.22/ 960
M369900-00	10.0	2.0	.1	484.08/ 720

Class A Serialized Pipets

buy me because I am reusable and volumetric.

- Permanently marked individual serial number on pipet
- Supplied with a Certificate of Graduation Accuracy
- Carefully selected to meet the requirements for accuracy, appearance, glass quality, calibration line, and inscription of former NBS Circular 602
- Meets ASTM specification E969
- Bulb is marked indicating capacity
- Color-coded (ASTM E1273) for ease in sorting and selecting the correct pipet; legend of brown stain
- Calibrated to deliver
- Autoclavable KIMAX®



Cat. No.	Cap. (ml)	Tol. (±), (ml)	Coding Band	Price/Cs
M369720	1	0.006	Blue	\$177.48/ 12
M369721	2	0.006	Orange	227.66/ 12
M369722	3	0.01	Black	267.76/ 12
M369723	4	0.01	2 Red	294.78/ 12
M369724	5	0.01	White	299.26/ 12
M369725	10	0.02	Red	316.33/ 12
M369726	20	0.03	Yellow	401.50/ 12
M369727	25	0.03	Blue	401.50/ 12
M369728	50	0.05	Red	318.19/ 8
M369729	100	0.08	Yellow	288.77/ 6

Pasteur Pipets, Disposable

- Adaptable for use as serum pipets, Winthro tube fillers, etc.
- Low price, high quality
- Uniform dimensions
- Free from sharp edges and burrs
- Seat for cotton plugging



Cat. No.	Description	Price/Cs	5+/Cs
Flint Pipet			
M272311	Short Form, 5 ³ / ₄ in.L	\$104.76/ 1000	\$83.33
M272313	Long Form, 9 in.L	105.84/ 1000	85.99
Borosilicate Pipets, Non Leaching			
M272314	Short Form, 5 ³ / ₄ in.L	\$206.76/ 1000	\$172.30
M272316	Long Form, 9 in.L	245.64/ 1000	225.17

Pipet Holder

- Fast and easy pipet storage
- For glass or plastic pipettes
- Useful for organizing pipettes in small areas - saving bench space
- Tilted shelves keep pipets from sliding out
- Free-standing sturdy construction requires no hardware or installation



Cat. No.	Description	Price
M201220	Pipet Holder	\$240.80

Syringes, Disposable w/o Needles

- Choose from luer regular tip or luer locking tip syringes, w/ graduations
- Polypropylene
- Sterile or non sterile
- See pages 28 & 30 for syringe filters.



Cap. (cc)	Cat. No Regular Luer Tip	Cat. No Luer Locking Tip	Price/Cs
Sterile Soft Pack			
3	M106277	M106283	\$103.50/ 800
6	M106278	M106284	103.50/ 400
12	M106279	M106285	138.00/ 480
20	M106280	M106286	121.90/ 160
35	M106281	M106287	128.10/ 160
60	M106282	M106288	127.51/ 120
Non Sterile Bulk Pack			
3	M106289	—	\$219.00/ 1000
6	M106290	—	195.62/ 500
12	M106291	—	195.01/ 500
20	M106292	—	224.41/ 250
35	M367783	—	115.60/ 100
140	M106293	—	135.38/ 20

Pipetting Ball, The Flip™

Cat. No.	Description	Price
M101503	Red	\$19.13
M101504	Black	19.13
M101505	Blue	19.13
M101506	Green	19.13
M101507	Yellow	19.13

buy me because I have a one-handed design.

- Simple to use with only two operating points
- Rubber ball is easy to use and clean
- The top valve can be removed and reinserted
- Press bulb in for evacuate, press up arrow for intake, press down arrow to drain





Fax: 908-561-3002

The LabMart™

Liquid Handling

The LabMart®
Serving Science Since 1950

Serological Pipets, Polystyrene, Lab Mart®



- Smooth one-piece Polystyrene (PS) construction
- Calibration is certified for accuracy
- Aerosol barrier filter plug
- Ergonomic Design for use in tight spaces
- Reverse graduations
- Negative graduations (except for M109172 & M111281)
- Fits all major brands of pipettors
- Calibrated to deliver (TD)
- Meets ASTM E934
- Pyrogen-free, non-hemolytic (ISO 10993-4), non-cytotoxic (ISO 10993-5) and LAL tested (0.5Eu/mL)
- Sterility: Sterilized by gamma irradiation, RNase-free and DNase-Free


Cat. No.	Size (ml)	Stripe Color	Sterile	Tip Style / Packaging	Length (mm)	Price/Pk
M103065	1.0	Yellow	Yes	Standard / Ind. Wrapped	270	\$69.90/ 500
M103076	1.0	Yellow	Yes	Standard / 25 per pack	270	126.50/1000
M111277	1.0	Yellow	No	Standard / 25 per pack	270	125.50/1000
M103068	2.0	Green	Yes	Standard / Ind. Wrapped	270	\$74.00/ 500
M103079	2.0	Green	Yes	Standard / 25 per pack	270	140.80/1000
M111278	2.0	Green	No	Standard / 25 per pack	270	126.50/1000
M103070	5.0	Blue	Yes	Standard / Ind. Wrapped	296	\$54.50/ 250
M103081	5.0	Blue	Yes	Standard / 25 per pack	296	79.00/ 375
M111279	5.0	Blue	No	Standard / 25 per pack	296	68.00/ 375
M103072	10.0	Orange	Yes	Standard / Ind. Wrapped	297	\$47.50/ 200
M103084	10.0	Orange	Yes	Standard / 25 per pack	297	56.00/ 250
M111280	10.0	Orange	No	Standard / 25 per pack	297	45.00/ 250
M109172	25.0	Red	Yes	Standard / Ind. Wrapped	300	\$53.00/ 100
M111281	25.0	Red	No	Standard / Ind. Wrapped	300	43.20/ 100
M103075	50.0	Black	Yes	Standard / Ind. Wrapped	365	\$138.75/ 100

Bacteriological & Open Mouth Pipets are available,

please call 1-800-684-1234 or visit us online at

www.labmart.com

Serological Pipets, Polystyrene Stripette®



buy me because

My exclusive high performance, anti-drip, tip assures delivery.

- Ultra-clear, 100% virgin polystyrene
- "Banana-peel" plastic wrap features easy opening for aseptic removal, eliminates static cling with gloves allows full view of pipet for easy size identification and
- Unique, color-coded, magnifying stripe for easy meniscus viewing
- Accuracy within $\pm 2\%$ at full volume
- Calibrated to deliver their contents with blowout
- Certified RNase-/DNase-Free Certified nonpyrogenic Sterile
- Costar®

Cat. No.	Cap. (ml)	Graduations		Color Stripe	Price/Cs
		(+ml)	(Neg.ml)		
Individually Wrapped in a Clear Plastic Wrap					
M368010	1	1/100	0.2	Yellow	\$331.30/1000
M368011	1	1/100	0.2	Yellow	76.06/ 200
M368012	2	1/100	0.2	Green	398.08/1000
M368013	5	1/10	2.5	Blue	111.56/ 200
M368014	10	1/10	3.0	Orange	129.37/ 200
M368015	25	2/10	10.0	Red	242.84/ 200
M368016	50	1/2	10.0	Purple	262.84/ 100
M368017	100	1/1	n/a	Aqua	538.95/ 100

Bulk Packed in Bags

M368020	1	1/100	0.2	Yellow	\$278.96/1000
M368022	2	1/100	0.2	Green	358.98/1000
M368023	5	1/10	2.5	Blue	224.52/ 500
M368125	10	1/10	3.0	Orange	240.12/ 500
M368127	25	2/10	10.0	Red	228.23/ 200
M368128	50	1/2	10.00	Purple	245.82/ 100

Want special offer? Register & subscribe online

Liquid Handling

Discovery Pipettes, Labpette®

Single Channel

- Dual volume adjustment can be set by turning either the thumb wheel or the plunger button
- Manifold design (all units) rotates in either direction contains an individual piston assembly for every channel
- Larger volume models have chemically resistant polymer pistons
- Designed with a tapered shaft for universal tip fit
- Fully autoclavable and can hold calibration
- Slim, streamlined ambidextrous design
- Teflon seals provides smooth, reproducible operation
- Supplied complete with calibration key and shelf clip

buy me becauseI have a thumbwheel or push-button volume selection.

- UV resistant material for sterilization options
- Tip cone & shaft are chemical and scratch resistant
- Smaller volume pipettes have polished SS pistons
- Loads tips evenly with minimal force
- Reduced plunger forces
- 3 YEAR WARRANTY

Accessories Available:

Carousel or Linear Stand for 6 Single Pipettes and shelf clips, please call 1-800-684-1234.



Multi-Channel Units available
please call or visit labmart.com

Labnet

Cat. No.	Range (µl)	Accuracy (±)	Precision (≤)	Price
Single Channel				
M110346	0.1 - 2	1.2 to 1.5%	6.0 to 0.7%	\$246.00
M110347	0.5 - 10	4.0 to 0.5%	4.0 to 0.4%	246.00
M110348	2 - 20	4.0 to 0.8%	3.0 to 0.4%	230.65
M110349	10 - 100	1.6 to 0.8%	0.8 to 0.3%	230.65
M110350	20 - 200	1.2 to 0.6%	0.6 to 0.3%	230.65
M110351	100 - 1000	1.0 to 0.6%	0.45 to 0.25%	230.65
M110352	1,000 - 5,000	0.6 to 0.5%	0.3 to 0.2%	253.20
M110353	1,000 - 10,000	2.5 to 0.5%	0.6 to 0.2%	256.25



Pipette Controller, Fastpette™

- Uses glass or plastic pipettes from 1 to 100 ml
- Lightweight (215g) with smooth push-buttons
- Aspiration speed adjustable for volume and viscosity of liquid
- Safety Valve System prevents overflow and cross contamination

Cat. No.	Description	Price
M106543	FastPette™ Pipette Controller	\$299.25/1
M106544	Silicone Pipette Holding Insert	17.45/1
M106545	PTFE filter 0.2µm	22.05/5
M106546	PTFE filter 0.45µm	22.05/5

buy me because

I have a high aspiration speed - 25 ml in 4 seconds. I can pipet 2000+ on one charge.

- Adjustable suction
- Dispensing by gravity or pump
- Hydrophobic PTFE filter 0.1 µm
- Autoclavable nose piece & holder
- Rechargeable battery; 8 hr. charge / 2000 cycles
- 1 YEAR WARRANTY



Pipette Pump™ III

buy me because

I am designed for fast & accurate one-handed operation. I am ideal for easier, rapid dispensing of entire volume.

Cat. No.	Cap. (ml)	Color	Price/Ea	Price/Cs
Fast Release - Designed to provide rapid dispensing				
M107899	2	Blue	\$25.18	\$302.17/12
M107900	10	Green	25.44	305.27/12
M107901	25	Red	33.90	406.81/12
Basic - Designed for standard dispensing				
M107902	2	Blue	\$23.79	\$285.46/12
M107903	10	Green	24.30	291.65/12
M107904	25	Red	32.51	390.10/12

- Thumb wheel easily rotates for precision aspirating or dispensing, down to a volume of one drop at a time
- Thumb wheel also can be used to "blow out" the pipette
- A self-stabilizing collar inside the silicone chuck holds either glass or plastic pipettes
- Resistant to acids, alkalies and most solvents and can be disassembled for cleaning
- Color coded for identification
- Length 171 mm (6.75")



Pipet-Aid®, Portable

buy me becauseof my reputation - reliable, durable and safe!.

- Ideal for field use delivering equal aliquots of sample into various containers
- Great for measuring & dispensing reagents & culture media
- Accepts 1 - 100ml pipets

Cat. No.	Description	Price
M368200-07	Portable Pipet-Aid™	\$309.75
M101482	Ni-MH Battery	18.90
M368200-06	Replacement Filters	28.38
M101483	Rubber Inserts (2)	8.40
M101484	TC Nosepiece Housing	21.00
M437801	Pipet Stand	208.44

- Tissue Culture nosepiece - design eliminates the possibility of cross-contamination due to over-pipetting; quick disconnect/assembly
- Can be used while recharging
- 1 YEAR WARRANTY
- Self-locking filter - when challenged with an aqueous solution, the hydrophobic layer prevents liquid from entering the handle & the wetted hydrophilic layer restricts the flow of air, which locks the unit from further use - positive fail safe protection for the electronic components & to prevent cross-contamination



Included Item:
Ni-MH battery, 4 filters

Fax: 908-561-3002

The LabMart™

Liquid Handling



Bottletop Dispensers, Dispensette®

buy me because Of my improved accuracy, safety and reagent conservation for a broad range of applications.



- Mount directly on most solvent and reagent bottles
- One-handed operation, right down to the bottom
- Digital Easy Calibration™ allows adjustment in seconds (no tools) - great for labs with multiple users
- SafetyPrime™ valve discharge system reduces risk of inadvertent dispensing & splashes
- One-twist cap protects reagent contact, easy to remove
- Rotating valve block to view label
- Calibration flag to alert changes
- Autoclavable; use with sterile reagents
- ISO 9000 & GLP standards
- 1 YEAR WARRANTY
- **MANY ACCESSORIES PLEASE INQUIRE**



Dispensette® III Applications: for most acids, bases, saline solutions & polar solvents. Made of high-grade corrosion-resistant materials.

Dispensette® HF Applications: for hydrofluoric acid up to 52%. Analog-adjustable, rapid volume adjustments, calibration is simplified with included tool.

Dispensette® Organic Applications: for HPLC solvents, combinatorial chemistry solvents, THF, TFA, DMF, DMSO, concentrated fuming acids, organic solvents and peroxides. (no HF). Not listed, please call for pricing.

Included Items: Discharge tube, performance certificate, valve mounting/calibration tool, adapters/filling tube & manual

Cat. No.	Size (ml)	Resolution	Price
Dispensette® III, Digital-Easy Calibration			
M100853	0.2 - 2	0.01	\$489.00
M100854	0.5 - 5	0.02	489.00
M100855	1 - 10	0.05	489.00
M100856	2.5 - 25	0.1	649.00
M100857	5 - 50	0.2	659.00
Dispensette® III, Analog-Adjustable Models			
M100858	0.05 - 0.5	0.01	\$419.00
M100859	0.2 - 2	0.05	419.00
M100860	0.5 - 5	0.1	419.00
M100861	1 - 10	0.2	419.00
M100862	2.5 - 25	0.5	585.00
M100863	5 - 50	1.0	599.00
M100864	10 - 100	1.0	919.00
Dispensette® HF, Analog-Adjustable Models			
M107417	1 - 10	0.2	\$1,035.00

Bottletop Dispenser, Seripettor®

buy me because I am an economical wiping seal dispenser



- Designed for many of the fluids used in biological labs - buffers, bases, culture media, even sodium azide solutions
- Notched volume selector for exact adjustment
- Spring-driven refill function for semi-auto operation
- Designed for simple disassembly & rapid replacement of parts, extending the unit's life
- Mounts on most reagent bottles with its 45mm thread and 45/33mm and 45/38mm adapters
- 1 YEAR WARRANTY
- Replacement parts available; optional MediaMate™ Kit for sterile dispensing

Applications: for weak acids, alkaline solutions, polar solvents, isotonic solutions, acetone, methanol & acetylacetone

Included Items: Spare dispensing cartridge, discharge tube, filling tube, polypropylene thread adapters and manual

Cat. No.	Volume (mL)	Accuracy (± %)	Coefficient of Var. (≤)	Subdiv. mL	Price
M101003	1 - 10	0.2	1.2	0.2	\$125.00
M101004	2.5 - 25z	0.5	1.2	0.2	159.00

DispensMate Plus Bottletop Dispensers



- Fully autoclavable at 121°C
- Quick and precise volume adjustment
- Anti-drip cap prevents accidental discharge
- Chemical resistant to most aggressive liquids and acids
- Easy to clean and maintain, tool supplied
- 4 sizes cover the volume range 0.5 - 50 ml
- Dispensers come with adapters to fit all common lab bottles
- 3 YEAR WARRANTY



Cat. No.	Volume	Graduations	Price
M111333	0.5 - 5 mL	0.10	\$210.00
M111334	1 - 10 mL	0.20	210.00
M111335	2.5 - 25 mL	0.50	310.00
M111336	5 - 50 mL	1.00	310.00

Bottle Dispenser, Variable Volume



buy me because My contact parts are chemically resistant.

- Volume indicator may be placed on side without altering volume settings
- May add liquid without changing the settings
- Dispense via extension tube without moving the device or bottle
- Rugged and chemical resistant
- Easy to dismantle
- Accuracy: ± 1.0%, Precision: <0.1%
- Includes bottle, fully autoclavable
- Accupenser Junior®

Note: Please use PTFE (Fluorine resin) tube set with tip (sold separately) for strong acids and organic solvents.

Cat. No.	Range (mL)	Increments (ml)	Bottle Size (ml)	(WxH) mm	Price
M110878	0.2 - 1	0.05	250	75 x 210	\$304.50
M110879	0.4 - 2	0.1	250	75 x 210	304.50
M110880	1 - 5	0.1	500	100 x 210	304.50
M110881	2 - 10	0.25	1000	146 x 210	304.50
M110882	5 - 30	1.0	2000	156 x 275	467.85
Optional Teflon® Extension Dispensing Tube Set					
M110883	Use with M110878				\$43.82
M110884	Use with M110879				43.82
M110885	Use with M110880				43.82
M110886	Use with M110881				43.82
M110887	Use with M110882				45.75

Want special offer? Register & subscribe online

Liquid Handling

Universal Pipette Tips, Lab Mart®



buy me becauseLowest cost anywhere!

- High purity polypropylene for the highest translucence
- Precision molded for a great fit
- Clean, hydrophobic surface to minimize fluid retention
- Fit Transferpette®, Eppendorf®, Finspipette®, Pipetman® and more



Tip-Refill

- Inserts packed in space-saving dispenser carton

Tip-Box SL

- Lid slides open left or right, forward or back for convenient 8- or 12-channel pipetting
- Unused tips remain covered to reduce risk of contamination; rubber feet prevent slipping
- Fits tip-refill 60 & 96, Autoclavable polycarbonate

Tip-Box, Polypropylene

- Push-on lid with space saving design
- Refill with 96 tip inserts (60 tips for 1000µl)



Cat. No.	Vol. Range (µl)	Color	Packed	Price
M105920	2-200	Yellow	Bulk	\$21.14/1000
M105921	50-1000	Blue	Bulk	23.43/1000
M109215	2-200	Neutral	Tip-Box SL	\$49.00/ 96
M109222	50-1000	Neutral	Tip-Box SL	50.00/ 60
M109216	2-200	Neutral	Tip-Box PP; 5 bx/96	36.75/480
M109217	2-200	Neutral	Tip-Refill; 10 inserts/96	58.80/960
M109224	50-1000	Neutral	Tip-Refill; 16 inserts/60	80.85/960

Pipet Controller, accu-jet® Pro

- Speed control!- range dial sets maximum pipetting speed with touch-sensitive, continuously adjustable speed control
- Speed limiter & pressure-sensitive buttons for smooth, intuitive meniscus control for cell culture and chemical applications
- No meniscus "jumping", even with small volume pipettes
- Mode for both powered & gravity dispensing
- Integral check valve and filter protects instrument from aspirated liquids; unique exhaust port vents vapors
- 8 hrs. full speed pipetting on 4 hrs. charge
- LED indicates 2 hours charge time left
- Soft blowout minimizes disturbance of cells
- Ergonomic grip, ambidextrous
- True 0.2µm hydrophobic filter for culture work
- 1 YEAR WARRANTY



Included Items:
Battery, wall holder,
2 sterile filters &
charger

Cat. No.	Description	Price
M107501	Magenta	\$393.00
M109056	Dark Blue	393.00
M109057	Green	393.00
M109058	Royal Blue	393.00

Replacement Filters

M109059	0.2µm	Sterile	\$89.25/10
M109060	0.2µm	Non-Sterile	108.93/10
M102978	3µm	Non-Sterile	73.50/10
M109055	3µm	Non-Sterile	12.00/ 1

Accessories

M110411	Charger, 120V, 60Hz	\$95.81
M110518	Nickel-Metalhydride Battery	27.56
M110421	Silicone Adapter w/ PTFE check valve	27.56
M110422	Snap Tapes for Wall Support	23.62
M110423	Wall Support	45.93

Fax: 908-561-3002

PD-Tip™ Syringe Tips



Buy \$400 worth of PD-Tips™ Syringe tips and get a HandyStep® S for FREE

Call 1-800-684-1234 or

visit www.labmart.com for details.

- PD-Tip™ syringe tips are available in both non-sterile and sterile, endotoxin-free varieties
- Syringe tips are compatible with BRAND HandyStep® Electronic, HandyStep® S repeating pipettes, and most standard repeating pipettes

Cat. No.	Description	Price
Non-sterile PD-Tip™ Syringe Tips		
M104629	0.5 mL, pack of 100	\$111.00
M104630	1.25 mL, pack of 100	111.00
M104631	2.5 mL, pack of 100	111.00
M104632	5 mL, pack of 100	111.00
M104633	12.5 mL, pack of 100	111.00
M104634	25 mL, pack of 50	69.00
M104635	50 mL, pack of 25	39.00
M104636	Multi-pack, 20 each of 0.5, 1.25, 2.5, 5 and 12.5 mL tips	106.00
Sterile, Endotoxin-free PD-Tip™ Syringe Tips		
M104637	0.5 mL, pack of 100	\$152.00
M104638	1.5 mL, pack of 100	152.00
M104639	2.5 mL, pack of 100	152.00
M104640	5 mL, pack of 100	152.00
M104641	12.5 mL, pack of 100	152.00
M104642	25 mL, pack of 25	44.00
M104643	50 mL, pack of 25	45.00

Repeating Pipette, HandyStep® S

buy me because

Get me free by buying \$400 of PD-Tip™ above!

- Comfortable, slim design is lightweight, well-balanced, and provides a convenient control layout for smooth dispensing and one handed volume selection
- Reliable, robust construction, inspired design and innovative polymers deliver a dependable instrument
- Purely mechanical design with no batteries to charge or replace
- Convenient integrated volume table provides a quick reference for dispensed volumes
- Flexible, ten sizes of PD-Tip syringe tips allow the HandyStep® S to dispense 59 different volumes
- Open design allows use of third party tips
- Tip ejection system allows the user to remove tips without handling
- 2 YEAR WARRANTY

Includes: shelf/rack mount, one each 0.1mL, 1mL, 10mL PD-Tip syringe tips, operating manual and performance certificate.

Cat. No.	Description	Price
M100840	HandyStep® S Manual Pipette	\$357.72



The LabMart™

Liquid Handling

Variable Pipettors MicroPette™ Plus



Single Channel

- 8 Volumes models to choose from 0.1 - 5000µl
- Thumb plunger for volume adjustment
- Lightweight, ergonomic design with a clear digital display
- Integral tip ejector for access into narrow tubes
- Easy to calibrate & maintain with tool supplied
- Fully autoclavable including tip-cone
- Used with 'universal' pipette tips
- Calibrated ISO/DIS 8655; supplied w/certificate
- 3 YEAR WARRANTY

Micro Pipette, Nichipet EX II

buy me because

I am everything you need in an autoclavable, digital, micro pipette.



- Fatigue-free operation, enlarged finger rest for comfort
- Plastic tip ejector allows for hands free ejection and will not harm glass test tubes
- Enhanced UV resistance
- Lightweight
- Easy to use single-hand locking lever
- Filtered nozzles (1000, 5000 and 10000µl)
- Ceramic plungers on 200µl sizes and above reduces corrosion
- Completely autoclavable
- 2 YEAR WARRANTY

MicroPette™ Plus Single Channel Pipettors

Cat. No.	Vol. Range	Increments	Accuracy(±)	Price
M111296	0.1-2.5µl	0.05µl	2.50%/3.00/12.00%	\$220.00
M111297	0.5-10µl	0.1µl	1.00%/1.50/2.50%	220.00
M111298	2-20µl	0.5µl	0.90%/1.20%/3.00%	220.00
M111299	5-50µl	0.5µl	0.60%/0.90%/2.00%	220.00
M111301	10-100µl	1.0µl	0.80%/1.00%/3.00%	220.00
M111302	20-200µl	1.0µl	0.60%/0.80%/1.00%	220.00
M111303	100-1000µl	5.0µl	0.60%/0.70%/2.00%	220.00
M111304	1000-5000µl	50.0µl	0.50%/0.60%/0.70%	220.00

Cat. No.	Range (µl)	Increments (µl)	Price
M110110	0.1 - 2	0.002	\$327.60
M110111	0.5 - 10	0.01	321.30
M110112	2 - 20	0.02	321.30
M110113	10 - 100	0.1	321.30
M110114	20 - 200	0.2	321.30
M110115	100 - 1000	1.0	321.30
M110116	1000 - 5000	10.0	409.50
M110117	1000 - 10000	10.0	409.50

Stand Accessories for all of the above

M111104	Carousel	6 Single, ABS	\$41.20
M111105	Rack	6 Single, Acrylic	60.00



8 or 12 Channel

- Lightweight and ergonomic design
- Clear digital display
- Staggered tip ejector for easy tip ejection
- Head rotates 360° for user comfort
- Easy to calibrate with tool included
- Used with 'universal' pipette tips
- 3 YEAR WARRANTY

Multi-Channel Reagent Reservoirs



MicroPette™ Plus 8-Channel Pipettors

Cat. No.	Vol. Range	Increments	Accuracy(±)	Price
M111304	0.5-10µl	0.1µl	1.50%/2.50/4.00%	\$425.00
M111305	5-50µl	0.5µl	1.00%/1.50/3.00%	425.00
M111306	50-300µl	5µl	0.70%/1.00%/1.50%	425.00

MicroPette™ Plus 12-Channel Pipettors

Cat. No.	Vol. Range	Increments	Accuracy(±)	Price
M111307	0.5-10µl	0.1µl	1.50%/2.50/4.00%	\$450.00
M111308	5-50µl	0.5µl	1.00%/1.50/3.00%	450.00
M111309	50-300µl	5µl	0.70%/1.00%/1.50%	450.00

MicroPette™ Plus Pipettors Accessories

Cat. No.	Pipettor Stand	Price
M111351	Linear, holds 6 MicroPette Pipettors	\$40.00
M111352	Carousel, holds 6 MicroPette Pipettors	50.00

- Features thicker walls, crush-resistant "turrets" at the corners and improved pour spouts
- 25 mL graduation marks
- Includes tabs that prevent stacked reservoirs from sticking together
- Bottom tapers down into a narrow trough, to help get the last drop of liquid
- Sterile reservoirs are sold in packs of 50, individually sealed in Sani-Tear: gamma-irradiated HDPE bag

Cat. No.	Material	Sterile	Price/Pk
55 mL			
M367876	Clear PVC	No	\$60.54/100
M367877	White Polystyrene	Yes/ Ind. Wrapped	93.03/ 50
100 mL			
M101184	White Polystyrene	No	\$74.82/100
M101185	White Polystyrene	Yes/ Ind. Wrapped	116.26/ 50

Mini Light Box & Mini Magnifiers

Mini Light Box

- Saves bench space: can be stored in a drawer
- Viewing area (102 x 127 mm), perfect for quick screening of 96-well plates, petri dishes, electrophoresis gels, slides and transparencies
- Powered by electricity or 2 AA batteries (included)
- Measures 161 x 135 x 44 mm



Mini Magnifier

- Enlarges objects for easier viewing: 1.75x magnification
- Swiveling, molded lens
- Lens measures 185 x 100 mm; stand is 207 mm high

Cat. No.	Description	Price
M110845	Mini Light Box	\$129.63
M110846	Mini Magnifier	91.43

Light Box



- No glass to break, Plexiglass top, stainless steel frame & replaces costly light tables
- Stores upright like a book saving bench space
- Comes complete with cool white fluorescent lamps & an 8 foot 3-prong cord
- Use for viewing electrophoresis gels, slides, transparencies, & plates

Cat. No.	W x L x H (in)	No. Lamps	Watts	Price
M103311	11 x 18 x 2 ³ / ₁₆	2	30	\$307.58
M103312	16 x 18 x 2 ³ / ₄	2	45	480.95
M103315	18 x 24 x 2 ³ / ₄	3	60	679.25

Microslide Folder

- Individually numbered slide slots with thumb grooves on each side
- Index on outside cover; 2 hinged doors
- Constructed of heavy cardboard with a grey finish
- **Cap.:** 20 - 3 x 1" (75 x 25mm) slides
- **Box dim.:** 8 x 13¹/₂ x 1¹/₃₂ in.



M110550	\$18.00	\$630.00/40
---------	---------	-------------

Microslide Box



- Designed for solid protection and fingertip accessibility
- Numbered index system
- Constructed of textured polystyrene with cork bottom to absorb moisture
- Durable metal hinge pins and spring clasp with black grain finish
- **Cap.:** 100 - 1 x 3 in. (75 x 25 mm) standard slides
- **Box Dims.:** 8³/₄ x 6¹/₂ x 1¹/₄ in.



M101865	Microslide Box	\$21.51	\$825.79/48
---------	----------------	---------	-------------

Microscope Slides

- Corrosion resistant glass with smoothly polished edges
- Suitable for all medical applications
- Precleaned
- 75 x 25mm (3" x 1")
- 1mm thick



buy us because
We are economical, saves your lab \$\$\$.

Cat. No.	Description	Price/Pk	Price/Cs
M110566	Plain	\$38.94/144	\$389.53/1440

Frosted: Single: 1 end, 1 side frosted

Double: 1 end, both sides frosted			
M110567	Single Frosted	\$57.76/144	\$577.67/1440
M110568	Double Frosted	63.42/144	634.25/1440

Concave: Slides: 1.2-1.3mm thick Wells: 15mm dia x 0.5mm deep

M110569	Single Concavity	\$47.27/ 12	\$850.81/ 240
M110570	Double Concavity	81.86/ 12	1,473.60/ 240

Color End: Color coated end for easy identification

M110571	White	\$78.58/144	\$693.81/1440
M110572	Blue	78.58/144	693.81/1440
M110573	Green	78.58/144	693.81/1440
M110574	Pink	78.58/144	693.81/1440
M110575	Yellow	78.58/144	693.81/1440

Charged: Positive charge with special adhesive formula on color coated end. Allows specimen to adhere to slide easily.

M110576	White	\$98.36/144	\$805.50/1440
M110577	Blue	98.36/144	805.50/1440
M110578	Green	98.36/144	805.50/1440
M110579	Pink	98.36/144	805.50/1440
M110580	Yellow	98.36/144	805.50/1440

Cover Glass

- Individually selected, superior quality
- Specially processed borosilicate glass, rectangular in shape
- Sold in 1oz case



Cat. No.	Size (mm)	Thickness (mm)	Price
M102526-1	22 x 22	#1; .13 - .17	\$17.65
M102526-1.5	22 x 22	#2; .16 - .19	17.65
M102526-2	22 x 22	#3; .17 - .25	17.65
M102527-1	22 x 30	#1; .13 - .17	17.65
M102527-1.5	22 x 30	#2; .16 - .19	17.65
M102527-2	22 x 30	#3; .17 - .25	17.65
M102528-1	22 x 40	#1; .13 - .17	17.65
M102528-1.5	22 x 40	#2; .16 - .19	17.65
M102528-2	22 x 40	#3; .17 - .25	17.65
M102529-1	22 x 50	#1; .13 - .17	17.65
M102529-1.5	22 x 50	#2; .16 - .19	17.65
M102529-2	22 x 50	#3; .17 - .25	17.65
M102531-1	22 x 60	#1; .13 - .17	17.65
M102531-1.5	22 x 60	#2; .16 - .19	17.65
M102531-2	22 x 60	#3; .17 - .25	17.65

Benchtop pH/mV/Temp Meters



- Chemical resistant and splash-proof
- Self-diagnostic testing & percent slope readout
- Auto Calibration; auto-buffer recog.; auto & manual temp. compensation with auto endpoint
- Memory retains last calibration if power loss
- Includes: arm; simple to set up/operate
- WARRANTY: 3 YR meter 1 YR electrode

- Basic (M106309 & M106310)**
 - Ideal for educational and routine lab work
 - 2 point calibration
- General Purpose (M106311 & M106312)**
 - Ideal for academic, research, development, medical, pharmaceutical
 - 3 point calibration with RS232 output
- Advanced / Research (M106313 & M106314)**
 - Ideal for high volume quality control or research laboratories
 - Stores up to 800 data sets
 - GLP - supports functions with display resolution of 0.001/0.01/0.1

Pinnacle series

Cat. No.	Description	Price	Specifications:	Basic	General	Advanced
M106309	Basic	\$844.200	Range: pH	-2.00 to 19.99	-2.00 to 19.99	-2.00 to 19.999
M106310	Basic w/ Electrode	1,215.90	mV	-1999 to 1999	-999.9 to 999.9	-999.9 to 999.9
M106311	General Purpose	1,312.50			& -1999 to 1999	& -1999 to 1999
M106312	General Purpose w/ Electrode	1,692.60	Temp.	-5.0 to 105.0°C	-5.0 to 105.0°C	-5.0 to 105.0°C
M106313	Advanced/Research	1,755.60	Resol.: pH	±0.01	±0.007	±0.005
M106314	Advanced/Research w/ Electrode	2,179.80	mV	1	0.5	0.3
M109269	3-in-1 Refillable Replacement Electrode with Epoxy Body	264.60				

pH Bench Meter, Graphic Display



buy us because

We are research grade meters with graphing and logging.

- Simultaneous dual graph display and real-time logging
- Manual or auto temperature compensation
- Electrode holder for 3 probes; screws securely into base
- Exclusive Calibration Check™ Technology
- Menus are informative and navigation is intuitive
- Auto data logging: 10 lots, 5000 samples per lot
- Large 240 x 320 Color display USB & RS232 capability, GLP data
- Multi-language interface; small footprint
- Supplied with glass body pH electrode, temp. probe, adapter, pH 4 & 7 buffer solutions, electrode solution, electrode holder
- 2 YEAR WARRANTY

M110658

- Two independent channels which are galvanically isolated to eliminate noise or instability. Allows user to connect pH and ISE electrodes at same time, eliminating need to switch probes
- ISE Features: (M110658 only) Direct calibration & measurement in multiple units

pH	Range:	-2.0 to 20.0; -2.00 to 20.00; -2.000 to 20.000
	Resol.:	0.1 pH; 0.01 pH; 0.001
	Accuracy:	±0.1 pH; ±0.01 pH; ±0.002
mV	Range:	±2000
	Resol.:	0.1
	Accuracy:	±0.2
ISE	Range:	1 x 10 ⁷ to 9.99 x 10 ¹⁰ concentration
(Dual)	Resol.:	1; 0.1; 0.01 concentration
	Accuracy:	±0.5% (monovalent ions); ±1%
Temp.	Range:	-20.0 to 120.0°C; -4.0 to 248.0°F
	Resol.:	0.1°C; 0.1°F
	Accuracy:	±0.2°C; ±0.4°F
Dim:		159 x 230 x 93 mm (6.3 x 9.1 x 3.7") / 1.8 lb.

Cat. No.	Description	Price
M110657	Single Channel pH Meter Kit	\$1,030.00
M110658	Dual Channel pH/ISE Meter Kit	1,325.00
M365913	Refillable pH Electrode	115.00

48

pH/mV/ISE Temp. Meter

- Ideal under harsh industrial conditions
- 5 Point calibration w/ a choice of buffers
- Accurate calibration w/ a backlit LCD
- Auto HOLD to freeze display readings
- Relative mV measurements
- Calibration Check™ & Electrode Diagnostics alerts user to clean electrode or if outside selected calibration
- "Outside Calibration Range" and "Calibration Time Out" warning
- M111043 & M111044 accepts ISE electrodes, displayed as ppm; Ion change capability & ISE calibration (up to 5 solutions); very useful for large range of concentration solutions measurements
- M111044 has 2 input channels for simultaneous measurements
- GLP to view last calibration data for pH, Rel mV or ISE

Specifications:	M111042	M111043	M111044
pH	Range:	-2.0 to 20.0; -2.00 to 20.00; -2.000 to 20.000	
	Resol.:	0.1; 0.01; 0.001	
	Accuracy:	±0.01; ±0.002	
mV	Range:	± 2000	
	Resol.:	0.1	
	Accuracy:	±0.2	
Temp.	Range:	-20.0 to 120.0 (C°)	
	Resol.:	0.1 (C°)	
	Accuracy:	±0.2 (C°)	
ISE	Range:	--	1 x 10 ⁻³ - 1 x 10 ⁵ 1 x 10 ⁻⁷ to 9.99 x 10 ¹⁰
	Resol.:	--	3 digits 0.01; 0.1; 1; 10 concentrate
	Accuracy	--	±0.5% of reading (monovalent ions), ±1% of reading (divalent ions)

Calibration: pH: Up to 5 point, 7 standard buffers + 5 custom buffers

ISE: M111043: Up to 2 point, 6 solutions (0.1, 1, 10, 100, 1000, 10000 ppm)

M111044: Up to 5 point, 6 solutions (in units selected)

Log-on-Demand: M111042: 200 samples M111043: 300 samples M111044: : 400 samples

Dim: 235 x 207 x 110 mm (9.2 x 8.14 x 4.33") / 4.1 lb.

Cat. No.	Description	Price
M111042	One Input Channel (no ISE)	\$630.00
M111043	One Input Channel	770.00
M111044	Two Input Channel	825.00

what is Calibration Check™ from Hanna??

Proper calibration of the pH meter and pH electrode system is critical to achieve reliable results. HANNA's exclusive Calibration Check™ System help users reach that goal by:

- 1) Compares new calibration to previous one. If significant difference, message alerts user to either clean electrode, check buffer or both.
- 2) The condition of electrode is shown on the display to track aging.

Message alert when: - measurements are taken too far from calibration points
- calibration has expired; (avoids readings with old calibrations)

Want special offer? Register & subscribe online

pH

Benchtop pH Meter

Orion Star™

buy me because I make it easy and affordable to take simple, accurate pH measurements

- Large, informative LCD screen clearly shows information, including pH or mV reading, temperature, meter mode and calibration
- AUTO-READ; locks in the stable reading on screen and ready indicator alerts when readings are stable
- Up to 3 point pH calibration
- Automatic recognition of USA/NIST and DIN buffers
- Non-volatile memory holds up to 50 data points
- Automatic recognition of USA/NIST and DIN buffers
- Easily recall calibration slope data for procedure checks
- Electrode arm (included) and probe holder make it easier to maintain and place probes into samples
- Power adapter (included), or 4 AA batteries (sold separately)
- The IP54-rated housing can handle splashes and can be wall-mounted if table space is a problem
- 3 YEAR WARRANTY ON METER



M111356 Meter Kit includes: 3-in-1 pH/ATC probe; Solution kit (60mL each of pH 4, 7, 10 buffers; storage solution & cleaning solution); electrode arm with redesigned holder and power adapter

pH	Range:	-2.000 to 16.00
	Resolution:	0.1, 0.01
	Relative Accuracy:	± 0.01
Temp	Range:	23° to 221°F (-5° to 105°C)
	Resolution:	0.1
	Relative Accuracy:	± 0.1°C
mV	Range:	mV: ±1600.0 ; RmV: ±1999.9 mV
	Resolution:	0.1
	Relative Accuracy:	± 0.2mV or 0.05% (greater)

Cat. No.	Description	Price
M111355	Meter w/electrode arm and holder	\$490.00
M111356	Meter Kit	723.00

Portable pH Meter

Orion Star™

buy me because I have durability and dependability ... makes me a great choice for samples every day, anywhere

- AUTO-READ locks in the stable reading on screen & ready indicator alerts when readings are stable
- Up to 5 point pH calibration with auto recognition for NIST & DIN buffers
- Non-volatile memory holds up to 1000 datapoints with time and date stamp
- Portable, waterproof and protected to take anywhere; IP67-rated housing
- Complimentary data analysis software keeps meter software up-to-date
- Four AA batteries (included) for over 800 hours of operation or power adapter (sold separately)



- Large, backlit graphic LCD display shows pH/mV/RmV & temperature along with electrode status, time, date & calibration points
- Certifications: CE, TUV, FCC Class A limits
- 3 YEAR WARRANTY ON METER

pH Meter Kit includes: ROSS Gel-filled Epoxy pH/ATC Triode Electrode, pH 4, 7 and 10 buffers; Electrode Storage Solution; Rinse Solution Pouches; Hard Carry Case; HH Meter Armor with Stand and Electrode Holders

pH	Range:	-2.000 to 20.000
	Resolution:	0.1, 0.01, 0.001
	Relative Accuracy:	± 0.002
Temp	Range:	23° to 221°F (-5° to 105°C)
	Resolution:	0.1
	Relative Accuracy:	± 0.1°C
mV	Range:	±2000.0
	Resolution:	0.1
	Relative Accuracy:	± 0.2mV or 0.05% (greater)
Relative Humidity:		5 to 85% Non-Condensing

Cat. No.	Description	Price
M111357	Meter only	\$520.00
M111358	Meter Kit with ROSS Electrode	1,020.00

Karl Fischer Volumetric Titrator for Moisture Determination

Range of Titratable

Water Content: 100 ppm to 100%
Interface: BNC, PC, USB, RS232, Parallel Port, Stirring Connection, VGA, PS/2

Titration Vessel: Conical w/ operating vol. between 50-150 ml

Clip-Lock™ Exchangeable

Burette System: Syringe: 5 mL precision ground with Teflon plunger
Dosing Pump: 40,000 Step (0.125 µl Resolution)
Dispensing Tip: Glass, fixed position, anti-diffusion
Valve: Motor-driven 3/2-way, Teflon liquid contact material
Tubing: Teflon with light block and thermal jacketing

Mixing System: Optically regulated, digital, magnetic stirring 200-2000 RPM with 100 RPM resolution

Solvent Handling System: Add or remove solvent without opening cell

GLP Conformity: Data storage & printing capabilities

Operating Environment: 10° to 40°C (50° to 104°F), up to 95% RH

Dims. (WxDxH): 15.3 x 13.8 x 14.9 in. **Wgt.** 22 lbs.

Features:

- Auto Pre-Titration Conditioning & Background Drift Correction
- Dynamic closing with optional pre-dispensing rate
- Results displayed in units: %, ppm, mg/g, µg/g, mg, µg, mg/ml, mg/pc, µg/pc
- Digital magnetic stirring system with optical feedback
- Conical titration cell facilitates mixing over a wide vol. range
- Dual platinum pin polarization electrode for bivalent indication

- Ideal for food/beverage, pharmaceuticals, cosmetics, chemical/petrol mfg & solvents
- 7.5 in. Color LCD & keypad
- Up to 100 titration methods
- Fully customizable methods to suit any application



- Titration graph can be displayed on-screen and saved
- Compatible with most major titrant and solvent brands
- Clip-Lock™ exchangeable burette system enables users to exchange reagent burettes quickly; glass anti-diffusion dispensing tip
- Sealed solvent system: low drift rate values improve reproducibility
- Flexible and accurate detection of the titration endpoint
- Precision titrant delivery system; Proper mixing of titrant & analyte
- Upward dispensing ensures rapid reaction
- Intuitive user interface(USB port) / Balance interface via RS232

M111060	Karl Fischer Volumetric Titrator	\$5,900.00
---------	----------------------------------	------------

Fax: 908-561-3002

The LabMart™

Pinnacle Chek-Mite™



buy me because
I am the most advanced low cost pen with
replaceable electrodes out there!

- 2 point calibration, Features manual or auto-calibration, auto-buffer recognition
- **M102494** has auto temp. compensation
- **M102492** has a manual hold button that freezes display
- **M102493**, **M102494** and **M102495** have Automatic End Point sensing (display holds the stable reading)
- **M102495** has BNC connector for standard BNC electrode
- Battery (incl.) 500 hrs; waterproof case that float
- **WARRANTY**; 1 YR on Meter and 6 MONTH on Probe

Specifications:

Range: 0 to 14 pH **Resolution:** 0.01pH **Wgt:** 6 oz.

Cat. No.		Accuracy (pH)	Price
M102492	Direct Reading	±0.2	\$61.95
M102496	Replacement Electrode for 102492		38.85
M102493	With Display Hold	±0.04	79.80
M102497	Replacement Electrode for 102493		46.20
M102498	Replacement Electrode for 102494		52.50
M102495	BNC (electrode not included)	±0.04	91.35
M102292	Replacement Electrode for 102495		58.97

Soaker Bottles



- Prolongs electrode life
- Protects against breakage
- Your electrode is protected against damage while bulb is kept wet and ready for immediate use
- Use with a 9 or 12mm dia. electrode

Cat. No.	Description	Price
M127750-01	Soaker Bottles, 9 mm	\$17.32/2
M127750-02	Soaker Bottles, 12 mm	17.32/2

ISFET pH Meter, pocket size



- Measures a single drop size sample
- Advanced, virtually unbreakable, ISFET silicon chip, pH sensor provides stable readings in seconds and eliminates the problems of the delicate glass sensors
- Stores dry and needs no maintenance; easy to clean
- Auto temperature compensation for increased accuracy
- Replaceable KCl gel filled reference electrode; with the retention of calibration after shutoff
- **Features:** Auto off, error messages alert, low battery or incorrect calibration
- **Includes:** replaceable reference electrode, and batteries
- MiniLab™ pH Series
- 1 YEAR WARRANTY

- **M101873 & M110699** - auto buffer recognition (pH4, pH7, pH10) with 1, 2, 3 -point, calibration for high accuracy (±0.1 pH)

System includes pH meter, case, calibrating buffers & manual.
Optional nylon holster (101875) securely holds meter & calibrating

Cat. No.	Calibration	pH Range	Resolution	Price
M101872	1 Point	2.0 to 12.0	0.1 pH	\$349.40
M101873	1, 2 or 3 Point	2.0 to 12.0	0.1 pH	437.18
M110699	1, 2 or 3 Point	2.00 to 12.00	0.01 pH	524.97
Accessories				
M101874	Replacement Reference Electrode			\$158.24
M101876	Calibration Kit for 101872			24.83
M101877	Calibration Kit for 101873			38.38

pH PenTESTER, pHep® 4 & 5®



- Dual display shows pH & Temp. in °C or F°
- 1 or 2 point calibration with auto recognition of both standard and NIST buffer sets
- Stability indicator / hold feature prompts user when to take reading; display freezes for easy/accurate recording
- Stainless steel probe for fast, precise temperature measurement
- Replaceable pH electrode with an extendable junction
- Automatic temperature compensation
- Battery level check for proper measurements
- Waterproof casing floats
- **WARRANTY:** 1 YR on tester, 6 MONTH on Electrode
- Dims./Wgt.: 163 x 40 x 26 mm / 100g

Supplied complete with protective cap, electrode removal tool, batteries (300 hrs) and instructions.

Specifications:	M104426	M104427
Range:	pH -2.0 to 16.0	-2.0 to 16.0
Temp.	-5.0° to 60°C / 23° to 140°F	
Resol.:	pH 0.1	0.01
Temp.	0.1°C / 0.1°F	0.1°C / 0.1°F
Accuracy	pH ±0.1	±0.05
Temp.	±0.5°C (±1°F)	
Environment:	-5 to 50°C (23 to 122°F); RH max 100%	

Cat. No.		Price
M104426	pHep® 4	\$85.00
M104427	pHep® 5	97.00
M104428	Replacement Electrode	47.00

Want special offer? Register & subscribe online

pH

pH Fix Indicator Sticks



- Easy, quick read
- Dyes guarantee sharp pH differentiation
- Dye will not contaminate sample
- Enables measurements even in weakly buffered or strongly alkaline solutions
- Chemically bound to a cellulose fiber to prevent bleeding
- Simple application, 4 different indicator regions per test strip

Cat. No.	Range	Graduation	Price/Pk
M365580PH-FIX	0.0 - 14	1.0	\$19.23/100
M365580-01	0.0 - 6.0	0.5	17.69/100
M365580-02	4.5 - 10	0.5	17.69/100
M365580-03	7.0 - 14	0.5	17.69/100
M365580-04	0.3 - 2.3	0.3/0.4	17.69/100
M365580-05	1.7 - 3.8	0.3	17.69/100
M365580-06	3.6 - 6.1	0.3/0.5	17.69/100
M365580-07	5.1 - 7.2	0.3	17.69/100
M365580-08	6.0 - 7.7	0.3/0.4	17.69/100
M365580-09	7.5 - 9.5	0.2/0.4	17.69/100
M365580-10	7.9 - 9.8	0.2/0.4	17.69/100

Color pHast® pH Strips



- Easily obtains an accurate measurement of weakly buffered or dark turbid solutions
- Will not contaminate or add impurities to solutions
- Individual units are sold at 100 strips/pack, 6 packs/case
- ColorpHast® Store contains:
 - 13 packs, covering the entire pH range of 0 - 14pH
 - One pack of 0-2.5, 2.6-4.5, 4.0-7.0, 6.5-10.0, 11.0-13.0 ranges.
 - Two packs of 0-6.0, 5.0-10.0, 7.5-14.0, 0-14.0 ranges.

Cat. No.	pH Range	Sensitivity	pH Units	Price/Cs
Universal Range: 4 Squares of Different Indicators on Each Strip				
M400010	Universal	0 - 14.0	0.5	\$104.87/6
Intermediate: 3 Squares of Different Indicators on Each Strip				
M400030	Intermediate	0.0 - 6.0	0.3 - 0.5	\$175.66/6
M400040	Intermediate	5.0 - 10.0	0.3 - 0.5	175.66/6
Narrow: 2 Squares of Different Indicators on Each Strip				
M400070	Narrow	2.5 - 4.5	0.2 - 0.3	\$101.94/6
M400080	Narrow	4.0 - 7.0	0.2 - 0.3	110.88/6
M400090	Narrow	6.5 - 10.0	0.2 - 0.3	104.88/6
M400100	Narrow	11.0 - 13.0	0.2 - 0.3	183.99/6
M400110	ColorpHast® Store (13 Packs)			\$165.13/1

Fax: 908-561-3002

The LabMart® pH Ref. Buffers



- Meets N.I.S.T. standards
- Accuracy ± 0.01 at 25°C
- Standardized against certified pH solution
- Shelf life of 2 years for 4.00 & 7.00; 18 months for 10.00
- 500ml Polybottles
- M106499 has one each of 4, 7 and 10

Cat. No.	pH	Color	Price/Ea	Price/Cs
M143561	4.00	Red	\$12.77	\$67.08/6
M143562	7.00	Yellow	12.77	67.08/6
M143563	10.00	Blue	12.72	67.08/6
M106499		Assortment		\$34.95/3

Cubitainer and Poly Bottle

- Same Buffer as above
- Choose from a Poly bottle or Cubitainer®



Cubitainer




Poly Bottle

Cat. No.	Size	Packaged	Price/Ea
pH 4.00 Red			
M106828	1 L	Poly Bottle	\$75.15
M106829	4 L	Poly Bottle	69.23
M106487	10 L	Cubitainer®	161.75
M106488	20 L	Cubitainer®	187.44
pH 7.00 Yellow			
M106830	1 L	Poly Bottle	\$81.83
M106831	4 L	Poly Bottle	69.23
M106526	10 L	Cubitainer®	138.83
M106527	20 L	Cubitainer®	165.80
pH 10.00 Blue			
M106832	1 L	Poly Bottle	\$81.55
M106833	4 L	Poly Bottle	69.23
M106528	10 L	Cubitainer®	135.70
M106529	20 L	Cubitainer®	181.64

The LabMart™

51

Economical pH/mV Meter



- Displays the parameter being measured along with time, date & temp. (in °C or °F)
- Automatic or manual temp. compensation, ranging and buffer recognition
- Digital and analog outputs
- Min/Max and 99 data points w/ data hold
- Five calibration points with electrode status indication

- Rugged housing with large LCD
- Operates on AC voltage (no batteries)
- Accepts any pH or ORP probe with standard BNC connector
- RoHS compliant, CE
- 5 YEAR WARRANTY

Specifications:

pH	Range:	0 to 14
	Resolution:	0.01
	Accuracy:	± 0.02
Temp	Range:	23° to 176°F (-5° to 80°C)
	Resolution:	0.1
	Accuracy:	± 0.9°F (±0.5°C)
mV/ORP	Range:	-199.9 to 199.9
	Resolution:	0.1 mV; -199.9 to 199.9 otherwise ±1mV
	Accuracy:	0.2 mV; -199.9 to 199.9 otherwise ±2mV
Dims.: 8 1/2 x 6 1/2 x 2 1/4 in. (217 x 168 x 58 mm); Wgt: 18 oz. (533g)		

Cat. No.	Description	Price
M111045	pH / mV Meter	\$362.00

Colorimeters, Checker^{HC}

buy us because We bridge the gap between simple chemical test kits (which are not very accurate & only give 5 to 10 points resolution) & professional instrumentation (which cost hundreds of dollars & are time consuming to calibrate / maintain.)

single
button
operation
zero unit, add
reagent, place vial
in unit, press button
& read results



- Dedicated to a single parameter with large, easy-to-read digits
- Contoured style fits in the palm of your hand or safely in pocket
- Rapid results, easy to use & more accurate than chemical test kits
- Works with HANNA's powder reagents & 10 mL glass cuvettes; includes 6 powder reagents & 2 cuvettes (accessories available)
- Environment:** 0 to 50°C (32 to 122°F); RH max 95% non-condensing
- Battery:** (1) 1.5V AAA included / auto shutoff @ 2 min.
- Dim.:** 3.2 x 2.4 x 1.5" in., 2.25 oz.

Phosphate

- Ideal for natural, waste and drinking waters
- Uses an adaptation of Standard Method 4500-P E
- Range:** 0.00 to 2.50 ppm (mg/L) **Resol.:** 0.01 ppm (mg/L)
- Accuracy:** ±0.04 ppm (mg/L) ±4% of reading @ 25°C



Chlorine

- Ideal for pools / spas, fruit and vegetable sanitation, disinfection, drinking water and quality control checks
- Avoid serious health and safety risks
- Uses EPA approved DPD method Standard Method 4500-Cl G
- Range:** Free 0.00 to 2.50 ppm (mg/L)
Total 0.00 to 3.50 ppm (mg/L)
- Resol.:** 0.01 ppm (mg/L)
- Accuracy:** 3% of reading ±0.03 ppm (mg/L) @ 25°



For more parameters such as Iodine, Iron, etc. please call
1-800-684-1234 or visit us at www.labmart.com

M111048	Phosphate Colorimeter	\$62.90
M111049	Free Chlorine Colorimeter	62.90
M111050	Total Chlorine Colorimeter	62.90

Electrodes with BNC Connectors, The LabMart®

- Bulb-type have 95% response in 1 second
- For US Standard Connectors, please call
- Shipped in solution for guaranteed long term storage

Economy Epoxy Body

Application: Gen. Purpose, lab field work
Reference: Sealed, single junction
M102292 9D x 90L mm \$58.97

Application: Gen. Purpose, lab field work
Reference: Sealed, single junction
M102499 9D x 120L mm \$56.16

Glass Body pH

Application: General Purpose, Lab test tube or small volume; micro
Reference: Sealed, single junction
M109002 6D x 150L mm \$116.40

Application: General Purpose, Lab use
Reference: Sealed, single junction
M109001 12D x 150L mm \$74.00

Application: General Purpose, Lab use
Reference: Refillable, single junction
M104526 12D x 150L mm \$85.20

- Low cost replacements
- Guaranteed Quality
- pH range: 0-14; Temp. range: 0-100°C
- 1 YEAR WARRANTY

Epoxy Body pH

Application: Small volume samples or test tubes
Reference: Sealed, single junction
M109003 6D x 150L mm \$110.08

Application: General Purpose, lab or field work
Reference: Sealed, single junction
M109000 12D x 150L mm \$71.60

Application: Large flasks, beakers or reactors
Reference: Sealed, single junction
M109004 9.5D x 300L mm \$76.00

Application: Food, soil, viscous samples such as agar, gelatin, flat surface
Reference: Sealed, double junction
M109005 6D x 150L mm \$126.00

Application: Meats, poultry, cheeses
Reference: Sealed, double junction
M102963 6D x 150L mm \$109.80

ORP

Application: General Purpose, lab or field
Electrode: Epoxy, platinum tip
Reference: Sealed, single junction
M109006 12D x 150L mm \$90.00

3-in-1 pH/Temp. Epoxy Bulb

Application: For ORION EA/SA Series
Electrode: BNC for pH, Banana plug x2 for temperature
Reference: Sealed, single junction
M109008 12D x 150L mm \$127.20

Application: For ORION A Series and HACH EC Series meters
Electrode: BNC for pH, 8-pin DIN for temperature
Reference: Sealed, single junction
M109007 12D x 150L mm \$148.82

Application: For Corning meters
Electrode: BNC for pH & phono plug for temperature
Reference: Sealed, single junction
M101061 12D x 150L mm \$145.80

Application: For Fisher/Accumet meters
Electrode: BNC for pH and sub mini phone plug
Reference: Sealed, double junction
M104524 12D x 150L mm \$145.80

Application: For JENCO meters
Electrode: BNC for pH and sub mini phone plug
Reference: Sealed, double junction
M104525 12D x 150L mm \$145.80

Want special offer? Register & subscribe online

Plasticware

Graduated Pitchers



High-Density Polyethylene (HDPE)



Polymethylpentene (PMP)

- Molded in nominal graduations in ounces and milliliters
- Rectangular handle for easy carrying and pouring
- Extra heavy wall; not for use on a hot plate
- HDPE beakers are safe for handling acids, alkalies and other dangerous solutions
- PMP beakers are transparent, autoclavable and can withstand continuous use at 150°C
- NALGENE®

Cat. No.	Cap. (ml / oz.)	Material	Price/Pk	Price/Cs
M103682	1000/32	HDPE	\$66.12/1	\$261.00/6
M103683	3000/96	HDPE	77.02/1	304.00/6
M103684	1000/32	PMP	76.00/1	300.00/6
M103685	3000/96	PMP	88.67/1	350.00/6

Low Form Griffin Beakers

- Superior chemical resistance
- Printed graduations
- Ribs for easy stacking
- Autoclavable, polypropylene
- Meets ISO/DIS 7056 accuracy standard
- NALGENE®



Cat. No.	Cap. (ml)	Price/Pk	Price/Cs
M123900	30	\$47.88/12	\$126.00/48
M123901	50	47.88/12	126.00/48
M123902	100	58.14/12	153.00/48
M123903	150	74.86/12	197.00/48
M123904	250	51.94/ 6	205.00/36
M123905	400	74.74/ 6	295.00/36
M123906	600	64.35/ 4	254.00/24
M123907	1000	60.80/ 3	160.00/12
M123908	2000	44.34/ 1	175.00/ 6
M123909	4000	76.38/ 1	201.00/ 4

Polystyrene Beakers

- Disposable
- For general use
- Excellent chemical resistance
- Withstands temperatures up to 200°F
- 150 - 1000ml have dual graduations (ml/oz)
- Sizes 5 - 50 ml are great for use with atomic absorption, flame photometers and cell counters



Cat. No.	Cap. (ml)	Price/Pk
M125005	5	\$68.13/1000
M125010	10	72.21/1000
M125020	20	67.20/ 500
M125050	50	95.10/ 500
M125150	150	45.33/ 100
M125250	250	49.53/ 100
M125800	800	102.03/ 100
M125100	1000	117.78/ 100

Polycarbonate Storage Bottle

- Radiation sterilized & rated to withstand 3 autoclave cycles (bottles)
- Store common lab solutions such as tissue culture media, serum and buffers
- Highly transparent, shatter-proof and have good alcohol resistance



- Stopped-side design that improves stability on the work surface
- Comes with SECUREgrasp™ PP caps that allow for easy uncapping, tightening, stacking and labeling



Cat. No.	Volume	Price/Cs
M111030	250 ml	\$137.00/24
M111031	500 ml	176.00/24
M111032	1000 ml	235.00/24

Tri-Pour Beakers

- Graduated easy-to-read markings are accurate to ±5%
- 3 Drip-less pouring spouts
- Withstands temp. up to 250°F (121°C)
- Polypropylene beakers are unaffected by most commonly used acids, alkalies and solvents, disposable
- Polycoated caps with lift tabs available



Cat. No.	Cap. (ml)	Grad. (ml)	Ht. (mm)	Dia. (mm)	Price/Cs
M127130-50	50	5	55	44	\$38.06/100
M127130-100	100	10	73	53	43.05/100
M127130-250	250	10	90	72	64.98/100
M127130-400	400	20	110	80	69.67/100
M127130-800	800	50	134	107	89.48/100
M127130-1L	1000	50	147	112	98.78/100
M341234	Variety Pack (Contains 5 of Each Size)				52.50/ 30

Tall Form Pitchers

- Ideal for general lab use
- Metric graduations are molded and printed on outside
- Large comfortable handles
- Pour spout for use with wet or dry material
- Shatterproof/chemical resistant



Polymethylpentene (TPX)

- Crystal-clear to view contents
- Heat resistant up to 177°C (350°F)

- Polypropylene
- Hand grip at base for greater control, molded handle
- Printed graduations
- Steam autoclavable

Polypropylene



Cat. No.	Cap. (ml)	Top ID (in)	Ht. (mm)	Price/Cs
M152250-00	500	3.2	5.3	\$12.49
M152250-01	1000	4.1	6.6	16.73
M152250-02	2000	5.3	8.1	27.71
M126400-250	205	2.5	4.7	\$5.86
M126400-500	500	3.2	5.3	6.51
M126400-1000	1000	4.1	6.6	9.35
M126400-2000	2000	5.3	8.1	10.63
M126400-3000	3000	6.0	9.1	14.75
M126400-5000	5000	7.4	10.8	47.10

Bulk Leak Proof Bottles



- Guaranteed leak-proof
- Economical, single-use bottles
- Can withstand cold temperatures
- Excellent for field sampling in the environmental market
- Durable HDPE, Natural color
- NALGENE®

Cat. No.	Cap. (ml / oz.)	Closure Size (mm)	Price/Cs
Narrow Mouth			
M125280	125/4	24	\$462.56/500
M125281	250/8	24	333.76/250
M125282	500/16	28	247.52/125
M125283	1000/32	38-430	155.68/ 50

Wide Mouth			
M125284	125/4	38	\$520.80/500
M125285	250/8	43	394.24/250
M125286	500/16	53	286.72/125
M125287	1000/32	63	187.04/ 50

Wide Mouth Transportation Bottles



- Meets U.S. Department of Transportation IP2 regulation
- Guaranteed leakproof
- Safe, durable and cost-efficient
- HDPE
- NALGENE®

Cat. No.	Cap. (ml)	Price/Pk	Price/Cs
M127115	125	\$51.08/12	\$201.60/72
M127116	250	76.90/12	303.53/72
M127117	500	95.20/12	280.00/48
M127118	1000	83.85/ 6	220.64/24

HDPE Wide Mouth Rectangular Bottles



- Requires less shelf space than Boston Round bottles
- Wide-mouth design is excellent for storing and dispensing
- Guaranteed leakproof closures
- HDPE bottle with a PP screw closure, suitable for long term storage
- NALGENE®

Cat. No.	Capacity	Closure Size	Price/Pk	Price/Cs
M101081	4 oz.	28 mm	\$37.17/12	\$46.22/72
M101082	8 oz.	38 mm	53.91/12	212.81/72
M101083	16 oz.	48 mm	83.85/12	220.64/48
M101084	32 oz.	53 mm	97.04/ 6	255.36/24
M101085	64 oz.	63 mm	107.26/ 4	211.68/12

Wide Mouth Square Bottles



- Ideal for transport and long-term storage
- Square shaped design allows for tight and neat side by side packing
- PE construction and comes with PP caps
- Dual cap seal: comes with a plastic plug insert that provides additional leak resistance
- Translucent, graduated and chemically resistant to most acids, bases and alcohols
- Food grade

Safety Labeled Wash Bottles



- Wide mouth bottles are color-coded and leakproof
- Instant recognition, informative labeling
- 53 mm wide polypropylene closure w/ a leakproof design
- LDPE bottles are for dispensing use only, not for storage

- Scienceware®
- Easy to read, LDPE solvent resistant printed bottles include: Depart. of Transportation (DOT), National Fire Protection Association (NFPA) codes and symbols, Chemical Abstract Service (CAS) numbers, protective equipment symbols and target organ information making your workplace a safer environment.

Description	500 ml	Price/Bx	Price/Pk	1000 ml	Price/Pk
Acetone	M135102	\$18.50/2	\$50.02/6	M135129	\$65.70/6
Dichloromethane	M135114	20.30/2	62.23/6		
Deionized Water	M135128	18.50/2	50.02/6		
Distilled Water	M135124	18.50/2	50.02/6	M135138	65.70/6
Ethanol	M135106	18.50/2	50.02/6	M135135	65.70/6
70% Ethanol	M135123	18.50/2	50.02/6		
Ethyl Acetate	M135109	18.50/2	50.02/6		
Isopropanol	M135104	18.50/2	50.02/6	M135133	65.70/6
Machine Oil	M135116	18.50/2	50.02/6		
Methanol	M135103	18.50/2	50.02/6		
Methyl Ethyl Ketone (MEK)	M135110	18.50/2	50.02/6	M135130	65.70/6
Saline Solution	M135121	18.50/2	50.02/6		
Soap	M135108	18.50/2	50.02/6		
Sodium Hypochlorite (Bleach)	M135107	18.50/2	50.02/6		
Toulene	M135105	18.50/2	50.02/6		
Unlabeled	M135136	18.50/2	50.02/6	M135137	32.31/3
Water	M135101	18.50/2	50.02/6		
Variety Pack	M135100		50.02/6		

Accessories

M135118	6 x 500 ml Wash Bottle Carrier	\$41.34
---------	--------------------------------	---------

Spry Mist Dispenser



- Trigger-type operation to project fine mist with large pattern
- Chemically resistant polypropylene trigger assembly and HDPE bottle
- Easy to clean valve and intake, stainless steel strainer
- Excellent for all thin liquids

Cat. No.	Cap. (ml)	Price/Pk	Price/Cs
M129511-00	16	\$32.40/4	\$177.46/24
M129511-01	32	39.95/4	218.83/24

Want special offer? Register & subscribe online

Plasticware

HDPE Wide Mouth Bottles

- Guaranteed leak-proof
- High-density polyethylene, with a PP screw cap
- Durable, general purpose bottle with countless applications
- Translucent, more rigid than LDPE
- Wide mouth makes it easy for dry materials or liquids to be transferred
- NALGENE®



Cat. No.	Cap. (ml)	Price/Ea	Price/Cs
M129505-02	2 / 60	\$35.75/12	\$141.12/72
M129505-04	4 / 125	42.85/12	169.13/72
M129505-08	8 / 250	64.70/12	255.36/72
M129505-16	16 / 500	86.83/12	228.48/48
M129505-32	32 / 1000	79.17/ 6	208.32/24
M129505-48	48 / 1500	89.38/ 6	235.20/24
M129505-64	64 / 2000	26.53/ 1	104.72/ 6
M129505-28	128 / 4000	37.74/ 1	148.97/ 6

Precleaned Wide Mouth Bottles

- Excellent for soil, sludge, & sediment samples
- Translucent and leakproof HDPE
- Meets the EPA's Performance Based Specifications for metals analysis and water quality parameters
- NALGENE®, I-Chem™ 300 Series



Cat. No.	Cap. (ml)	Cap Size	Price/Cs
M104944	125	38	\$183.75/72
M104945	250	43	226.80/72
M104946	500	53	182.70/48
M104947	1000	63	135.45/24

Sterilizing & Cleaning Trays

- Seamless polypropylene
- Lightweight, corrosion proof
- Tapered edges for nesting
- Autoclavable at 121°C
- Lids sold separately



Cat. No.	L x W x D (in.)	Price
M461040	12 x 7 ³ / ₄ x 5 ¹ / ₈	\$21.22
M461041	19 x 10 ¹ / ₂ x 5 ¹ / ₈	31.05
M461042	20 ¹ / ₄ x 15 ¹ / ₂ x 5	42.90
M461043	15 ¹ / ₄ x 12 x 7 ⁷ / ₈	31.68

Laboratory Trays



- Non-corrosive, molded in polypropylene
- Multipurpose tray can be used for sterilizing or drying glassware, porcelainware or other lab instruments
- Tapered walls
- Steam autoclavable

Cat. No.	Dimensions	Price
M107636	17 ³ / ₄ x 13 ³ / ₄ x 3	\$40.82
M109476	14 ³ / ₄ x 11 ³ / ₄ x 3	25.45

Squat Form Cylinders, Azlon

- Squat design for increased stability on the bench & ease of handling
- Self-draining base eliminates water collection during washing - thereby removing all spill re-wetting and contamination issues
- Highly visible molded blue over printed graduations
- High clarity polypropylene construction: safe, unbreakable w/ good chemical and temp. resistance
- Anti-suction base allows user to work on wet surfaces
- Good for mixing and a space saver



buy me because
I have a lower form that requires less overhead space.
I am ideal for fume hoods

Cat. No.	Cap. (ml)	Grad. (ml)	Tol. (±ml)	Hgt. (mm)	Price/Cs
M110692	100	2.0	2.0	160	\$62.93/5
M110693	250	5.0	5.0	190	16.83/1
M110694	500	10.0	10.0	215	21.77/1
M110695	1000	20.0	20.0	282	28.48/1

'Class A' Graduated Cylinder

- Twice the accuracy of other plastic cylinders with the accuracy of glass
- Meets ISO 6706 and ASTM E1272 Class A requirements
- Molded of clear TPX (polymethylpentene)
- Large easy to read graduations
- Autoclavable (may effect accuracy)
- Resistant to alcohols, bases & acids




Cat. No.	Cap. / Grad(ml)	± Tol. (ml)	Price/Ea	Price/Cs
M107635	10 / 0.20	0.10	\$14.88	\$148.80/12
M102559	25 / 0.25	0.25	17.60	175.98/12
M101196	50 / 1	0.50	22.26	222.54/12
M101197	100 / 1	0.50	27.87	294.30/12
M101198	250 / 2	1.00	36.50	182.52/ 6
M101199	500 / 5	2.50	23.62	119.91/ 6
M101221	1000 / 10	5.00	56.34	253.52/ 6
M101222	2000 / 20	10.00	92.00	207.00/ 3

UpperLowerCase

PP Single Scale Graduated Cylinders

- Single scale with raised numerals for easy reading
- Flared top rims and large spouts facilitate pouring
- Hexagon-shaped bases provide stability
- PP surface eliminates concave meniscus and makes reading easier and more accurate
- Chemically resistant and autoclavable at 121°C
- Scienceware®



Cat. No.	Cap. (ml)	Price/Ea	Price/Cs
M109103	10	\$4.77	\$100.37/24
M109104	25	5.81	122.40/24
M109105	50	7.50	78.95/12
M109106	100	9.24	97.31/12
M109108	250	10.34	108.94/12
M109109	500	14.18	74.67/ 6
M109118	1000	19.87	104.66/ 6
M109119	2000	36.01	126.48/ 4

Fax: 908-561-3002

The LabMart™

Weighing Bottles, PP



buy me becauseI am economical - compare me to glass.

- Reduces the tare weight correction
- Airtight push on lids included
- Highly resistant to acid attack
- No internal shoulders eliminates use of spatulas
- Tops can be squeezed to assist pouring
- Light weight, reusable and translucent
- Autoclavable (remove lid)

Cat. No.	Cap.	O.D.	Height	Price/Pk
M110711	20 ml	40 mm	29 mm	\$71.85/10
M110712	23	30	48	72.91/10
M110713	30	49	29	73.81/10
M110714	50	59	34	83.43/10
M110715	60	40	69	85.68/10
M110716	190	59	88	104.47/10
M110717	360	70	118	125.37/10

Dispensing Jugs & Shelf



Jugs

- Sturdy HDPE w/ rounded corners, strong handles & a bottom grip for pouring
- Allow convenient storage of large volumes of liquid for dispensing
- Jugs lay on their side with spigots that overhang the edge of a table or rack
- Air vents w/ snap closure prevent clogging

Shelf

- Rugged, corrosion-resistant
- Five shelves accommodates four 5 gallon jugs or eight 2.5 gallon jugs
- Bottom shelf may store spare jug or equipment

Jug Specifications:

Capacity	L x W x H (in.)	Fill Opening
2.5 gallon	15 1/2 x 6 1/2 x 9 1/4	38 mm
5 gallon	19 x 10 x 9 3/4	83 mm

LDPE spigot 1/4 turn type, extends 2 3/4 in. from the cap, and has a 1 1/4 in. long outlet tube with a diameter of 3/8 in.

Rack Specifications:

Capacity:	40 lbs. Per Shelf
Dimensions:	15 1/2 x 14 in. Floor Space
	5 shelf unit is 48 in. high, 4 shelf unit is 37 in. high, 3 shelf unit is 26 in. high.

Cat. No.	Description	Price/Ea	Price/Cs
M302520-01	5 Shelf Rack	\$256.68	
M108964	4 Shelf Rack	231.68	
M108965	3 Shelf Rack	174.92	
M108963	2.5 Gallon Jug	34.20	\$351.77/12
M302520-00	5 Gallon Jug	93.80	321.60/ 4

Heavy Duty Shelf



- Ideal for dispensing kegs, large sized supplies or any item that needs organization
- Tough & super strong 4-shelved unit
- Reinforced raised shelf edges capture any spills
- Won't rust, dent, peel or chip
- Each shelf is slotted at the end for hanging tools or other items
- Over 14" clearance between shelves
- Quick and easy assembly
- Charcoal HDPE

Cat. No.	Description	(H x W x D)	Price
M100741	Huskee Structo-Shelf	55 x 40 x 18 in.	\$519.20/1
M302520-00	Dispensing Jug	5 Gal.	87.64/1
M129511-00	Spray Bottle	16 oz.	32.40/4
M129511-01	Spray Bottle	32 oz.	39.95/6

Screw Cap Specimen Containers



- Versatile, PP with PE caps can be used for almost any liquid or solid specimen
- 4 oz capacity
- "Full Turn" screw thread cap
- Guaranteed "leak proof" seal
- Meets NCCLS Specimen Handling Guidelines for primary containers
- Integrity seal to indicate sterility
- Graduated in U.S. and Metric scales

Cat. No.	Description	Price/Cs
Non-Sterile, White Cap		
M136336	Bulk	\$147.98/500
Sterile, Green Cap with an Integrity Seal		
M136337	Bulk	\$59.92/100
M136335	Individually Wrapped	114.13/100

Leaklite® Specimen Containers



- Leak proof, polypropylene
- Freezable, stackable, and graduated
- Suitable for transportation (even pneumatic tube systems)
- Cap cannot be opened without breaking security label

Cat. No.	Cap. (ml)	Description	Sterile	Price/Pk
M101458	120	With Label	No	\$191.36/ 300
M101459	120	With Security Label	Yes	208.80/ 300
M101460	90	Wide Mouth, w/ Label	No	201.60/ 400
M101461	90	Wide Mouth, w/ Sec. Label	Yes	202.50/ 400
M101462	90	With Label	No	207.00/ 400
M101463	90	With Security Label	Yes	222.75/ 400
M101464	60	With Label	No	221.40/ 500
M101465	60	With Security Label	Yes	248.90/ 500
M101466	40	No Label, Cap Not Affixed	No	228.80/ 600
M101467	20	No Label, Cap Not Affixed	No	293.00/1000

Disposable Specimen Containers



- Low cost
- PP, durable, translucent and unbreakable
- Resists acids, bases, most organic solvents and common lab reagents
- Dual graduations in increments of 20 ml and 1 oz
- Non-sterile for general use
- Please order snap cap lids separately
- Note: Not guaranteed leak proof

Cat. No.	Description	Price/Cs
M136004	4 1/2 oz., Without Lid	\$86.13/500
M136008	8 oz., Without Lid	99.10/500
M136000	Snap Cap Lids for Above	71.55/500

Want special offer? Register & subscribe online

Plasticware

Frosted Screw Cap Specimen Cups

- Great for any type of sample
- Available in sterile or non-sterile, with or without caps
- Graduated in cc, ml and oz
- Capacity of 4 1/2 oz
- Screw cap provides odor proof closure
- Frosted area on cap and cup for labeling



Description	Cat. No.	Price/Pk	Cat. No.	Price/Cs
Sterile				
Banded			M136326	\$101.33/200
Individually Wrapped	M136322	80.92/100	M136321	136.12/200
Non-Sterile				
Cups & Caps, Packed Separately			M136325	\$165.33/500
Cups Only			M136323	94.08/500
Caps Only			M136324	66.50/500

Straight Side Jars

- Good for long term storage, but avoid direct UV exposure
- Polypropylene with screw closure
- Repeatedly autoclavable, with excellent resistance
- NALGENE®

Note: Before autoclaving, completely remove cap or closure and set on top of the container at an angle without engaging the threads.



Cat. No.	Cap. (oz. / ml)	Price/Pk	Price/Cs
M129000	1 / 30	\$38.87/12	\$153.44/72
M129001	2 / 60	41.20/12	108.42/48
M129002	4 / 125	64.70/12	127.68/36
M129003	8 / 250	41.15/ 6	162.41/36
M129004	16 / 500	61.72/ 6	162.40/24
M129005	32 / 1000	88.10/ 6	231.84/24

PE Containers with Lids

- Economical enough to be disposable yet tough enough to be reused
- Resists freezing and boiling
- Available in opaque or translucent polyethylene
- Tight fitting lids



Cat. No.	Cap. (oz. / ml)	Dia. x H (in.)	Price/Cs
High Density Polyethylene (Opaque)			
M102780	4 / 120	3 5/8 x 1 1/4	\$162.31/250
M136300	7.5 / 250	2 3/4 x 2 3/4	156.66/250
M136301	16 / 500	2 3/4 x 3 5/8	76.94/100
M136302	32 / 1000	3 5/8 x 4 5/8	128.16/100
M136303	64 / 2000	3 1/2 x 6	120.23/ 50
M136304	165 / 5000	7 3/4 x 8 1/4	114.25/ 25
High Density Polyethylene (Translucent)			
M136101	7.5 / 250	2 3/4 x 2 3/4	\$155.91/250
M136102	16 / 500	2 3/4 x 3 5/8	80.18/100
M136103	32 / 1000	3 5/8 x 4 5/8	127.30/100
M136104	64 / 2000	5 1/2 x 6	111.69/ 50
M136105	165 / 5000	7 3/4 x 8 1/4	121.70/ 25

FDA Approved Screw Top Pail

- Ideal for storing bulk goods, chemicals, samples or foods
- Made from HDPE, will not crush
- Locks with a few taps of a hammer
- Locks and re-locks without fail
- Use for dry or liquid materials
- Seals out moisture and contamination
- Meets EPA or FDA regulations
- DOT35 approved & child resistant



Cat. No.	Cap. (gal.)	I.D. Top (in.)	I.D. Bottom (in.)	Ht. Pail Only (in.)	Price/Cs
M130800	1	7.50	6.63	7.94	\$127.44/6
M130801	2	9.02	8.26	9.10	190.46/6
M130802	3.5	11.25	10.26	10.87	228.61/6
M130803	5	11.25	10.26	14.53	169.56/4
M100740	6	11.25	10.26	17.00	179.47/4
M140743			Pail Opener		55.00

Sample Collection System Sterile

- Kit includes white scoop (2 oz.) and twirl-type sterile bag
- Large label area for sample identification
- Seals tightly
- Individually sterilized in a PP bag



Cat. No.	Description	Price/Cs
M102293	Scoop and Bag	\$104.76/50

Scoop Spatula

- 6 1/2" stainless steel blade
- One pointed end and one blunt end
- Curved shape allows for total transfer of materials



Cat. No.	Description	Price/Cs
M107668	Scoop Spatula	\$11.97/4

Sample Processing Centrifuge Bottles

- Process samples for cell suspensions, cell lysates, tissue homogenates & organ homogenates
- Feature thick walls that hold up to reuse
- Choice of screw cap for low speeds or leakproof sealing cap for high speeds; sealing cap offers built-in grips on caps



- Choice of autoclavable, crystal clear polycarbonate or chemical resistant opaque polypropylene
- High visibility graduations and a frosted area for labeling
- Wide mouth for easy filling / pouring; non sterile

Cat. No.	Size x RCF	Dim. (in)	Type	Price/Cs
Polypropylene				
M111022	250ml x 8,250	2.32 x 5.01	Screw	\$271.48/36
M111023	250ml x 27,500	2.32 x 5.01	Seal	671.22/36
M111024	500ml x 8,250	2.68 x 6.61	Screw	254.37/24
M111025	500ml x 13,500	2.68 x 6.61	Seal	588.80/24
Polycarbonate				
M111026	250ml x 8,250	2.32 x 5.01	Screw	\$457.02/36
M111027	250ml x 13,700	2.32 x 5.01	Seal	769.12/36
M111028	500ml x 8,250	2.68 x 6.61	Screw	483.53/24
M111029	500ml x 13,850	2.68 x 6.61	Seal	628.94/24

Fax: 908-561-3002

The LabMart™

Refractometers



"PEN" Refractometer, PEN-PRO

buy me because

of my continuous measurement feature - takes measurements every second.



Specifications

Brix: Range: 0 - 85% **Resol.:** 0.1% **Accuracy:** $\pm 0.2\%$
Sample Temp.: 10 - 100°C ATC
Power: 1 AAA battery
Dims. (WxDxH): 16 x 3.8 x 1.8 cm / **Wgt:** 70g (main unit)

- Measure hot samples while cooking, such as soups and sauces
- Non-homogenous samples, stir sample while taking measurement
- Extremely water resistant: PEN / IP65, Prism head / IP67
- External Light Interference (ELI) - warns of direct light which can alter your reading, (Patent Pending)
- Automatic Temp. Compensation (ATC) Calibrate with water
- Measures 2 ways - 1) dip tip into the sample / press START key.
- 2) press START key and touch the tip into the sample
- Measurement in 2 seconds, one handed operation
- Easy to clean, digital LCD, includes case, patent pending

M111012

Pen Pro

\$544.84

Brix Refractometers Atago "Master" Series

buy us becausewe are easy to read & hold for smooth sampling.



Low Range Units: 0.0 - 33.0%

Measure: Sugar content of fruits, juices and drinks.

Calibrate: with M110629 or M110630

Mid Range: 28.0 - 62.0%

Measure: spreads, variety of sauces, soy sauce, low-sugar jams seasonings in liquid form,

Calibrate: with M110630 or M110631

- Allows for easy disposal of sample from the edge
- Well balances structure with a streamline body
- Improved hygiene aspect with textured grip
- E.L.I. warning (External Light Interference) is displayed when intense direct light is detected, allows you to shade sample for accurate reading
- ATC function (Auto Temp. Compensation) (not on all units) allows readings regardless of the ambient temperature
- ASD function (Auto Sample Distribution) - sample covers prism without having to lift day-light plate (all units)
- Choose a unit that is equipped with both ATC and IP65 at same time or a conventional ATC only or manual ATC
- IP65 rated (except eye piece)
- All models include protective storage case & batteries
- 1 YEAR WARRANTY

Optional Accessories:

- Daylight plate for small volume sampling
- Sucrose solution

Specifications

ATC: Accuracy: $\pm 0.2\%$ **Resol.:** $\pm 0.1\%$ **Repeat.:** $\pm 0.01\%$
Sample Size: 2 - 3 Drops
Min. Scale: 0.2%
Dims. (WxDxH): 3.3 x 3.3 x 20.4 cm / **Wgt:** 160g

Cat. No.	Temp. °C	ATC	IP65	Price
Low Range: 0.0 to 33% Brix				
M110281	10 - 30	Yes	Yes	\$325.65
M110280	10 - 30	Yes	No	244.24
M108949	-	Manual	No	212.93
Mid Range: 28.0 to 62.0% Brix				
M110283	10 - 40	Yes	Yes	\$325.65
M110282	10 - 40	Yes	No	244.24
M384000-01	-	Manual	No	212.93

Accessories:

M110629	10% Sucrose Solution, 5 ml	\$33.40
M110630	30% Sucrose Solution, 5 ml	33.40
M110631	50% Sucrose Solution, 5 ml	33.40

Economical Refractometers The Lab Mart®



The LabMart® brand refractometers are commonly used in the beverage industry to measure sugar concentration in samples. They are routinely used by processors and quality control managers to monitor the concentration of dissolved sugar solids in food products such as fruit juices, soft drinks, wine, beer, and or other liquid samples.

buy us becausewe are easy on your budget.

- Auto. Temp. Compensation (ATC) eliminates need for manual zeroing to compensate for ambient temperature fluctuations
- Zero calibration is achieved with a simple screw adjustment when reading a distilled water sample
- Large glass prism and translucent blue background produce simple, repeatable measurements
- Sharp, easy-to-read scale and fine graduations
- Replaceable Daylight plates are hinged with metal pins
- All-metal body to ensure long life
- 1 YEAR WARRANTY

Specifications

Range: 50-86°F (10-30°C)
Sample Size: 2 - 3 Drops

With ATC	Price	No ATC	Price	Range	Res.
Brix Refractometers					
M100748	\$250.00	M103290	\$220.00	0 to 10%	0.1%
		M100749	220.00	0 to 18%	0.2%
M103152	250.00	M103151	220.10	0 to 32%	0.2%
		M103153	220.00	28 to 62%	0.2%
		M100750	220.00	45 to 82%	0.5%
		M103154	220.00	58 to 92%	0.5%

Salinity: reads in % saturation or parts per thousand NaCl and Specific Gravity

M106400	\$260.00	M103549	\$250.00	0 to 28% Sat.	0.2%
M103548	260.00			0 to 100 ppt	1 ppt
				1.000 to 1.070 Sp.Gr.	0.001 Sp. Gr.

Want special offer? Register & subscribe online

Samplers

Large Scoop

- Rectangular shape molded of rigid PP
- Excellent for scooping ice cubes
- Holds approximately 2 liters ($1\frac{1}{2}$ gallon)
- Rounded corners for easy cleaning
- Looped handle (4.5") for hanging



Cat. No.	Description	Bowl (in.)	Price/Pk
M109399	2 L	5 $\frac{1}{2}$ x 9 x 3 $\frac{1}{2}$	\$102.63/6

Long Handled Dippers, Scienceware®

- HDPE dippers for sampling from large vats or deep tanks
- Will not corrode or contaminate
- Telescopic handle (12 ft x 1 $\frac{1}{2}$ in. dia.) is attached to the bowl at a 45° angle
- Hole in handle to hang/store



Cat. No.	Handle Length (ft.)	Price
16 oz. Bowl		
M215715-00	3	\$56.75
M215715-01	6	82.07
M215715-02	12 (2 Piece)	157.34
M215715-03	12 (1 Piece)	141.02
32 oz. Bowl		
M215716-00	3	\$81.14
M215716-01	6	96.36
M215716-03	12 (1 Piece)	151.65

Sterile Spoons, Sterileware®

- Sterilized, individually packed in a PE bag
- Long handle (178mm/7") minimizes sample contact
- Made of polystyrene



Cap. (ml / Tsp.)	Width (mm)	Cat. No.	Price/Pk	Cat. No.	Price/Cs
1.23 / $\frac{1}{4}$	20	M111093	\$56.95/10	M418950	\$259.59/200
2.46 / $\frac{1}{2}$	25	M111094	59.01/10	M418951	269.16/200
4.93 / 1	30	M111095	51.89/10	M418952	241.70/200
14.79 / 3	39	M111096	53.11/10	M418953	237.96/200

Sterile V Shaped Spatula

- Sharp V-shape for puncturing bag and direct sampling
- Sturdy edge to break up hardened material; ideal for powdered or granulated material
- Spatula length of 152 mm, 19 mm wide and a depth of 13 mm
- Overall length of 229 mm
- Polystyrene, individually packed in PE bag; sterilized
- Volume level full is 36 ml
- Sterileware®



Description	Cat. No.	Price/Cs
V- Shaped Spatula	M398200	\$142.23/100

Detectable Scoops, Sense-able™

- FDA grade PS suitable for food processing and pharmaceuticals
- Long handled 2 & 4 oz. size increases distance between you and the sample to reduce potential contamination
- Sizes 2 & 4 oz. remain upright when empty or full; may also use as weigh boat
- Great for sampling from wide-mouth containers
- Design ensures that all fragments are detectable
- Black color provides contrasting background for visibility
- Sterilized, individually wrapped, one time use; Sterileware®



buy me because
I can be detected by standard metal detection and x-ray equipment, preventing potential production contamination, quarantine and recalls.

Cat. No.	Cap (oz. / ml)	Bowl Dims. (in.)	Price/Bx
M111397	2 / 60	1.5 x 3 x 1	\$199.64/100
M111398	4 / 125	1.75 x 3.5 x 1.25	282.67/100
M111399	8 / 250	2 x 5 x 2	457.49/100

Micro Spoon & Spatula Set

- Includes 6 different small size double-ended tools and tweezers
- 2 Small spoons for transferring and collecting both dry and liquid material
- 8 Flat spatulas of various widths and lengths ideal for mixing, scraping and spreading
- 2 V-shaped spatulas of different sizes
- Polished stainless steel for long life and easy cleaning
- A carrying case protects all tools when not in use
- Autoclavable Scienceware®



Cat. No.	Description	Price
M110101	Micro Spoon and Spatula Set	\$81.74

Sterile Scoop, Sterilware®

- Large capacity; great for wide-mouth containers
- One-piece molded polystyrene
- Round contour prevents material retention
- Individually sterilized and bagged in a polyethylene bag
- 2 oz. & 4 oz. sampling scoops have been improved with a longer handle
- Scoops remain upright when filled



Cap. (oz.)	Bowl (in.)	Total Lgt. (in.)	Cat. No.	Price/Pk	Cat. No.	Price/Cs
White Scoops						
2	1 x 3 x 1 $\frac{1}{2}$	8	M111098	\$26.47/10	M392002	\$134.21/100
4	1 x 3 $\frac{1}{2}$ x 1 $\frac{3}{4}$	8 $\frac{11}{16}$	M111099	33.37/10	M392004	172.24/100
8	2 x 5 x 2	8 $\frac{1}{2}$	M111100	44.55/10	M392006	213.04/100
Red Scoops						
2	1 x 3 x 1 $\frac{1}{2}$	8	M111101	33.37/10	M107665	\$170.19/100
4	1 x 3 $\frac{1}{2}$ x 1 $\frac{3}{4}$	8 $\frac{11}{16}$	M111102	35.98/10	M107666	187.15/100
8	2 x 5 x 2	8 $\frac{1}{2}$	M111103	50.15/10	M107667	233.90/100

Fax: 908-561-3002

The LabMart™

Stainless Steel



Griffin Style Beakers



- Allows for safe transfer of liquids
- Seamless construction with high polish finish
- Capacity "full mark" ensures accurate measuring

Cat. No.	Cap. (ml)	Dim. (in.)	Price
Without Handle			
M217655-1	125	2 ¹ / ₈ x 2 ⁵ / ₈	\$54.53
M217655-2	250	2 ³ / ₈ x 3 ¹ / ₄	55.13
M217655-3	600	3 ³ / ₈ x 4 ⁵ / ₈	63.33
M217655-4	1200	4 ¹ / ₈ x 6 ¹ / ₁₆	79.00
M217655-5	2000	4 ⁷ / ₈ x 7 ¹ / ₈	116.15
M217655-6	3000	5 ¹ / ₂ x 8 ¹ / ₄	121.18
M217655-7	4000	6 ¹ / ₈ x 8 ⁷ / ₈	154.85
With Handle			
M217655-9	2000	5 ¹ / ₁₆ x 6 ⁵ / ₈	\$133.70
M217655-10	3000	6 ¹ / ₁₆ x 7	138.93

All Purpose Trays



- Seamless coved corners
- Straight side, stackable
- Easy to clean and store
- Lids have recessed strap handle for easy stacking
- Lids sold separately

L x W x D (in.)	Tray Cat. No.	Price	Lid Cat. No.	Price
Standard Duty				
10 ³ / ₈ x 12 ³ / ₄ x 2 ¹ / ₂	M125780-5	\$71.45		
16 ³ / ₈ x 9 ¹³ / ₁₆ x 2 ¹ / ₂	M217641-4	92.82	M101668	86.88
Heavy Duty				
10 x 6 ¹ / ₂ x 2	M125780-3	\$57.55	M101670	\$51.26
12 ³ / ₄ x 10 ³ / ₈ x 2 ¹ / ₂	M125780-4*	69.85		
12 ¹ / ₄ x 7 ³ / ₄ x 2 ¹ / ₄	M101078	73.03	M101671	56.59
20 ³ / ₄ x 12 ³ / ₄ x 2 ¹ / ₂			M101672	70.78
20 ³ / ₄ x 12 ³ / ₄ x 4	M217641-6*	133.38	M101673	125.15
16 ¹ / ₂ x 10 x 4	M125780-8	101.10	M101674	75.42

*Nesting notch, classic pan design

Instrument Drying Trays



- Coved corners
- Easy to clean and stack
- Rolled bead edge to contain liquid

Cat. No.	Dim. (in.)	Price/Ea
M110401	25 x 15 x 5 ⁵ / ₈	\$213.20
M110402	25 x 20 x 5 ⁵ / ₈	230.58
M110403	12 ³ / ₄ x 10 ³ / ₈ x 1 ¹ / ₄	106.36
M110404	20 ³ / ₄ x 12 ³ / ₄ x 1 ¹ / ₄	68.30
M217653-1	10 x 6 ¹ / ₂ x 3 ³ / ₄	67.60
M217653-2	13 ¹¹ / ₁₆ x 9 ¹³ / ₁₆ x 3 ³ / ₄	62.03
M217653-3	15 ¹ / ₈ x 10 ³ / ₈ x 3 ³ / ₄	73.60
M217653-4	17 x 11 ⁵ / ₈ x 3 ³ / ₄	86.78
M217653-5	19 ¹ / ₈ x 12 ³ / ₈ x 3 ³ / ₄	118.73
M217653-6	21 ¹ / ₄ x 16 ¹ / ₄ x 7 ⁷ / ₈	171.86

Storage Containers/Beakers



Containers/Beakers

- Straight side
- Non-corrosive
- May be safely heated
- Smooth finish for easy cleaning
- No pour spout

Lids

- Recessed handle for stacking
- Add "L" to Cat. No. to order lid

Cat. No.	Cap. (qt)	Dims. (in.)	Price
M217646-1	1 ¹ / ₄	4 ⁹ / ₁₆ x 5 ³ / ₄	\$40.63
M217646-2	2	5 ³ / ₈ x 6 ⁵ / ₈	49.25
M217646-3	3 ¹ / ₄	6 ¹ / ₂ x 7	56.30
M217646-4	4 ³ / ₄	7 ³ / ₈ x 7 ⁷ / ₈	64.53
M217646-5	6	8 x 8 ³ / ₄	84.12
M217646-6	8	8 ³ / ₄ x 9 ⁵ / ₈	99.25
M217646-7	12	9 ⁵ / ₈ x 11	121.93

Graduated Beakers



- Easy grip handle
- Smooth pour spout
- Raised dual graduations (oz. and cc)

Cat. No.	Cap. (qt/cc)	Gauge	Price
Drawn, Embossed Graduations			
M217501	1 ¹ / ₂ / 500	Heavy	\$136.93
Flo-Spun, Raised Graduations			
M217503	1 ¹ / ₂ / 500	Medium	\$90.63
M217504	1 / 1000	Medium	90.88
M217506	4 / 4000	Heavy	204.05

Stainless Steel Funnels



- Made of non-corrosive 304 stainless steel
- Attached hang rings offer storage convenience
- Liquid flows smoothly through vented stems

Cat. No.	Capacity	Diameter x Height	Price
M253050-1	2 ³ / ₈ oz.	3 x 3 ³ / ₄ in.	\$80.05
M253050-4	22 ¹ / ₄ oz.	6 ¹ / ₄ x 6 ⁵ / ₈ in.	91.05
M253050-6	64 oz.	8 ³ / ₈ x 9 ¹ / ₂ in.	105.33

Want special offer? Register & subscribe online

Stirring

Bel-Art Spinbars®



Polygon, Spinbar®

- Pivot ring minimizes the contact area between bar and vessel which reduces friction and chattering

Cat. No.	Size (mm, in)	Price/Ea	Price 50+
M428170-0012	12.7 x 8, (1/2 x 5/16)	\$6.16	\$5.41
M428170-0038	25.4 x 9.5, (1 x 3/8)	7.50	6.58
M428170-0112	38.1 x 9.5, (1 1/2 x 3/8)	8.89	7.81
M428170-0002	50.8 x 9.5, (2 x 3/8)	11.91	10.46
M428170-0212	63.5 x 12.7, (2 1/2 x 1/2)	24.34	21.37
M428170-0003	76.2 x 12.7, (3 x 1/2)	26.31	23.11

Spinplus®

- Add speed and efficiency to your mixing
- "Plus sign" shape creates a deep vortex
- Stable, quiet operation

Cat. No.	Size (mm, in)	Price
M428150-1000	9.5 x 9.5, (3/8 x 3/8)	\$10.98
M428150-9999	19.1 x 19.1, (3/4 x 3/4)	12.50
M428150-1001	25.4 x 25.4, (1 x 1)	13.30
M428150-1003	31.8 x 31.8, (1 1/4 x 1 1/4)	15.16

Octagon, Spinbar®

- Most commonly used bar
- Interrupted profile provides greater surface area & added turbulence
- Molded on pivot ring aids in reducing friction & chattering

*No pivot ring on this model

Cat. No.	Size (mm, in)	Price/Ea	Price 50+
M428145-1218*	12.7 x 3.2, (1/2 x 1/4)	\$5.12	\$4.49
M428145-1256	12.7 x 8, (1/2 x 5/16)	5.64	4.95
M428145-1238	12.7 x 9.5, (1/2 x 3/8)	6.34	5.56
M428145-0001	25.4 x 8, (1 x 5/16)	6.10	5.36
M428145-0138	25.4 x 9.5, (1 x 3/8)	7.44	6.53
M428145-0112	38.1 x 8, (1 1/2 x 5/16)	6.74	5.92
M428145-1128	38.1 x 9.5, (1 1/2 x 3/8)	8.83	7.76
M428145-0002	50.8 x 8, (2 x 5/16)	8.43	7.40
M428145-0238	50.8 x 9.5, (2 x 3/8)	11.79	10.35
M428145-0003	76.2 x 12.7, (3 x 1/2)	24.45	21.47

Egg Shaped, Spinbar®

- Provides its own pivot point without a separate ring or abrupt change in contour
- Designed especially for round-bottom vessels

Cat. No.	For Flasks (ml)	Size (mm, in)	Price
M428142-0038		9.5 x 4.7, (3/8 x 3/16)	\$10.63
M428142-0058		15.9 x 6.35, (3/4 x 1/4)	11.96
M428142-0034	10, 25, 50, & 100	19.1 x 9.5, (3/4 x 3/8)	12.26
M428142-0001	100 & 200	25.4 x 12.7, (1 x 1/2)	12.26
M428142-0114	300 & 500	31.8 x 15.9, (1 1/4 x 5/8)	15.45
M428142-0112	300 & 500	38.1 x 15.9, (1 1/2 x 5/8)	16.73
M428142-0158	500 & 1000	41.3 x 19, (1 5/8 x 3/4)	20.91
M428142-0002	2000 & 3000	50.8 x 19.1, (2 x 3/4)	25.04
M428142-0212	3000 & 5000	63.5 x 19, (2 1/2 x 3/4)	31.48
M428142-0003	12000 & 22000	76 x 19.1, (3 x 3/4)	35.90

Fax: 908-561-3002

Flea Micro, Spinbar®

- Designed for small volume vessels such as vials & tubes
- Ideal for environmental testing & applications in which small sample volumes need to be prepared & evaluated
- Other sizes and colors available, please call

Cat. No.	Size (mm, in)	Price/Ea	Price 50+
M428150-0635	6.35 x 3, (0.250 x 0.118)	\$6.63	\$5.82
M428150-0008	8 x 1.5, (0.315 x 0.059)	6.04	5.31
M428150-0010	10 x 3, (0.394 x 0.118)	6.63	5.82
M428150-0127	12.7 x 3, (0.500 x 0.118)	6.63	5.82

Octagon, Spinbox™ Assortment



- Convenient bar assortment in storage box
- With pivot ring

Color Coded, 24 Count

- One each in blue, red and yellow:

1/2 x 1/8, 1/2 x 5/16, 5/8 x 5/16, 7/8 x 5/16, 1 x 5/16, 1 1/2 x 5/16, 2 x 5/16, 3 x 1/2

Cat. No.	Description	Price
M428163-185	Color Coded Spinbox™	\$251.78

Standard & Micro, 16 Count

- 12 Standard - 2 each:

1/2 x 5/16, 5/8 x 5/16, 1 x 3/8, 1 1/2 x 3/8, 2 x 3/8, 2 1/2 x 3/8 in.

- Micro Flea bars - 2 each:

7 x 2mm 10 x 3mm

Cat. No.	Description	Price
M428162	White, Standard & Micro Spinbox™	\$122.67

Spinpak® Assortment, Six Pack

- Octagonal have a pivot ring
- Round Bars have a removable pivot ring
- Six Spinbars® per pack
- M428143-10 comes in 1 size and includes 2 of each color (yellow, blue, and red) per pack



Cat. No.	Description	Contains 2 Each	Price
M428143-00	Octagonal	1 x 5/16, 1 1/2 x 5/16, 2 x 5/16 in.	\$43.62
M428143-05	Flea Micro	8 x 1.5, 7 x 2, 10 x 3 mm	36.30
M428143-10	Octagonal	All 1 x 5/16 in.	47.22
M428167	Color-coded Round	1 x 5/16, 1 1/2 x 5/16, 2 x 5/16 in.	55.47

The LabMart™

Stirring



Digital Hot Plates, Stirrers & Digital Hot Plate Stirrers



M110119

M110120

M110121

CORNING

- Consistent repeatability via microprocessor controlled technology
- Pyroceram® ceramic top provides uniform heating; easy to clean and highly resistant to scratches, corrosion, and chemicals
- Stirring hotplate has twin display that shows both temperature and stirring for greater accuracy
- Safety LED stays lit when plate is over 60°C, (even when unit is off)
- Temperature sensor provides power cutoff if unit overheats
- Housing features external spill trough to deflect spills away from electronics and control knobs
- Small footprint & low profile, fits inside hoods or storage cabinets
- Optional external temp. controller sets & maintains liquid temp.
- Temp. Acc. $\pm 2^\circ\text{C}$; Stir speed at $\pm 5\%$,
- **Kit includes:** temperature controller, support rod & stir bar retriever UL Approved
- 2 YEAR WARRANTY

buy me becauseOf my angled front panel that puts controls at your fingertips and makes the LCD easy to read.

Free iPad 2

Spend
\$3000
on
Corning
Glass



Buy Corning® glass. See Page 3 to 7 for details

Cat. No.	Description	Temp. Range	Stir Range (RPM)	Price
5 x 7 Inch Top, 16 x 10 x 8 (LxWxH in.)				
M110119	Hot Plate	5-550°C	—	\$272.20
M110120	Stirrer	—	60-1100	296.64
M110121	Stirrer/Hot Plate	5-550°C	60-1150	473.69
M110122	Stirrer/Hot Plate w/ Kit	5-550°C	60-1150	592.99
10 x 10 Inch Top, 21 x 14 x 8 (LxWxH in.)				
M110123	Hot Plate	5-550°C	—	\$465.77
M110124	Stirrer	—	60-1100	498.36
M110125	Stirrer/Hot Plate	5-550°C	60-1150	623.61
M110126	Stirrer/Hot Plate w/ Kit	5-550°C	60-1150	742.78
Accessories				
M110127	Digital Hot Plate Accessory Kit			\$179.76
M110128	External Temperature Probe; 5-200°C			146.38
M110129	2 - 9" Stainless Steel Support Rods			42.67

Hot Plate, Stirrer & Hot Plate Stirrer; Analog



Hotplate

Hotplate Stirrer

Magnetic Stirrer

buy us because

we are exceptionally durable with a chemical resistant white ceramic work surface.

- Analog controls; space efficient 8 x 9 Inch footprint
- Large Ceramic platform of 7.5 x 7.5in is durable & chemical resistant
- Advanced microprocessor control employs turn knobs allowing quick, precise adjustment / maintenance of speed & temperature
- Safety indicator LED's on panel indicates unit is on
- Accepts borosilicate glass beakers, flasks, bottles or other vessels
- **M110176** includes mounting rod for thermometers & temp. probe
- 2 YEAR WARRANTY

Cat. No.	Unit	Range	Price
M110174	Magnetic Stirrer	60-1500 RPM	\$199.00
M110175	Hotplate	50 - 380°C	209.90
M110176	Hotplate and Stirrer	50 - 380°C	319.90

Stirbar Remover, T-Handle



- Unique T-handle design with strong magnet
- Removes stir bars from solution, keeping your hands away from solution
- Holds stir bar against container wall while pouring solution
- Constructed of PP

Cat. No.	Description	Price
M106565	Blue T-Handle Stir Bar Remover	\$25.00/1

Want special offer? Register & subscribe online

Stirring

Mini-Stirrers, Magnetic



M280005



M280006

- My internal Speedsafe Mechanism ensure the maximum speed of 1000 RPM is never exceeded
- Light, compact in ABS housing that resists most chemicals
- Comes with micro stir bar
- 2 YEAR WARRANTY

	M280005	M280007	M280006
Speed Range (RPM):		100 - 1000	
Environment:		0 to 50°C, RH max 95%	
Dims. (in.):		4.8 x 4.8 x 1.8	
Cover:	ABS Plastic	ABS Plastic	Stainless Steel
Power:	110/220 VAC	12V DC Car Battery (Socket Supplied)	110/220 VAC
Wgt. (lbs.):	1.4	1.3	1.6

Cat. No.	Applications	Price
M280005	Ideal for Limited Bench Space in Lab	\$84.00
M280007	Field Unit, Low Input Voltage	84.00
M280006	Creates Exothermic Reactions, AISI 316	172.00

Rotator, Revolver™

buy us because

I mix it horizontally, vertically, or any position in between.



- Interchangeable rotisserie options for all common lab tubes; accept tubes from 1.5 ml to 50 ml
- Independently adjustable rotisseries
- Cold room and incubator compatible
- Unit is split into two halves; can mix more than one tube type at the same time and rotate independently from center shaft
- Ideal for a Molecular Biology, Biochemistry, clinical or Histochemistry; ideal for delicate samples
- Small enough to fit on a crowded bench
- Easy to clean and decontaminate

Speed range*:	Fixed, 18 rpm
Rotation:	Complete 360°
Rotation Axis:	Continuously, Adjustable, 0 - 90°
Operating Temp.:	+4° to 65°C
Dims:	9.4W x 5D x 6H in; Wgt. 4.4 lb

Cat. No.	Description	Price
M111329	Tube Mixer w/Carousel for 36x1.5 tubes	\$427.45

Optional Carousels

M111330	For 36 1.5/2.0 ml Tubes	\$44.30
M111331	For 10 10/15ml Tubes & 16 5/7ml Tubes	44.30
M111332	For 6 50 ml Tubes	44.30

Magnetic Stirrer, 10 Channel

with or without heat



M111294

M111295

buy us becauseOf our high performance and low price

- Powerful rotary drive providing consistent sample conditions across each position for volumes up to 400 mL
- 10 Stirring positions for optimum use of laboratory space
- Stainless steel plate with silicone films, anti-slip and anti-corrosion
- Heat only, stir only, or heat and stir simultaneously
- Electronic speed control for constant speed even during load changes
- Individually controlled stirring for consistency with various samples
- High magnetic adhesion; variable speed of motor
- Long life, quiet, brushless motor; CE Marked
- 2 YEAR WARRANTY

See Page 61 for Stir Bars or visit www.labmart.com

Speed Range:	0 - 1100
Plate Dimension:	17L x 7.5W", Stainless Steel
Stirring Point Position Quality:	90mm
Max. Magnetic Bar:	40mm
Heating Range M111295:	RT - 120°C; 470W
Dimension:	24"L x 8"W x 2.5"H, wt: 11 lb.

Cat. No.	Magnetic Stirrer	Price
M111294	Stirrer	\$992.00
M111295	HotPlate Stirrer	1,550.00

Vortexer, Mortexer™

buy me because

I have more power, more flexibility....more vortexer!



- Multi-Head™ (included) simultaneously mixes 8 - 1.5 or 2.0ml tubes, or single tubes up to 50mL
- Increased speed, up to 3400 rpm produces an instant vortex of even the largest sample sizes, including full 50ml tubes
- Cold room/incubator compatibility
- Spill-proof electronic controls
- "No-walk" suction feet
- Powerful motor for INSTANT vortexing
- Q-Drive™ technology (smooth vortexing action, while minimizing noise and excessive vibration)
- 2 YEAR WARRANTY

Speed range*:	200 to 3400 rpm, Variable
Operating Modes:	Touch or continuous
Orbit:	3mm
Operating Temp.:	+4° to 65°C
Dims:	5W x 6.3D x 6.7H in; Wgt. 8.4 lb



Cat. No.	Description	Price
M111348	Vortex Mixer, with Multi-Head	\$249.00

Optional Attachments

M283001	3 in. Flat Head	\$22.00
M283002	Combination head for one microplate & microtubes (38x1.5 & 28x0.5)	44.00
M283003	For 12 x 1.5ml, Horizontal	\$82.80
M283004	For 4 x 15ml, Horizontal	82.80
M283005	For 2 x 50ml, Horizontal	82.80

Fax: 908-561-3002

The LabMart™

Stirring

Vortex Mixers



Adjustable or Fixed Speed



Adjustable



Fixed

buy us because We are suitable for touch or continuous operation.

- Orbital shaking movement
- M111310 has stepless speed regulation of motor
- M111310 be used for various shaking application with optional adapters for Eppendorf etc
- Sturdy cast casing
- Excellent vibration damping; due to the specially designed silicone feet & steel base
- Eccentric with oilless ball bearings
- CE ISO 9001/13485 Certified
- 2 YEAR WARRANTY

• **Universal Adapter** must be purchased separately in order to use the foam inserts with the variable speed, (M111310) model only

Speed Range:	0 - 2500
Operating Modes:	Touch or Continuous*
Orbit Dia.:	4mm
Operating Temp. Range:	5 to 40°C
Dimension:	127 x 130 x 160, wt: 3.5 kg.

Cat. No.	Vortex Mixer	Speed Range	Price
M111310	Adjustable Speed	0 - 2500	\$171.00
M111311	Fixed Speed	2500	135.00

Foam Tube Inserts (for use with Universal Adapter sold separately)

M111313	For 48 test tubes Ø6mm	\$63.00
M111314	For 18 test tubes Ø10mm	33.00
M111315	For 12 test tubes Ø12mm	30.00
M111316	For 8 test tubes Ø16mm	30.00
M111317	For 8 test tubes Ø20mm	30.00

M111312	Universal Circular Adapter to use with Foam Inserts or Flat head Platform Pad	\$30.00
M111318	Flat Head Platform Pad, for use with M111310	10.00

Cell Disruptor, The DisruptorGenie®



Analog



Digital

buy us because Our unique, multi-directional action for simultaneous agitation and vortexing

- Rapid, hands-free, disruption of up to 12 microtubes (1.5ml or 2.0ml) at a time with the Universal Microtube Holder
- Dramatically increase cell disruption efficiency
- Speed timer - continuous for both models, (Analog: up to 15 min.) (Digital: up to 99 min.)
- Suitable for use in cold rooms or incubators
- Less costly than ultrasonic units or homogenizers
- Must use with Disruptor Beads™ for optimum results
- Digital model is ideal for accurate, reproducible, repeatable results with its adjustable speed and speed alarm features
- Supplied with Microtube holder for (12) microtubes (tubes not included), and Pop-off Cup. Base: 6.5 x 4.8 x 7.5in
- Stir speed at ±5%,
- 2 YEAR WARRANTY

Disruptor Beads™ Applications

- Ideal for difficult glass bead procedures - cell disruption/homogenization of yeast, bacteria, plant & animal tissue & pellet re-suspensions or extremely violent high-speed agitation
- Made from spherical lead free soda lime glass
- Remove the microtube holder and attach the supplied Pop-off Cup for high-speed vortexing of single test tubes

Cat. No.	Description	Speed RPM	Price
M111106	Analog	3000	\$587.00
M111107	Digital	1000-3000	680.00
Accessories			
M111108	Universal Microtube Holder		\$67.00
M189203	Replacement Pop-off Cup		25.00
M111109	Beads, 0.1mm, (8 fl. oz.), For Bacteria		26.00
M111110	Beads, 0.5mm, (8 fl. oz.), For Yeast		26.00

Platform Rocker, BenchBlotter™

buy me because

I have the ideal rocking speed and tilt angle for gentle mixing.




Speed:	Fixed at 12 RPM
Tilt Angle:	±8°
Platform Size:	12 x 12 in. / 30 x 30 cm
Load Capacity:	5 lbs. / 3.2 kg
Operating Range:	+4 to 65°C
Dimensions:	13.5 x 11.8 x 4.7 in. / 6.5 lbs.

- Sizeable work space, small footprint with a low profile
- Easy to operate, just press button and start rocking
- Easy to transport
- Use in incubator or cold room

• **Applications:** wide variety of general purpose uses; optimized for blot washing, gel staining/destaining and hybridization

• **Optional Accessories:** Dimpled mat for centrifuge tubes with multiple platform tie-down points. Stacking platform maximizes worksurface to save \$ and bungee cord, with 7 to 18 inch working size. Non-skid mat (included) to keep vessels in place

• 2 YEAR WARRANTY



optional stacking platform

Cat. No.	Description	Price
M285000	Platform Rocker with Flat Mat	\$399.00
Accessories		
M281006	Stacking Platform with Flat Mat	\$85.00
M281005	Dimpled Mat 12 x 12	30.00
M111118	Bungee Cord for Securing Vessels	30.00/4

Want special offer? Register & subscribe online

Thermometry

Critical Temperature & Traceable

buy us because

We are safely-coated with Teflon® to absorb shock and to contain the glass and liquid within the Teflon® jacket should breakage occur

- Total immersion
- Complete with NIST Certificate
- Serialized
- Teflon® safety coated
- Engraved stems
- Bottles have magnets attached for wall or door mounting



Cat.No	Application	Temp. Range °C	Scale Div./ Lght (mm)	Bottle Fill	Price
Red Spirit (Non-Mercury) Filled Thermometers					
M451100	Ultra-Low Freezer	-90 to 20	1 / 145	Propylene Glycol	\$69.00
M451101	Freezer	-30 to 0	0.5 / 115	Propylene Glycol	65.00
M451090	Blood Bank	-5 to 20	0.5 / 145	Ethylene Glycol	79.80
M451102	Refrigerator	-5 to 15	0.5 / 125	Ethylene Glycol	68.75
M451103	Incubator	18 to 50	0.5 / 135	Ethylene Glycol	65.00
M451104	Oven	24 to 130	1 / 135	Vermiculite	70.87
M451091	High Temp Oven	35 to 200	1 / 145	Vermiculite	115.50
Mercury Filled (specs are same as Red Spirit)					
M451106	Freezer				\$68.75
M451107	Refrigerator				68.75
M451108	Incubator				68.75
M451109	Oven				68.75
M451095	High Temp Oven				116.25

Alarm Thermometer

M103692 and M103692C

- Allows user to set minimum and maximum temp. alarms on both the internal and external sensor
- External sensor is waterproof and can be used outdoors or in liquid
- Simultaneous displays of ambient indoor and external sensors temp. with min-max readings in C or F
- Ideal for labs, incubators, refrigerators, water baths, drying chambers and fume hoods
- 5 YEARS WARRANTY

M103693 and M103693C

- Same as M103692 but with humidity instead of external temperature
- Ideal for pharmaceutical and semiconductor clean rooms, warehouses, museums, environmental cabinets greenhouses and ripening rooms
- Dim.: 4 1/8 x 2 3/4 x 6/8 / 3oz.



buy me because
I work on land, sea or in the air.

Cat. No.	Description	Price
M103692	Alarm Thermometer	\$52.00
M103692C	Above with NIST Certificate	105.00
M103693	Alarm Thermometer / Hygrometer	80.00
M103693C	Above with NIST Certificate	126.00

Fax: 908-561-3002

Traceable Digital, The LabMart®

buy us because

We have multiple models for many applications such as food QA/QC, water testing, production line sampling, HVAC and food services.



- Traceable to N.I.S.T., certificate provided proving traceability
- Two temperature ranges and reads temp in C° or F°
- Stainless steel probe with sheath
- Easy-to-read LCD for accurate temperature readings
- Swivel head adjusts to 30°, 60°, and 90° for easy viewing
- M107614, M110609 & M106339 are waterproof
- M106339 has a head size of 2 x 1 in.
- M110609 has an accuracy of ±1°C and is drop-proof from 5 ft.
- Automatic power off Batteries Included CE

Cat. No.	Probe Lgth (in.)	Temp. Range (°F / °C)	Price
M103513	1 1/2" Dial	-58° - 302° / -50° - 150°	\$43.40
M103514	T-Handle	-58° - 302° / -50° - 150°	36.25
M103515	Anti-Roll	-58° - 302° / -50° - 150°	43.40
M103516	Rotary Head	-58° - 536° / -50° - 280°	36.25
M106338	Rotary Head	-58° - 302° / -50° - 150°	36.25
M103517	Short Stem	-58° - 302° / -50° - 150°	40.95
M103518	Long Stem	-58° - 536° / -50° - 280°	50.88
M106339	Small T-Handle	-58° - 302° / -50° - 150°	55.00
M110609	T-Handle	-58° - 536° / -50° - 280°	49.08
Models without N.I.S.T. traceable certificate			
M231500	Long Stem	-58° - 302° / -50° - 150°	\$56.01
M451301	Swivel Head	-58° - 302° / -50° - 150°	28.05

Pocket Infrared Thermometer

- Non-invasive, no-touch measurements
- Ideal for life sciences, clean rooms, pharmaceuticals, field use, electronics, petroleum products, and food use
- Reads both °F and °C of any surface—solids, semisolids, and liquids
- Features: reading "HOLD", low battery, pocket clip and key-chain with lanyard
- Field of view is 1:1
- Fixed emissivity of 0.95 covers 90% of all applications
- Batteries included
- Dim.: 3 1/4 x 3/4 in. wgt. 3/4 oz
- NIST Traceable®
- ISO 17025 Cert. provided



buy me because
Just simply point and shoot for reading in less than one second

Cat. No.	Range °F	Resolution	Accuracy	Price
M110519	-27 to 428	0.1°	±°C +2%	\$70.45
M110520		Spare Battery		16.15

The LabMart™

Thermometry

Ever-Safe Thermometer



- Great for student use because it contains no carcinogenics
- Biodegradable liquid and dye
- Easy to read blue liquid filling
- Individual serialization
- Permanently fused scale
- Statement of accuracy included

Whole Degree

Partial Immer.	Total Immer.	Range	Div.	Length (mm)	Price
(76MM)					
M205680	M205681	-35° to 50°C	1.00	305	\$16.25
M205682	M205683	-20° to 110°C	1.00	305	14.38
M205684	M205685	-20° to 150°C	1.00	305	16.25
	M205686	-10° to 210°C	1.00	355	27.50
M205687	M205688	0° to 230°F	2.00	305	15.00
M205689		-10° to 260°C	1.00	305	31.25
M205690	M205691	0° to 300°F	2.00	305	16.25
M205692		20° to 500°F	2.00	405	32.50

Fractional Degree

Partial Immer.	Total Immer.	Range	Div.	Length (mm)	Price
(76MM)					
M205693	M205694	-10° to 50°C	0.50	305	\$46.25
M205695	M205696	-1° to 51°C	0.20	400	96.25
M205697	M205698	-1° to 101°C	0.20	460	120.00
M205699	M205700	-1° to 201°C	0.50	460	132.50

Angled Thermometer Storage Trays



- Inclined angle to prevent separation of liquid column
- Keep thermometers handy and properly stored
- Polystyrene
- Numbered slots

Cat. No.	Capacity	Dim. (W x H x D)	Price/Pk
M108954	3 Slots	4 x 17 x 1.25"	\$64.43/5
M108955	14 Slots	17.4 x 13.4 x 1.2"	129.72/2


Wireless Thermometer Set



- Reads the temperature inside an environmental chamber or clean room without opening door
- Waterproof sensor continuously monitors ambient temperature from a remote location
- Sensor range (to monitor): 100 ft.
- Monitor reads up to 3 temp. sensors (additional sensors sold separately); Displays in °C or °F, max-min recall, audible/visual alarms and low battery
- Includes: monitor, sensor, bench stand/wall mount and batteries
- Dims.: 4 x 2 1/2 x 1 in.
- 5 YEAR WARRANTY

Specifications		Monitor	Sensor
Range:		0 to 50°C (°32 to 122°F)	-20 to 60°C (-4° to 140°F)
Resolution:		0.1°C (0.2°F)	
Accuracy:		±1°C (2°F)	
Cat. No.	Description	Price	
M107935	Wireless Thermometer Set	\$72.00	
M107935C	Set with NIST Certificate	120.00	
M107936	Additional Temperature Sensor	45.00	
M107936C	Sensor with NIST Certificate	99.75	

Double-Safe™ Thermometer



- Easy-Read® design with Teflon® coating to resist breakage and prevent contamination
- Features Enviro-Safe® liquid that is non-toxic, non-hazardous and biodegradable
- Ensures accuracy and conforms to ISO 9001 initiatives 305 mm (12") supplied with serial numbers.

buy me because
I have NO Mercury.

Cat. No.	Range	Division	Accuracy	Price
200mm (8") Length				
2" Immersion				
M108052	-10° to 110°C	1°	±1°	\$105.00
M108054	-10° to 150°C	1°	±1°; 1.5° above 105°	105.00
M108056	20° to 230°F	2°	±2°	105.00
M108058	20° to 300°F	2°	±2°	105.00
Total Immersion				
M108053	-10° to 110°C	1°	±1°	\$105.00
M108055	-10° to 150°C	1°	±1°; 1.5° above 105°	105.00
M108057	20° to 230°F	2°	±2°	105.00
M108059	20° to 300°F	2°	±2°	105.00
305mm (12") Length				
3" Immersion				
M108060	-20° to 110°C	1°	±1°	\$105.00
M108062	-20° to 150°C	1°	±1°; 1.5° above 105°	105.00
M108066	0° to 300°F	2°	±2°; 3° above 221°	105.00
Total Immersion				
M108061	-20° to 110°C	1°	±1°	\$105.00
M108063	-20° to 150°C	1°	±1°; 1.5° above 105°	105.00
M108065	0° to 230°F	2°	±2°	105.00
M108067	0° to 300°F	2°	±2°; 3° above 221°	105.00

Triple Display



buy me because
Of my triple display.

Specifications

Range:	-50 to 70°C
Resolution:	0.1 C/F
Accuracy:	±0.5°C

- Triple temperature display of current, min. & max. temperatures on a continuous display
- Use in freezers, refrigerators, incubators, water baths and block heater or to monitor ambient temp.
- Features: audible alarm, flip-open stand, wall mounting key hole, C/F switchable, battery included
- Program to monitor temp. for periods of time, ie. overnight or weekend
- Probe is housed in unbreakable plastic bottle or vial filled with a non-toxic or non-hazardous liquid medium
- Bottles & thermometers have double magnets to attach to doors or walls
- NIST Traceable

Cat. No.	Application	Bottle Media	Certified Temp. °C	Price
M110718	Freezer	D-Limonene (30ml)	-20	\$72.00
M110719	Refrigerator	D-Limonene (30ml)	4	72.00
M110720	Incubator	D-Limonene (30ml)	37	72.00
M110721	Water Bath	none	37	72.00
M110722	Block Heater	Mineral Oil (30ml)	37	72.00
M110723	Thermometer (only) with Probe (1.0ml)			72.00

Want special offer? Register & subscribe online

Timers

Time Controller, Count-Down

- Ideal for recorders, electrophoresis equipment, pumps, hot plates, water baths, ovens and sterilizers
- Programs can run from one minute to ten hours in duration
- Easy to set; manual override
- Built-in self-recharging battery backup ensures operating even w/ power failure
- Dual inputs for control of two devices simultaneously
- 1 YEAR WARRANTY



*buy me because
I can be programmed to shut off power in real time with up to 8 on/off settings per day, a total of 56 settings per week. Use me to control equipment with heating elements.*

Specifications:

Resistive / Tungsten Load: 15 Amps (125V) / 15 Amps (1875 W)
Motor: 1 HP
Dimension: 5 1/2 x 3 x 2 in. / 114 x 75 x 55 mm
Weight: 7 oz. / 200 g

Cat. No.	Description	Price
M110680	Count-Down Time Controller	\$57.50
M110681	Count-Down Time Controller w/ NIST	90.06

Stopwatch, Transparent Red

- Larger display; 1/2 in. high digits
- Lightweight ergonomic design with large control buttons
- Counts to 24 hrs. in 1/100th sec. resolution for first 30 mins.
- Split interval function
- Features a 12/24 hour alarm clock, calendar & an hourly chime optional
- ROHS & CE Compliant



SPER
SCIENTIFIC

Specifications:

Count Up: 1	Count Down: 0
Alarm: Yes	Clock: Yes
Range: 12 / 24 Hrs.	Resolution: 1 / 100 Sec.
Dims. (in.): 3 x 3 x 3/4	Weight: 1.6 oz.
Warranty: 5 Year	Battery: included

Cat. No.	Description	Price
M106340	Stopwatch	\$31.35

5 Channel Timer

- Simultaneous timing w/ 4 independent channels that count up or down
- Different alarm sound for each channel
- Automatically counts time elapsed after the alarm
- Memory recalls last setting
- Includes stand, pocket clip, magnet and large display



SPER
SCIENTIFIC

Specifications:

Count Up: 4	Count Down: 4
Alarm: Yes, 1 Min.	Clock: Yes
Range: 1 Sec. - 100 Hrs.	Resolution: 1 Sec.
Dims. (in.): 2 7/8 x 2 1/2 x 3/16	Weight: 2 oz.
Warranty: 5 Year	Battery: included

Cat. No.	Description	Price	2+
M457725	5 Channel Timer	\$50.25	\$41.88
M457725C	Timer w/NIST Certificate	87.00	

Timer, Count Up / Down, 99 Min.

- Numeric keypad allows for fast programming
- Counts up/down for 99 min. in intervals of 1 sec.
- Includes stand, pocket clip and magnet



SPER
SCIENTIFIC

Specifications:

Count Up: 1	Count Down: 1
Alarm: No	Clock: No
Range: 99 Min.	Resolution: 1 / 1000 Sec.
Dims. (in.): 2 1/2 x 2 5/8 x 6/8	Weight: 1.4 oz.
Warranty: 5 Year	Battery: included

Cat. No.	Description	Price
M457740	Count Up/Down Timer	\$33.00
M457740C	Timer w/NIST Certificate	60.00

Timer, Large Display, Pocket

- Large LCD with 3/4" high digits
- Auto-power-off saves battery
- Short warning alarms sound at 3 & 5 minutes prior to the final 30 second alarm
- Previous setting memory
- Includes stand, pocket clip & magnet



SPER
SCIENTIFIC

Specifications:

Count Up: 1	Count Down: 1
Alarm: Yes	Clock: No
Range: 100 Min.	Resolution: 1 Sec.
Dims. (in.): 2 1/2 x 2 1/2 x 1/2	Weight: 2.4 oz.
Warranty: 5 Year	Battery: included

Cat. No.	Description	Price
M107945	Large Display Pocket Timer	\$28.00
M107945C	Timer w/NIST Certificate	40.00

Timer, Continuous Alarm

- Select between a bright flashing yellow LED visual alarm or an audible alarm
- Continuous alarm will flash or sound for weeks until shut off
- Previous setting memory
- Counts up & automatically counts time elapsed after alarm
- Includes stand, pocket clip and magnet



SPER
SCIENTIFIC

Specifications:

Count Up: 1	Count Down: 1
Alarm: Yes	Clock: No
Range: 9999 Min.	Resolution: 1 Sec.
Dims. (in.): 3 x 2 x 5/8	Weight: 2 oz.
Warranty: 5 Year	Battery: included

Cat. No.	Description	Price
M107944	Continuous Alarm Timer	\$17.00
M107944C	Timer w/NIST Certificate	43.00


Fax: 908-561-3002

The LabMart™

Biotechnology



Well Cell Culture Plates, Costar®



M105128



M107968



M105129

- Nonreversible lids w/ condensation rings to reduce contamination
- Certified nonpyrogenic
- Sterilized by gamma irradiation
- Treated for optimal cell attachment
- Uniform footprint for ease in stacking
- Individual alphanumeric codes for well identification
- Individually packed unless otherwise indicated
- All culture plates have flat bottoms except for **M105137** & **M107973** that have round bottoms and **M105138** with a V-shaped bottom
- CORNING

Cat. No.	Well	Well Volume	Approx. Growth Area (cm ²)	Qty/ Pk	Price/Cs
Standard Clear Plates					
M105128	6	6.9 mL	9.5	5	\$266.04/ 100
M105131	6	16.8 mL	9.5	1	135.72/ 50
M105129	12	6.9 mL	3.8	5	307.65/ 100
M105130	12	6.9 mL	3.8	1	157.43/ 50
M107968	24	3.4 mL	1.90	1	343.84/ 100
M105132	24	3.4 mL	1.90	1	171.91/ 50
M105133	24	3.4 mL	1.90	5	336.96/ 100
M105134	48	1.6 mL	0.95	1	405.37/ 100
M107970	96	360 µL	0.32	1	236.01/ 50
M105136	96	360 µL	0.32	5	379.47/ 100
M107971	96	360 µL	0.32	1	472.21/ 100
M107972	96	190 µL	0.16	1	249.59/ 50
M105137	96	330 µL	0.32	1	247.47/ 50
M105138	96	380 µL	0.38	1	282.13/ 50
Standard Clear, with Special Low Evaporation Lid					
M105127	96	360 µL	0.32	5	214.93/ 50
M105135	96	360 µL	0.32	1	235.96/ 50
Polypropylene Plate with Polystyrene Lid					
M107973	96	330 µL	0.32	1	260.27/ 50
For Cell Based Assay					
M217356	96	360 µL	0.32	10	203.44/ 50


Order online at our new website

www.labmart.com

About Sealing Films:

- ✓ Superior quality films and adhesives with uniform, consistently-applied adhesive
- ✓ Two end tabs for easy and Accurate Positioning on plate
- ✓ Removable Ends Tabs are perforated with removable backing for easy and accurate positioning and ensure secure sealing around plate
- ✓ Packed in zippered bags within white cardboard boxes for easy stacking and storage

Microplate Sealing Films, SealPlate™



SealPlate™ - for ELISA, EIA & General Incubator

- Non-pierceable 50 µm thickness polyester films minimize evaporation, prevent spillage & contamination between wells, & provide a secure seal, not just a cover
- Eliminates "edge effects" in sensitive ELISA assays
- Can also be used with tissue-culture plates for short-term storage, incubation and containment of biohazards
- Functional temp. range of -40°C to 120°C
- **Dim (mm):** 79.4 x 146.1

ColorTab™ - for Plate Identification

- Identical to General Use SealPlate™
- End tab has a color dot and white writing are for plate ID
- End tabs can be left on the plate after film is removed
- Second end tab can be inserted in lab notebook for record keeping

• **Dim (mm):** 79.4 x 146.1

ThinSeal™ - for use with Pipettor

- Identical to general use SealPlate™
- Thinner, 25 µm thick, slightly clearer version of SealPlate™
- Marginally pierceable by a single-channel pipettor for sample recovery

• **Dim (mm):** 79.4 x 141.0

MiniStrips™ - for use with 8 - Wells

- Identical to SealPlate™, but designed for sealing only one or two 8-well rows at a time on either strip-well plates or standard plates whenever rows must be selectively protected or accessed (Comes in sheets of 4)
- Perforated tabs can be removed or sealed around plate edge
- Use as secondary seal to cover pierced films
- Sterile product packaged in temper-evident bags of 100

• **Dim (mm):** 19.0 x 103.2 w/ tabs removed: 19.0 x 82.6

Cat. No.	Description	Sterile	Price/Cs
M309200	SealPlate™	No	\$47.89/ 100
M309201	SealPlate™	Yes	62.71/ 100
M110374	ColorTab™, Green	No	57.79/ 100
M110375	ColorTab™, Lavender	No	57.79/ 100
M110376	ColorTab™, Orange	No	57.79/ 100
M110377	ColorTab™, Red	No	57.79/ 100
M110378	ColorTab™, Blue	No	57.79/ 100
M110379	ColorTab™, Assorted	No	36.12/ 50
M110380	ColorTab™, Assorted	Yes	47.36/ 50
M107364	ThinSeal™	No	55.38/ 100
M107365	ThinSeal™	Yes	74.22/ 100
M107604	MiniStrips™	No	40.82/ 200
M107629	MiniStrips™	Yes	54.86/ 200

Want special offer? Register & subscribe online

Tissue Culture

Cell Culture Flasks, Corning®


- Manufactured from optically clear virgin polystyrene
- Treated for optimum cell attachment
- Printed on lot numbers for traceability
- 100% Integrity tested
- Sterilized by gamma irradiation & certified nonpyrogenic



Cat. No.	Growth Area (cm ²)	Neck Style	Cap Style	Qty/ Sleeve	Price/Cs
M246020	25	Canted	Plug Seal	20	\$844.89/500
M246020-02	25	Canted	Phenolic	20	844.89/500
M246021	25	Canted	Vented	20	389.81/200
M246023	75	Canted	Plug Seal	5	341.74/100
M246023-02	75	Canted	Phenolic	5	341.74/100
M246022	75	Canted	Vented	5	356.12/100
M246025	150	Canted	Plug Seal	5	287.90/ 50
M246025-02	150	Canted	Phenolic	5	287.90/ 50
M246024	150	Canted	Vented	5	303.37/ 50
M105109	175	Angled	Plug Seal	5	\$317.60/ 50
M105110	175	Angled	Vented	5	310.13/ 50
M105111	175	Angled	Phenolic	5	314.44/ 50
M105112	225	Angled	Plug Seal	5	198.22/ 25
M105113	225	Angled	Vented	5	233.30/ 25

Cell Culture Treated Dishes


- Specially treated for optimum attachment and growth of anchorage dependent cells
- Optically clear virgin polystyrene
- Use with open culture systems
- Stacking beads to aid in handling
- Sterile, certified nonpyrogenic
- Special vents to provide consistent gas exchange
- M217991-12 has a 2mm grid



• CORNING®

Cat. No.	Dish (mm)	Height (mm)	Growth Area (cm ²)	Price/Cs
M217990	35	10	8	\$314.92/500
M217991	60	15	21	345.12/500
M217991-12	60	15	21	447.01/500
M217993	100	20	55	739.87/500
M111328	150	25	148	186.05/ 60
M105122	245	25	500	322.03/ 16


Disposable Inoculating Loops and Needles



- Dual use inoculating loops; with 2 loops or a needle and loop on each end
- Sterilized and individually wrapped

Cat. No.	Description	Color	Price/Cs
M106297	1 µl Loop/Needle	Blue	\$104.54/500
M106298	10 µl Loop/Needle	Yellow	112.35/500
M106299	10 µl Loop/1 µl Loop	Natural	112.35/500


Petri Dishes, Polystyrene



- Molded from medical grade virgin polystyrene; optically clear
- Flared lid w/ 3 venting ribs for reducing condensation
- No quarantine and no residue
- Plate style is slippable with Isobar
- Radiation sterilized, disposable, affordable and traceable by lot
- Packaged 25 dishes/sleeve, 20 sleeves/case

Cat. No.	Description	Price/Cs
M217321	Petri Dishes 100 x 15 mm	\$110.74/500
M108527	Petri Dishes 150 x 15 mm	89.91/100
M108525	Petri Dishes 60 x 15 mm	248.63/500
M108540	Petri Dishes 100 x 15 mm No Rim, Automation	77.06/500
M111349	Petri Dishes 100 x 15 mm Fully Stackable	138.42/500
M111350	Petri Dishes 100 x 15 mm Bi-Plate	106.98/500

Lazy-L-Spreaders™



- Unlike glass spreaders, durable polystyrene Lazy-L Spreaders™ are non-breakable and pose no safety hazard
- L-shaped for convenient "lazy" spreading; just turn the Petri dish for smooth, even sample distribution
- Smooth spreading surface and a slight upward turn reduces the chance that spreader will dig into agar
- PreSterilized - eliminates flaming or autoclaving and time wasted on these processes
- Packaged in presterilized pouches of one or 10 each
- Disposable, an economical alternative glass rods

Cat. No.	Description	Price/Pk	6+Pk
M102257	Pouches of 10	\$71.94/500	\$63.94
M105397	Individually Wrapped	93.24/500	83.92

Fax: 908-561-3002

The LabMart™

Food



Portioning Scale, FD Series



*buy me because
of my all stainless steel
construction for sanitary
cleaning and durability.*

- Rugged, multi-use portioning scale ideally suited for food portioning and checkweighing
- Checkweighing function for food packaging and preparation with 3-LED indicator and audible alarm
- Internal rechargeable battery assures excellent portability; AC Power also
- Stainless Steel housing and pan; non-slip rubber feet
- **Weighing Units:** lb, decimal/fractional oz, kg, g, & lb:oz
- Stable weight display within 2 secs.
- Pan size of 8.2 x 8.2 in / 209 x 09 mm

- NSF Cert., USDA/AMS Accepted, Supports HACCP-Certified Systems, EC/OIML Type approved
- 2 YEAR WARRANTY



Cat. No.	Cap. (g/lb)	Readability (g/lb)	Repeat. (g)	Price
M109814	3000 / 6	0.5 / 0.001	0.5	\$614.10
M109815	6000 / 15	1 / 0.002	1	614.10
M109816	15000 / 30	2 / 0.005	2	614.10


Tongs, Color-Coded



- Ideal for the food industry; NSF Listed
- Colored handles for maintaining controlled food contact
- Twelve inch in total length
- Pick up specific samples quickly & easily
- Stainless steel, 1 piece, spring-less design

Cat. No.	Handle Color	Price
M109443	Green	\$21.15
M109444	Brown	21.15
M109445	White	21.15
M109446	Blue	21.15
M109447	Red	21.15
M109448	Yellow	21.15
M109449	Variety	63.45/6

Microspatulas



- Nickel-stainless steel wire; 0.015 diameter
- Double flat ends, 2 x 5/16 inches; mirror finish

Cat. No.	Micro Spatula	Price
M381773	Stainless Steel, 8 inches	\$66.00/3
M381775	Teflon® Coated	21.25/1

Stainless Steel Scoops



M109314



M101073

- Heavy duty seamless body
- Tubular handle for easy handling
- Utility scoop: 40oz capacity, 12 in. long, 5 x 7 1/2 in. bowl
- Ice scoop: 5 x 7 1/2 in. bowl

Cat. No.	Description	Price
M101073	Utility Scoop	\$172.68
M109314	Ice Scoop	22.61

Washdown Scales



buy me because

*I have a stainless steel body making me both
dust and waterproof, toss me in the dishwasher.*

- High resolution of 1/3,000 with mode selection of lb/kg/oz
- Temperature compensated
- **Features:** stability indicator, clear LCD display, auto power off, tare function, full scale push button tare/zero
- Portable (2 lbs), SS construction
- IP65/NEMA-4X
- 2 YEAR WARRANTY

Specifications:

Display:

Operating Temp.:

Dims. (HxWxD):

Power:

12 mm / 0.5 in., 7 Segment LCD


-10 - 40°C / 14 - 104°F

63 x 170 x 220 mm / 2.5 x 6.68 x 8.64 in.

6AA Batteries (not included) or Optional Adapter

Cat. No.	Cap. (g/oz)	Resol. (g/oz)	Platform	Price
M109167	300 / 10.58	0.1 / 0.01	5" sq.	\$399.67
M109168	1000 / 35.28 / 9.8	0.5 / 0.1	5" sq.	399.67
M109169	3000 / 105.8 / 9.8	1 / 0.1	5" sq.	399.67
M109170	3000 / 105.8 / 9.8	1 / 0.1	5.4" x 6.8"	399.67

Dual Ended Spoons



- Double ended with solid shaft
- Each spoon has 2 bowl sizes
- Fluo-Kem® coated spoons contain FEP to comply w/ FDA regulations governing direct food contact applications
- Scienceware®

Cat. No.	Lgth (cm)	Small (ml)	Large (ml)	Price/Pk
Polished Stainless Steel Spoon				
M381750	15	0.5	2.0	\$42.81/2
M381751	18	0.8	2.8	48.20/2
M381752	21	1.6	5.0	55.75/2
M381753	25	0.8	5.0	60.06/2
M381754	30	2.0	8.0	64.07/2
Fluo-Kem® Teflon® Coated Stainless Steel Spoon				
M381760	15	0.5	2.0	\$73.79/2
M381762	21	1.6	5.0	83.18/2
M381764	30	2.0	8.0	94.85/2

Spatulas, Stainless Steel



- Hardwood handle
- Stainless steel or Teflon® coated blade

Cat. No.	Length (mm)	Price	Cat. No.	Length (mm)	Price
M381774-40	100, SS	\$13.48	M381777	75, Teflon®	\$22.05
M381774-42	125, SS	20.98	M381778	100, Teflon®	23.15
M381774-44	150, SS	18.48	M381779	150, Teflon®	25.08
M381774-46	200, SS	31.99			
M381774-48	250, SS	31.99			

*For more special offers &
promotions, visit*

www.labmart.com

Want special offer? Register & subscribe online

Food

Brix Refractometer

- Ideal for testing honey, maple, sauces, jams, jellies, beverages, soups
- Digital rugged, portable, water resistant
- Quick, precise results in 1.5 seconds
- Easy measurement; place a few drops in sample well then press read
- Use sample size as small as 2 drops
- Stainless steel well, easy to clean, corrosion resistant
- Single point calibration; calibrate with distilled or deionized water
- Auto Temp Comp (ATC) between 10 and 40°C (50 to 104°F)
- Auto shut off, low battery alert
- Dual-level LCD displays measurement & temp. Simultaneously
- Waterproof; IP65 waterproof protection for harsh conditions
- 2 YEAR WARRANTY, ISO 9001:2000
- Dim.: 19.2(W) x 10.2(D) x 6.7 (H)cm / Wgt: 420g (14.8 oz.)

buy us becausewe eliminate the uncertainty associated with mechanical refractometers and I am portable for measurements in the field.



Specifications:

Range: 0 to 85% Brix / 0 to 80°C (32 to 176°F)

Resolution: ± 0.1% Brix / ± 0.1°C (± 0.1°F)

Accuracy: ± 0.2 % Brix / ± 0.3°C (± 0.5°F)

Cat. No.	Description	Price
M111051	Brix	\$199.00
M111052	Fructose	199.00
M111053	Glucose	199.00
M111054	Invert Sugar	199.00

Putty Knives and Scrapers



- Heavy gauge high carbon stainless steel for a stiff blade
- Hardened & tempered / Ground & polished / Beveled edge
- Full-tang / Compressed Brass riveted
- Non-slip Maple handles / eyelet for hanging
- **Blade Length:** 3 5/8" **Overall Length:** 7 1/2" (except for M111041 at 7")

Putty - Stiff blades have bevel edge; Flexible blade are taper ground.
Heavy-Duty Putty Knife - Extra heavy stiff blade. One side bevel. Ideal for heavy scraping and gasket removal.
Brass Chisel - Narrow 3/4 in blade. Ideal for work in tight spots.

Cat. No.	Type	Blade Wth (in)	Blade Type	Price/Pk
M111033	Putty	1 1/4	Stiff	\$126.00/12
M111034	Putty	1 1/4	Flex	126.00/12
M111035	Putty	1 1/2	Stiff	138.60/12
M111036	Putty	1 1/2	Flex	138.60/12
M111037	Putty	2	Stiff	151.20/12
M111038	Putty	2	Flex	151.20/12
M111039	Heavy Duty	1 1/2	Stiff	151.20/12
M111040	Brass Chisel	3/4	Chisel	113.40/12

Samplers

- Lightweight and convenient
- Designed for single use
- Individually sterilized and wrapped
- Sturdy polystyrene Sterileware®

Scoops with lids - eliminate the cost of separate sterile bags or containers. Remove lid to sample and replace to use the scoop as a container.

Large Spoon - For sample collection of semi-solids, viscous liquids or bulk materials. A strong, rigid handle withstands pressure without breaking.

Mini Tongs - Ridged inside surface is ideal for gripping food samples.

Knife - Designed for cutting small samples. Features one serrated edge and one smooth edge.

Spatula - A sharp V-shape for puncturing bag and direct sampling; ideal for powdered or granulated material.



Cat. No.	Description	Cap.	Length (in.)	Price
M392022	Scoop w/ Lid	2 oz	8	\$263.07/100
M392024	Scoop w/ Lid	4 oz	8 11/16	320.53/100
M103920	Large Spoon	25 ml	10	58.99/ 25
M105353	Mini Tongs		4.25	37.93/ 25
M392008	Sampling Knife		7	328.87/200
M398200	V-Shaped Spatula		9	142.23/100

Fax: 908-561-3002

Grinder

- Powerful 550 watts of strength to cut, mince, chop or puree grains, seeds, nuts and beans, herbs, vegetables, meat, cheese, ginger, and more
- Can hold liquids, handles dry or oily materials, accepts peanut butter & hummus to cornmeal & wheat flour
- Press transparent cover to activate and control chopping fineness
- Chamber lifts off and the stainless steel blade is removable for easy dispensing and cleaning
- UL Listed, 9.5 inches high



buy me because
I chop and mince madly.

Cat. No.	Capacity	Price
M110754	Up to 1/4 lb., 8 oz. food chamber	\$119.90

Poly Rounds Containers



buy me becauseI allow you to check your inventory at a glance.

- Use to store ingredients, transport ready-to-serve or partially prepared foods
- Shape promotes proper air circulation
- See through plastic to view contents
- Handles have molded-in holes for quick and sanitary drying
- Tight fitting snap on cover (sold separately)
- Bright red imprinted graduations
- Impact, stain and chemical resistant
- Range of -40 to 160°F (-40 to 70°C)

Cat. No.	Cap. (Qt.)	Dia. x Hgt. w/ cover (in.)	Price	Cat. No.	Price
Poly Rounds				Lids	
M110755	1	6 1/6 x 5	\$9.83	M110755L	\$3.61
M110756	2	8 3/16 x 4 3/16	10.81	M110756L	3.74
M110757	4	8 3/16 x 8 9/16	12.42	M110757L	3.74
M110758	6	9 15/16 x 7 15/16	15.35	M110758L	5.21
M110759	8	9 15/16 x 10 7/8	20.16	M110759L	5.21
M110760	12	14 7/8 x 8 3/8	36.18	M110760L	12.55
M110761	18	14 7/8 x 12	43.92	M110761L	12.55
M110762	22	14 7/8 x 15	51.66	M110762L	12.55

The LabMart™

71

FREE Widescreen TV 32"

Wi-Fi, LED HDTV 1 3/8" Thick

With a \$5000 Purchase Use M500019 to order



- Net TV™ with Yahoo® widgets developed to work with Wi-Fi enabled TV
- Allows watching pictures or videos on the TV screen while watching a TV show
- 1366 x 720 resolution / 60Hz refresh rate
- Ultra-thin depth cabinet design
- Photo frame capability & MP3 playback
- Game mode; fast game controller response
- 200 x 200 VESA mounting pattern
- Panel: 30 9/16" W x 18 7/8" H x 1 3/8"
- Includes tabletop stand & remote

- Connections: 3-HDMI, component, composite, PC, RJ45 and 2-USB
- DynaLight™ dynamic backlight control for deep black levels

FREE Kindle Fire

7" Multi-touch Display, Wi-Fi

With a \$2500 Purchase Use M250012 to order



- 18 million movies, TV shows, songs, magazines, and books in full color
- Thousands of popular apps and games, including Netflix, Hulu Plus, Pandora, and more
- Ultra-fast web browsing - Amazon Silk
- Free cloud storage for all your Amazon content
- Vibrant color touchscreen with extra-wide viewing angle - same as an iPad
- Fast, powerful dual-core processor

FREE 3D Blu-Ray Disc™ Player

Wi-Fi Ready

With a \$1500 Purchase Use M150036 to order



- 3D technology allows playing cinema-quality 3D Blu-ray titles
- Convert 2D Blu-ray Disc™ titles into 3D, for new levels of enjoyment
- Samsung Smart TV™ is an exclusive service that turns a component into a web-enabled gateway via the smart hub that consists of apps, search function, video-on-demand access, browse the web or connect to social media sites
- WiFi-ready; Connections: HDMI, 2-USB and ethernet
- Fast booting and loading time; multi-format disc playback
- New graphic user interface and touch sensor control
- Dolby® Digital, Dolby® Digital Plus, Dolby® Digital TrueHD and DTS with 7.1-channel audio out
- 16 15/16" W x 1 9/16" H x 8 5/16" D wgt: 5.5 lbs

FREE Fleece Vest

With a \$250 Purchase



- High quality, heavy, 16oz polar fleece
- 2 Front pockets with zipper closure elastic cuffs
- Open bottom hem with both side drawcord
- Lycra bound arm holes, coule collar
- Double-needled half moon sweat patch
- Grey in color

M250115L to order large

M250115XL to order extra large

FREE Cordless Phones

with Answering System & Caller ID

With a \$750 Purchase Use M750158 to order



- 4 Handsets; that require only 1 phone jack
- DECT 6.0 Digital technology provides the best sound quality, security and range
- Caller ID/call waiting stores 50 calls
- 14 Minutes of recording time
- Trilingual prompts in English, Spanish or French
- Stores 50 name & numbers
- Conference & outside call between handsets
- Backlit keypad and display
- Includes wall-mount bracket and 4 handsets

FREE Chopper/Grinder

4 Cup Bowl with Handle

With a \$500 Purchase Use M500121 to order



- SmartPower® blade has a patented auto-reversing ability with a sharp edge for delicate chopping and pureeing soft foods, while the blunt edge grinds through spices and harder foods
- BladeLock System feature keeps the blade secure during processing and pouring
- All removable parts are dishwasher-safe
- Limited 18-month warranty
- Includes spatula and recipe/instruction book
- 7 3/4" W x 9 1/2" H x 5 1/2" D; wgt 3.85 lbs

The LabMart®
4111 South Clinton Avenue, PO. Box 310
South Plainfield, NJ 07080-0310
CHANGE SERVICE REQUESTED

PRSR STD
U.S. POSTAGE
PAID
J & H BERGE,
INC.

Premium Rewards are valid only on products purchased from The Lab Mart® catalog or www.labmart.com. Rewards cannot be combined with other discount, quoted prices or offers. For more Reward choices, visit www.labmart.com



MAILROOM: If addressee is no longer available, please deliver to appropriate lab scientist, manager or professor.

FREE X Box 360 Console

250 GB With Kinect

With a \$5000 Purchase Use M500018 to order



- Game Console is sleek and quite, with a stylish design
- Built in Wi-Fi for HD movies & TV stream in an instant
- Ready for the controller-free experiences of Kinect where you don't just play the game, - you are the game
- Large, 250 GB Hard drive to store all your favorite games and movies

FREE SoundBar

Use with your TV, Stereo or iPod®

With a \$2500 Purchase Use M250013 to order



- 35.5" 60-Watt Soundbar System with iPod®/iPhone® Dock
- 2-Way 6-speaker system featuring four 3 3/16" woofers and two 1" tweeters producing 30 watts per channel @ 4 ohms
- Connections: 2-HDMI in, RCA L/R in, digital optical in, digital coaxial in HDMI out, composite out and subwoofer pre-out
- Integrated dock for iPod®/iPhone® with video output works with iPod® nano (2G and later), iPod® touch, iPod® classic and iPhone®
- TV remote (IR) pass through; SRS StudioSound HD front surround
- FM tuner; Wall-mountable
- 35 7/16" W x 3 7/8" H x 4 1/4" D

FREE Apple TV Multimedia Receiver

With a \$1500 Purchase Use M150035 to order



- Digital clarity and speed
- Apple TV allows you access to an easy-to-navigate world of entertainment
- Rent HD movies With AirPlay mirroring, whatever's playing on your iPad 2 or iPhone 4S can wirelessly play on your HDTV
- Photos appear automatically with Photo Stream4 in iCloud
- Buy HD TV shows
- Listen to your iTunes music
- Show off your photos

FREE Hand Mixer

\$250 Purchase

M250114 to order



- 220-watt total power with automatic feedback
- Easy-to-use speed control and beater eject lever
- Swivel cord for right-handed or left-handed use
- 2 Extra-long self cleaning beaters with no center posts
- 3-Year limited warranty
- 3 5/8" W x 5 5/8" H x 8" D, wgt 3 lbs.
- Includes spatula and recipe book

FREE Head Phones

Active Noise Canceling

With a \$750 Purchase Use M750157 to order



- QuietPoint® Noise Canceling Headphones
- Reduces environmental noise up to 85%
- Frequency response: 20Hz-20kHz
- Clear and impactful high-resolution audio
- On/Off switch in ear cup - no external modules
- Audio will work even after battery is depleted
- Cordless ; detachable cable
- Includes durable hard-shell travel case, 1/4" plug adapter, airline adapter & AAA battery
- Weight: 1.65 lbs

FREE Emergency Crank Radio

With a \$500 Purchase

Use M500120 to order



- AM/FM and Weather Alert
- Water-resistant with NOAA weather channels
- Backlit LCD with clock and alarm
- 7 preset weather channels
- Alert override automatically switches from AM/FM to warn of hazardous conditions
- Display, voice and flashlight alerts
- Wake to local weather, AM/FM or buzz
- Includes AC adapter

MAILROOM: If addressee is no longer available, please deliver to appropriate lab scientist, manager or professor.

The LabMart®
4111 South Clinton Avenue, P.O. Box 310
South Plainfield, NJ 07080-0310
CHANGE SERVICE REQUESTED

PRSR STD
U.S. POSTAGE
PAID
J & H BERGE,
INC.

Premium Rewards are valid only on products purchased from The Lab Mart® catalog or www.labmart.com. Rewards cannot be combined with other discount, quoted prices or offers. For more Reward choices, visit www.labmart.com

